



2026 PRODUCT CATALOG



INDUSTRIAL
STRENGTH



ALL-WELDED
CONSTRUCTION



HIGH QUALITY
MATERIALS

Manufactured by Brennan Equipment and Manufacturing, Inc.
www.LittleGiant-USA.com



PROUDLY



Quick Reference Index – For more information on Little Giant products visit LittleGiant-USA.com

ITEM			PAGE
Carts & Shelf Trucks			3-22
Wagons & Trailers			23-27
Platform Trucks			28-36
Bulk Handling			37-48
Storage & Security			49-65
Regulatory Compliance & Safety			66-69
Bar & Pipe, Sheet & Panel Handling			70-82
Pallet Dollies & Hand Trucks			83-91
Gas Cylinder Storage & Handling			92-93
Wire Reel & Bulk Roll Handling			94-97
Small Parts Storage & Lean Manufacturing			98-104
Workstations, Mobile Bench Cabinets, & Mobile Tables			105-123
Workbenches & Shop Tables			124-137
Wheels, Terms & Conditions, & Model No. Index			138-141



Instrument Cart with Hand Guard

1200 lbs. Capacity

- Wheels: 9" pneumatic
- Top shelf height: 34"
- Non-slip vinyl shelf surfaces
- Shelf clearance: lipped 18", flush shelves 19-1/2"

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
24 x 36	GL-2436-9PM	G-2436-9PM	99
24 x 48	GL-2448-9PM	G-2448-9PM	113
30 x 48	GL-3048-9PM	G-3048-9PM	134

Wheel brakes on swivel casters option, add: **-BRK**



Model
G-2436-9PM

Flush-Handle Instrument Cart

1200 lbs. Capacity

- Wheels: 9" pneumatic
- Top shelf height: 34"
- 1-1/2" retaining lips or flush shelves
- Shelf clearance: lipped 18", flush shelves 19-1/2"

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
Non-Slip Vinyl Shelf Surfaces			
24 x 36	GLF-2436-9PM	GF-2436-9PM	96
24 x 48	GLF-2448-9PM	GF-2448-9PM	111
30 x 48	GLF-3048-9PM	GF-3048-9PM	131
Without Vinyl Shelf Surfaces			
24 x 36	GLF-2436-9P	GF-2436-9P	92
24 x 48	GLF-2448-9P	GF-2448-9P	106
30 x 48	GLF-3048-9P	GF-3048-9P	124

Wheel brakes on swivel casters option, add: **-BRK**



Model
GF-2448-9PM

Ergonomic Handle Instrument Cart

1200 lbs. Capacity

- Wheels: 9" pneumatic
- Top shelf height: 34"
- 1-1/2" retaining lips or flush shelves
- Shelf clearance: lipped 18", flush shelves 19-1/2"

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
Non-Slip Vinyl Shelf Surfaces			
24 x 36	ENGLF-2436-9PM	ENGF-2436-9PM	97
24 x 48	ENGLF-2448-9PM	ENGF-2448-9PM	112
30 x 48	ENGLF-3048-9PM	ENGF-3048-9PM	132
Without Vinyl Shelf Surfaces			
24 x 36	ENGLF-2436-9P	ENGF-2436-9P	93
24 x 48	ENGLF-2448-9P	ENGF-2448-9P	107
30 x 48	ENGLF-3048-9P	ENGF-3048-9P	125

Wheel brakes on swivel casters option, add: **-BRK**



Model
ENGLF-2448-9PM



Model
LGL-2436-BRK



Model
LG-2436-BK-2DR



Model
3LG-2436-6PY

Welded Service Carts

1200 lbs. or 2000 lbs. Capacity

- 12 gauge shelves
- Top shelf available with flush edges or 1-1/2" retaining lips
- Bottom shelf has 1-1/2" retaining lips
- Available with 5" (1200 lbs.) or 6" (2000 lbs.) non-marking polyurethane wheels
- 2 shelf models available with storage drawer; add **-DR**
- Powder coated gray finish
- All-welded construction

1200 lbs. Capacity

- 5" non-marking polyurethane wheels, 35" OAH

	Shelf Size	LIP SHELVES	FLUSH TOP (& MIDDLE)	Wt.
2 SHELF 25" Shelf Clearance	18 x 24	LGL-1824-BRK	LG-1824-BRK	55
	18 x 32	LGL-1832-BRK	LG-1832-BRK	65
	24 x 36	LGL-2436-BRK	LG-2436-BRK	84
	24 x 48	LGL-2448-BRK	LG-2448-BRK	103
	30 x 48	LGL-3048-BRK	LG-3048-BRK	125
	30 x 60	LGL-3060-BRK	LG-3060-BRK	152
3 SHELF 11-3/4" Clearance	18 x 24	3LGL-1824-BRK	3LG-1824-BRK	72
	18 x 32	3LGL-1832-BRK	3LG-1832-BRK	87
	24 x 36	3LGL-2436-BRK	3LG-2436-BRK	115
	24 x 48	3LGL-2448-BRK	3LG-2448-BRK	150
	30 x 48	3LGL-3048-BRK	3LG-3048-BRK	177

Standard with 2 swivel casters with brakes and 2 rigid casters.
Also available with Drawer, add: **-DR** or **-2DR** (75 lbs. Capacity)

2000 lbs. Capacity

- 6" non-marking polyurethane wheels, 36" OAH

	Shelf Size	LIP SHELVES	FLUSH TOP (& MIDDLE)	Wt.
2 SHELF 25" Shelf Clearance	24 x 36	LGL-2436-6PY	LG-2436-6PY	97
	24 x 48	LGL-2448-6PY	LG-2448-6PY	116
	30 x 48	LGL-3048-6PY	LG-3048-6PY	138
	30 x 60	LGL-3060-6PY	LG-3060-6PY	165
3 SHELF 11-3/4" Clearance	24 x 36	3LGL-2436-6PY	3LG-2436-6PY	128
	24 x 48	3LGL-2448-6PY	3LG-2448-6PY	163
	30 x 48	3LGL-3048-6PY	3LG-3048-6PY	190
	30 x 60	3LGL-3060-6PY	3LG-3060-6PY	230

Also available with Wheel Brakes, add: **-BRK**



Adjustable Height Welded Service Cart

1200 lbs. Capacity

- 12 gauge shelves
- Top shelf available with flush edges or 1-1/2" retaining lips
- Bottom shelf has 1-1/2" retaining lips
- 5" non-marking polyurethane wheels
- Top shelf adjustable from 34" to 46"
- Powder coated gray finish
- All-welded construction

Shelf Size	Lip Shelves	Flush Top (Middle)	Wt.
24 x 36	LGL-2436-5PYBKAH	LG-2436-5PYBKAH	93
24 x 48	LGL-2448-5PYBKAH	LG-2448-5PYBKAH	113
30 x 48	LGL-3048-5PYBKAH	LG-3048-5PYBKAH	131
30 x 60	LGL-3060-5PYBKAH	LG-3060-5PYBKAH	156



Model
LG-2436-5PYBKAH

Open Base Shelf Truck

1200 lbs. Capacity

- 12 gauge shelves
- Top shelf available with 1-1/2" retaining lips or flush edges
- Open angle base to prevent accumulation of waste/debris
- Top shelf height: 35"
- 5" non-marking polyurethane wheels
- Two rigid, and two swivel casters
- Powder coated gray finish
- All-welded construction

Shelf Size	LIP SHELVES Model No.	FLUSH TOP SHELF Model No.	Wt.
24 x 36	1LGL-2436-BRK	1LG-2436-BRK	73
24 x 48	1LGL-2448-BRK	1LG-2448-BRK	85



Model
1LG1-2436-BRK

Easy-Access Shelf Truck

600 lbs. Capacity

- 12 gauge shelves
- Overall height: 35"
- Shelf clearance: 26"
- Two rigid and two swivel casters
- 5" non-marking polyurethane wheels
- Powder coated gray finish
- All-welded construction

Shelf Size	Model No.	Wt.
18 x 24	EA-1824-5PY	56
18 x 32	EA-1832-5PY	63
24 x 36	EA-2436-5PY	85

Also available with Wheel Brakes, add: **-BRK**



Model
EA-2436-5PY



Model
LK-2436-5PYBK



Model
LKL-2436-5PYBK



Model
LK2436-5PYBKAH



Model
LKL2436-5PYBKAH

Low Deck Truck

1200 lbs. Capacity

- 12 gauge shelves
- Available in a fixed or adjustable height version
- Top shelf available with 1-1/2" retaining lips or flush edges
- 1-1/2" retaining lips on lower shelf
- Two rigid and two swivel casters with wheel brakes
- 5" non-marking polyurethane wheels

Fixed Height Models

- Top deck height: 24"
- Shelf clearance: 14"

Shelf Size	LIP TOP SHELF Model No.	FLUSH TOP SHELF Model No.	Wt.
18 x 24	LKL-1824-5PYBK	LK-1824-5PYBK	53
18 x 32	LKL-1832-5PYBK	LK-1832-5PYBK	62
24 x 36	LKL-2436-5PYBK	LK-2436-5PYBK	82
24 x 48	LKL-2448-5PYBK	LK-2448-5PYBK	101
30 x 48	LKL-3048-5PYBK	LK-3048-5PYBK	132
30 x 60	LKL-3060-5PYBK	LK-3060-5PYBK	161

Adjustable Height Models

- Top deck height: Adjusts from 25" - 33" in 2" increments
- Shelf clearance: 15" - 23"

Shelf Size	LIP TOP SHELF Model No.	FLUSH TOP SHELF Model No.	Wt.
18 x 32	LKL1832-5PYBKAH	LK1832-5PYBKAH	69
24 x 36	LKL2436-5PYBKAH	LK2436-5PYBKAH	89
24 x 48	LKL2448-5PYBKAH	LK2448-5PYBKAH	108
30 x 48	LKL3048-5PYBKAH	LK3048-5PYBKAH	139
30 x 60	LKL3060-5PYBKAH	LK3060-5PYBKAH	168

Low Deck Truck with Open Base

1200 lbs. Capacity

- 12 gauge shelves
- Available in a fixed or adjustable height version
- Top shelf available with 1.5" retaining lips or flush edges
- Two rigid and two swivel casters with wheel brakes
- 5" non-marking polyurethane wheels

Fixed Height Models

- Top deck height: 24"

Shelf Size	LIP TOP SHELF Model No.	FLUSH TOP SHELF Model No.	Wt.
18 x 24	1LKL-1824-5PYBK	1LK-1824-5PYBK	60
18 x 32	1LKL-1832-5PYBK	1LK-1832-5PYBK	72
24 x 36	1LKL-2436-5PYBK	1LK-2436-5PYBK	87
24 x 48	1LKL-2448-5PYBK	1LK-2448-5PYBK	109
30 x 48	1LKL-3048-5PYBK	1LK-3048-5PYBK	130
30 x 60	1LKL-3060-5PYBK	1LK-3060-5PYBK	160



**Model
1LK-2436-5PYBK**



**Model
1LKL-2436-5PYBK-AH**

Adjustable Height Models

- Top deck height: Adjusts from 25" - 33" in 2" increments

Shelf Size	LIP TOP SHELF Model No.	FLUSH TOP SHELF Model No.	Wt.
18 x 32	1LKL-1832-5PYBK-AH	1LK-1832-5PYBK-AH	79
24 x 36	1LKL-2436-5PYBK-AH	1LK-2436-5PYBK-AH	94
24 x 48	1LKL-2448-5PYBK-AH	1LK-2448-5PYBK-AH	116
30 x 48	1LKL-3048-5PYBK-AH	1LK-3048-5PYBK-AH	137
30 x 60	1LKL-3060-5PYBK-AH	1LK-3060-5PYBK-AH	167

Service Cart with Sloped Handle

1200 lbs. Capacity

- 12 gauge shelves
- Top shelf available with 1-1/2" retaining lips or flush edges
- 1-1/2" retaining lips on lower shelf
- Top shelf height: 30"
- Offset handle
- Two rigid and two swivel casters
- 5" non-marking polyurethane wheels
- Overall height: 38-3/4"

Shelf Size	LIP SHELVES Model No.	FLUSH TOP SHELF Model No.	Wt.
18 x 32	LGLK-1832-5PY	LGK-1832-5PY	64
24 x 36	LGLK-2436-5PY	LGK-2436-5PY	84
24 x 48	LGLK-2448-5PY	LGK-2448-5PY	103
30 x 48	LGLK-3048-5PY	LGK-3048-5PY	134

Also available with Wheel Brakes, add: **-BRK**



**Model
LGLK-2436-5PY**



Model
ENLGL-2436-BRK

Ergonomic Shelf Trucks

up to 1200 lbs. Capacity

- Ergonomic handle design
- 12 gauge steel construction
- Top shelf available with flush edges or 1-1/2" retaining lips
- Bottom shelf has 1-1/2" retaining lips
- Available with 5" (1200 lbs.) or 6" (2000 lbs.) non-marking polyurethane wheels

1200 lbs. Capacity

- 5" non-marking polyurethane wheels, 35" top shelf height, 39-1/2" OAH

Shelf Size	2 SHELF 25" Shelf Clearance		Wt.
	Lip Edge Shelves	Flush Top	
24 x 36	ENLGL-2436-BRK	ENLG-2436-BRK	85
24 x 48	ENLGL-2448-BRK	ENLG-2448-BRK	104
30 x 48	ENLGL-3048-BRK	ENLG-3048-BRK	126
30 x 60	ENLGL-3060-BRK	ENLG-3060-BRK	155

Shelf Size	3 SHELF 11-3/4" Shelf Clearance		Wt.
	Lip Edge Shelves	Flush Top & Center	
24 x 36	3ENLGL-2436-BRK	3ENLG-2436-BRK	124
24 x 48	3ENLGL-2448-BRK	3ENLG-2448-BRK	154
30 x 48	3ENLGL-3048-BRK	3ENLG-3048-BRK	183



Model
3ENLG-2436-BRK

2000 lbs. Capacity

- 6" non-marking polyurethane wheels, 36" top shelf height, 40-1/2" OAH

Shelf Size	2 SHELF 25" Shelf Clearance		Wt.
	Lip Edge Shelves	Flush Top	
24 x 36	ENLGL-2436-6PY	ENLG-2436-6PY	98
24 x 48	ENLGL-2448-6PY	ENLG-2448-6PY	117
30 x 48	ENLGL-3048-6PY	ENLG-3048-6PY	139
30 x 60	ENLGL-3060-6PY	ENLG-3060-6PY	166

Shelf Size	3 SHELF 11-3/4" Shelf Clearance		Wt.
	Lip Edge Shelves	Flush Top & Center	
24 x 36	3ENLGL-2436-6PY	3ENLG-2436-6PY	129
24 x 48	3ENLGL-2448-6PY	3ENLG-2448-6PY	164
30 x 48	3ENLGL-3048-6PY	3ENLG-3048-6PY	191
30 x 60	3ENLGL-3060-6PY	3ENLG-3060-6PY	231



Model
ENLGL-2436-6PY



Heavy-Duty Ergonomic Shelf Trucks

3600 lbs. Capacity

- Ergonomic handle design
- 12 gauge shelves
- 8" non-marking polyurethane wheels
- Two rigid and two swivel casters with wheel brakes
- Available with 1-1/2" retaining lips or flush edges
 - Lipped shelf clearance: 21"
 - Flush shelf clearance: 22-1/2"
- Top shelf height: 35"
- Powder coated gray finish
- All-welded construction

Shelf Size	Lip Edge Shelves	Flush Edge Shelves	Wt.
24 x 36	ERGL-2436-8PYBK	ERG-2436-8PYBK	112
24 x 48	ERGL-2448-8PYBK	ERG-2448-8PYBK	137
30 x 48	ERGL-3048-8PYBK	ERG-3048-8PYBK	155
30 x 60	ERGL-3060-8PYBK	ERG-3060-8PYBK	181

Floor Lock Option, add: **-FL**



**Model
ERGL-2448-8PYBK**



Floor Lock Option, add: **-FL**
Stops unwanted movement
when loading or unloading

Sloped Handle Heavy-Duty Utility Cart

3600 lbs. Capacity

- 12 gauge shelves
- Top shelf available with 1-1/2" retaining lips or flush edges
- 1-1/2" retaining lips on lower shelf
- Top shelf height: 28"
- Shelf clearance: 18-1/2"
- Two rigid and two swivel casters
- Your choice of wheels:
 - 6" phenolic wheels
 - 6" polyurethane wheels

6" PHENOLIC WHEELS			
Shelf Size	LIP SHELVES Model No.	FLUSH TOP SHELF Model No.	Wt.
24 x 36	GLK-2436-6PH	GCK-2436-6PH	115
24 x 48	GLK-2448-6PH	GCK-2448-6PH	140
30 x 48	GLK-3048-6PH	GCK-3048-6PH	158
30 x 60	GLK-3060-6PH	GCK-3060-6PH	184
6" POLYURETHANE WHEELS			
Shelf Size	LIP SHELVES Model No.	FLUSH TOP SHELF Model No.	Wt.
24 x 36	GLK-2436-6PY	GCK-2436-6PY	113
24 x 48	GLK-2448-6PY	GCK-2448-6PY	138
30 x 48	GLK-3048-6PY	GCK-3048-6PY	156
30 x 60	GLK-3060-6PY	GCK-3060-6PY	182

For Wheel Brakes, add: **-BRK**

For Floor Lock, add: **-FL**



**Model
GCK-2436-6PH**



Optional
Floor Lock



Floor Lock Option, add: **-FL**
Stops unwanted movement
when loading or unloading



Merchandise Collectors

3600 lbs. Capacity

- 12 gauge shelves
- Shelves longer than 36" reinforced
- Available with 1-1/2" retaining lips or flush edges
- Raised offset handle with hand guard
- Two rigid and two swivel casters

Capacity & Wheels	Shelf Size WxL	LIP SHELVES 18" Clearance	FLUSH SHELVES 19.5" Clearance	Wt.
		Model No.	Model No.	
8" x 2" Polyurethane w/Brakes Top Shelf 32" H	24 x 36	GL-2436-8PYBK	G-2436-8PYBK	111
	24 x 48	GL-2448-8PYBK	G-2448-8PYBK	136
	30 x 48	GL-3048-8PYBK	G-3048-8PYBK	154
	30 x 60	GL-3060-8PYBK	G-3060-8PYBK	180
	30 x 72	GL-3072-8PYBK	G-3072-8PYBK	213
6" x 2" Polyurethane Top Shelf 30" H	24 x 36	GL-2436-6PY	G-2436-6PY	113
	24 x 48	GL-2448-6PY	G-2448-6PY	138
	30 x 48	GL-3048-6PY	G-3048-6PY	156
	30 x 60	GL-3060-6PY	G-3060-6PY	182
	30 x 72	GL-3072-6PY	G-3072-6PY	215

Also available with Wheel Brakes, add: **-BRK**

Also available with 8" Mold-On Rubber Casters; add: **-8MR**

3-Shelf Models

3600 lbs. Capacity

Capacity & Wheels	Shelf Size WxL	LIP SHELVES 8.25" Clearance	FLUSH SHELVES 9" Clearance	Wt.
		Model No.	Model No.	
8" x 2" Polyurethane w/Brakes Top Shelf 32" H	24 x 36	GL3-2436-8PYBK	G3-2436-8PYBK	143
	24 x 48	GL3-2448-8PYBK	G3-2448-8PYBK	178
	30 x 48	GL3-3048-8PYBK	G3-3048-8PYBK	205
	30 x 60	GL3-3060-8PYBK	G3-3060-8PYBK	243
	30 x 72	GL3-3072-8PYBK	G3-3072-8PYBK	288
6" x 2" Polyurethane Top Shelf 30" H	24 x 36	GL3-2436-6PY	G3-2436-6PY	145
	24 x 48	GL3-2448-6PY	G3-2448-6PY	180
	30 x 48	GL3-3048-6PY	G3-3048-6PY	207
	30 x 60	GL3-3060-6PY	G3-3060-6PY	245
	30 x 72	GL3-3072-6PY	G3-3072-6PY	288

Also available with Wheel Brakes, add: **-BRK**

Also available with 8" Mold-On Rubber Casters; add: **-8MR**



Cushion-Load Merchandise Collectors

1200 lbs. to 1500 lbs. Capacity

- Your choice of cushion load wheels:
 - 9" pneumatic: 34" top shelf height
 - 10" solid rubber: 34-1/2" top shelf height
- Two swivel and two rigid casters
- 1-1/2" retaining lips or flush edges

Capacity & Wheels	Shelf Size WxL	LIP SHELVES 18" Clearance	FLUSH SHELVES 19.5" Clearance	Wt.
		Model No.	Model No.	
9" x 3" Pneumatic 1200 lbs Top Shelf 34" H	24 x 36	GL-2436-9P	G-2436-9P	95
	24 x 48	GL-2448-9P	G-2448-9P	109
	30 x 48	GL-3048-9P	G-3048-9P	127
10" x 2.75" Puncture-Proof Rubber 1500 lbs. Top Shelf 34-1/2" H	24 x 36	GL-2436-10SR	G-2436-10SR	104
	24 x 48	GL-2448-10SR	G-2448-10SR	118
	30 x 48	GL-3048-10SR	G-3048-10SR	136
	30 x 60	GL-3060-10SR	G-3060-10SR	152



Double Handled Heavy-Duty Shelf Truck

3600 lbs. Capacity

- 12 gauge shelves
- Shelves longer than 36" reinforced
- Available with 1-1/2" retaining lips or flush edges
- Raised offset handle with hand guard on each end
- Lipped shelf clearance: 18"
- Flush shelf clearance: 19-1/2"
- 6" nonmarking polyurethane wheels
- 2 swivel and 2 rigid casters

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
	Model No.	Model No.	
24 x 36	GL-2436-6PY-2H	G-2436-6PY-2H	119
24 x 48	GL-2448-6PY-2H	G-2448-6PY-2H	144
30 x 48	GL-3048-6PY-2H	G-3048-6PY-2H	163
30 x 60	GL-3060-6PY-2H	G-3060-6PY-2H	189



Model
GL-2448-6PY-2H



Model
G-2448-6PY-2H

6 Wheeled Double Handled Heavy-Duty Shelf Truck

3600 lbs. Capacity

- 12 gauge shelves
- Shelves longer than 36" reinforced
- Available with 1-1/2" retaining lips or flush edges
- Raised offset handle with hand guard on each end
- Lipped shelf clearance: 18"
- Flush shelf clearance: 19-1/2"
- 6" nonmarking polyurethane wheels
- 4 Swivel and 2 rigid center mounted casters provide improved maneuverability with a tighter turning radius.

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
	Model No.	Model No.	
24 x 36	GL6W2436-6PY-2H	G6W-2436-6PY-2H	135
24 x 48	GL6W2448-6PY-2H	G6W-2448-6PY-2H	160
30 x 48	GL6W3048-6PY-2H	G6W-3048-6PY-2H	180
30 x 60	GL6W3060-6PY-2H	G6W-3060-6PY-2H	206



Model
G6W-2448-6PY-2H



Model
GL6W2448-6PY-2H



Model
2G-2448-6PHBK



Model
3G-2436-6PHBK

Heavy-Duty Shelf Truck

3600 lbs. Capacity

- Two or three 12 gauge shelves
- 1-1/2" retaining lips or flush edges
- Two rigid and two swivel casters with wheel brakes
- 6" phenolic wheels
- Overall height: 36"

	Shelf Size	LIP SHELVES 24" Clearance	FLUSH SHELVES 25-1/2" Clearance	Wt.
		Model No.	Model No.	
2 Shelf	24 x 36	2GL-2436-6PHBK	2G-2436-6PHBK	112
	24 x 48	2GL-2448-6PHBK	2G-2448-6PHBK	138
	30 x 48	2GL-3048-6PHBK	2G-3048-6PHBK	154
	30 x 60	2GL-3060-6PHBK	2G-3060-6PHBK	182
	30 x 72	2GL-3072-6PHBK	2G-3072-6PHBK	212
	Shelf Size	LIP SHELVES 11" Clearance	FLUSH SHELVES 12" Clearance	Wt.
		Model No.	Model No.	
3 Shelf	24 x 36	3GL-2436-6PHBK	3G-2436-6PHBK	156
	24 x 48	3GL-2448-6PHBK	3G-2448-6PHBK	185
	30 x 48	3GL-3048-6PHBK	3G-3048-6PHBK	201
	30 x 60	3GL-3060-6PHBK	3G-3060-6PHBK	251
	30 x 72	3GL-3072-6PHBK	3G-3072-6PHBK	296

For 6" Polyurethane with Brakes, add wheel code: **-6PYBK** (3600 lbs. Capacity)

Floor Lock Option, add: **-FL**



Model
2GL6W-2448-6PH



Model
3G6W-2448-6PH

6 Wheeled Heavy-Duty Shelf Truck

3600 lbs. Capacity

- Two or three 12 gauge shelves
- 1-1/2" retaining lips or flush edges
- Four swivel and two rigid casters
- 6" phenolic wheels
- Overall height: 36"

	Shelf Size	LIP SHELVES 24" Clearance	FLUSH SHELVES 25-1/2" Clearance	Wt.
		Model No.	Model No.	
2 Shelf	24 x 48	2GL6W-2448-6PH	2G6W-2448-6PH	158
	30 x 48	2GL6W-3048-6PH	2G6W-3048-6PH	176
	30 x 60	2GL6W-3060-6PH	2G6W-3060-6PH	204
	30 x 72	2GL6W-3072-6PH	2G6W-3072-6PH	236
	Shelf Size	LIP SHELVES 11" Clearance	FLUSH SHELVES 12" Clearance	Wt.
		Model No.	Model No.	
3 Shelf	24 x 48	3GL6W-2448-6PH	3G6W-2448-6PH	205
	30 x 48	3GL6W-3048-6PH	3G6W-3048-6PH	231
	30 x 60	3GL6W-3060-6PH	3G6W-3060-6PH	273
	30 x 72	3GL6W-3072-6PH	3G6W-3072-6PH	318



Extra-Heavy-Duty Shelf Truck

5000 lbs. Capacity

- 12 gauge shelves
- 2" x 2" heavy-duty corner angles
- Top shelf height: 36"
- Available with two or three shelves
- Shelf clearance:
 - Two shelf models: 23"
 - Three shelf models: 10-1/2"
- 8" phenolic wheels with kingpinless casters
- Available with multiple caster/brake configurations



**Model
GH-3048-8PHK**

2 Rigid, 2 Swivel Casters

Shelf Size	2 SHELVES		3 SHELVES	
	Model No.	Wt.	Model No.	Wt.
24 x 36	GH-2436-8PHK	144	3GH-2436-8PHK	177
24 x 48	GH-2448-8PHK	167	3GH-2448-8PHK	209
30 x 48	GH-3048-8PHK	190	3GH-3048-8PHK	242
30 x 60	GH-3060-8PHK	216	3GH-3060-8PHK	280
30 x 72	GH-3072-8PHK	246	3GH-3072-8PHK	310
36 x 72	GH-3672-8PHK	275	3GH-3672-8PHK	365

Floor Lock Option, add: **-FL** (Only available on 2 rigid and 2 swivel caster option)



**Model
3GH-3048-8PHKFL**

4 Swivel Casters

- 2 with wheel brakes, and 2 with swivel locks that convert from swivel to rigid casters

Shelf Size	2 SHELVES		3 SHELVES	
	Model No.	Wt.	Model No.	Wt.
24 x 36	GH2436-8PHKBKPL	147	3GH236-8PHKBKPL	180
24 x 48	GH2448-8PHKBKPL	170	3GH248-8PHKBKPL	212
30 x 48	GH3048-8PHKBKPL	193	3GH348-8PHKBKPL	245
30 x 60	GH3060-8PHKBKPL	219	3GH360-8PHKBKPL	283
30 x 72	GH3072-8PHKBKPL	248	3GH3072-8PHKBKPL	312
36 x 72	GH3672-8PHKBKPL	278	3GH372-8PHKBKPL	368

Floor Lock Option, add: **-FL** (Only available on 2 rigid and 2 swivel caster option)



4 Position
Swivel Lock



Optional
Floor Lock



**Model
3GH348-8PHKBKPL**



Model
DS2436X3-6PY

Deep Shelf Trucks

1200 lbs. to 3600 lbs. Capacity

- 12 gauge steel shelves
- Available with the following shelf configurations:
 - 3" deep top & bottom shelves
 - 6" deep top & bottom shelves
 - 12" deep top shelf (1-1/2" bottom shelf)
- Available with 1200 lbs. or 3600 lbs. capacity
 - 1200 lbs: 5" polyurethane wheels, 35" OAH
 - 3600 lbs: 6" polyurethane wheels, 38" OAH
- Two rigid and two swivel casters



Model
3DS-1830-X3-5PY

3-Inch Deep Top Shelf

- 3" deep top & bottom shelves
- Available with 2 or 3 shelves
 - 2 shelves: shelf clearance 22-1/2"
 - 3 shelves: shelf clearance 10"

Shelf Size	2 Shelf Models				3 Shelf Models	
	1200 LBS. CAPACITY		3600 LBS. CAPACITY		1200 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X3-5PY	71	DS1830X3-6PY	81	3DS1830X3-5PY	98
24 x 36	DS2436X3-5PY	95	DS2436X3-6PY	105	3DS2436X3-5PY	134
24 x 48	DS2448X3-5PY	122	DS2448X3-6PY	132	3DS2448X3-5PY	166
30 x 60	—	—	DS3060X3-6PY	181	—	—

Also available with Wheel Brakes, add: -BRK



Model
DS2436X6-6PY

6-Inch Deep Shelf Trucks

- 6" deep top & bottom shelves
- Shelf clearance: 16-1/2"

Shelf Size	1200 LBS. CAPACITY		3600 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X6-5PY	87	DS1830X6-6PY	97
24 x 36	DS2436X6-5PY	116	DS2436X6-6PY	126
24 x 48	DS2448X6-5PY	147	DS2448X6-6PY	157

Also available with Wheel Brakes, add: -BRK



Model
DS2436X12-6PY

12-Inch Deep Shelf Truck

- 12" deep top shelf & 1-1/2" deep bottom shelf
- Shelf clearance: 15-1/2"

Shelf Size	1200 LBS. CAPACITY		3600 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X12-5PY	91	DS1830X12-6PY	101
24 x 36	DS2436X12-5PY	122	DS2436X12-6PY	132
24 x 48	DS2448X12-5PY	155	DS2448X12-6PY	165

Also available with Wheel Brakes, add: -BRK



Ergonomic Handle Deep Shelf Trucks

1200 lbs. to 3600 lbs. Capacity

- 12 gauge steel shelves
- Available with the following shelf configurations:
 - 3" deep top & bottom shelves
 - 6" deep top & bottom shelves
 - 12" deep top shelf (1-1/2" bottom shelf)
- Available with 1200 lbs. or 3600 lbs. capacity
 - 1200 lbs: 5" polyurethane wheels, 35" OAH
 - 3600 lbs: 6" polyurethane wheels, 38" OAH
- Two rigid and two swivel casters



Model
ENDS-2436X3-6PY

3-Inch Deep Shelf Truck

- 3" deep top & bottom shelves
- Available with 2 or 3 shelves
 - 2 shelves: shelf clearance 22-1/2"
 - 3 shelves: shelf clearance 10"

Shelf Size	2 Shelf Models				3 Shelf Models	
	1200 LBS. CAPACITY		3600 LBS. CAPACITY		1200 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	ENDS2436X3-5PY	96	ENDS2436X3-6PY	106	3ENDS2436X3-5PY	135
24 x 48	ENDS2448X3-5PY	123	ENDS2448X3-6PY	133	3ENDS2448X3-5PY	167
30 x 60	-	-	ENDS3060X3-6PY	182	-	-

Also available with Wheel Brakes, add: **-BRK**



Model
3ENDS2436X3-5PY

6-Inch Deep Shelf Trucks

- 6" deep top & bottom shelf

Shelf Size	1200 LBS. CAPACITY		3600 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.
24 x 36	ENDS2436X6-5PY	117	ENDS2436X6-6PY	127
24 x 48	ENDS2448X6-5PY	148	ENDS2448X6-6PY	158

Also available with Wheel Brakes, add: **-BRK**



Model
ENDS2436X6-6PY

12-Inch Deep Shelf Trucks

- 12" deep top shelf & 1-1/2" deep bottom shelf

Shelf Size	1200 LBS. CAPACITY		3600 LBS. CAPACITY	
	Model No.	Wt.	Model No.	Wt.
24 x 36	ENDS2436X12-5PY	123	ENDS2436X12-6PY	133
24 x 48	ENDS2448X12-5PY	156	ENDS2448X12-6PY	166

Also available with Wheel Brakes, add: **-BRK**



Model
ENDS2436X12-6PY



Model
DS2436X3-6PYWSP



Model
DS2436X6-6PYWSP



Model
DS2436X126PYWSP

Deep Shelf Order Picking Truck

3600 lbs. Capacity

- 12" long writing shelf
- Storage pocket measures 14"W x 12-1/2"L x 4-3/4"H
- 12 gauge shelves
- Available with the following shelf configurations:
 - 3" deep top & bottom shelves
 - 6" deep top & bottom shelves
 - 12" deep top shelf (1-1/2" bottom shelf)
- 6" non-marking polyurethane wheels

3-Inch Deep Shelves

- Shelf clearance: 22-1/2"

Shelf Size W x L	3" Deep Shelves	
	Model No.	Wt.
18 x 30	DS1830X3-6PYWSP	101
24 x 36	DS2436X3-6PYWSP	125
24 x 48	DS2448X3-6PYWSP	152

6-Inch Deep Shelves

- Shelf clearance: 16-1/2"

Shelf Size W x L	6" Deep Shelves	
	Model No.	Wt.
18 x 30	DS1830X6-6PYWSP	117
24 x 36	DS2436X6-6PYWSP	146
24 x 48	DS2448X6-6PYWSP	177

12-Inch Deep Shelves

- Shelf clearance: 15-1/2"
- Bottom shelf has 1-1/2" retaining lips

Shelf Size W x L	12" Deep Shelves	
	Model No.	Wt.
18 x 30	DS1830X126PYWSP	121
24 x 36	DS2436X126PYWSP	152
24 x 48	DS2448X126PYWSP	185



12-inch Deep Shelf Truck with Mesh Sides

1200 lbs. Capacity

- 12" clearview lips on top shelf
- Bottom shelf has 1-1/2" retaining lips
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Powder coated gray finish
- All-welded construction

Shelf Size W x L	Model No.	Wt.
18 x 30	DSX1830-X12-5PY	87
24 x 36	DSX2436-X12-5PY	106
24 x 48	DSX2448-X12-5PY	130



Model
DSX2448-X12-5PY

Cushion Load Deep Shelf Trucks

1200 lbs. Capacity

- Available with 3", 6", or 12" deep top trays
- Bottom shelf has 1-1/2" retaining lips
- Your choice of cushion load wheels:
 - 9" pneumatic: 36" OAH
 - 10" solid rubber: 36-1/2" OAH
- 12 gauge shelves
- Two rigid and two swivel casters
- Powder coated gray finish
- All-welded construction

3-Inch Deep Top Shelf

- Shelf clearance: 20"

Shelf Size W x L	9" x 3" Pneumatic Casters		10" x 2.75" Solid Rubber Puncture-Proof Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 36	DS-2436X3-9P	101	DS-2436X3-10SR	106
24 x 48	DS-2448X3-9P	127	DS-2448X3-10SR	132
30 x 60	DS-3060X3-9P	171	DS-3060X3-10SR	176

Also available with Wheel Brakes, add: **-BRK**

6-Inch Deep Top Shelf

- Shelf clearance: 17"

Shelf Size W x L	9" x 3" Pneumatic Casters		10" x 2.75" Solid Rubber Puncture-Proof Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 36	DS-2436X6-9P	122	DS-2436X6-10SR	127
24 x 48	DS-2448X6-9P	136	DS-2448X6-10SR	141

Also available with Wheel Brakes, add: **-BRK**

12-Inch Deep Top Shelf

- Shelf clearance: 11"

Shelf Size W x L	9" x 3" Pneumatic Casters		10" x 2.75" Solid Rubber Puncture-Proof Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 36	DS-2436X12-9P	135	DS-2436X12-10SR	140
24 x 48	DS-2448X12-9P	168	DS-2448X12-10SR	173

Also available with Wheel Brakes, add: **-BRK**



Model
DS-2436X3-9P



Model
DS-2436X6-9P



Model
DS-2436X12-9P



Model
LGL-2436-WSBRK



Storage Pocket



Model
3LG-2448-WSP-BK

Order Picking Truck

1200 lbs. Capacity

- 12 gauge shelves
- Available with 1-1/2" retaining lips or flush edges on top shelf
- Bottom shelf has 1-1/2" retaining lips
- Height: top shelf - 35", writing shelf - 39"
- 12" long writing shelf
- Also available with storage pocket
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with wheel brakes

Two Shelves

- Shelf clearance: 25"

Shelf Size	LIP EDGE SHELVES	FLUSH EDGE TOP	Wt.
Writing Shelf Only			
18 x 32	LGL-1832-WSBRK	LG-1832-WSBRK	80
24 x 36	LGL-2436-WSBRK	LG-2436-WSBRK	101
24 x 48	LGL-2448-WSBRK	LG-2448-WSBRK	120
Writing Shelf & Storage Pocket Storage pocket measures 14"W x 12-1/2"L x 4-3/4"H			
18 x 32	LGL-1832-WS-P-BK	LG-1832-WS-P-BK	90
24 x 36	LGL-2436-WS-P-BK	LG-2436-WS-P-BK	111
24 x 48	LGL-2448-WS-P-BK	LG-2448-WS-P-BK	130

Three Shelves

- Shelf clearance: 11-3/4"

Shelf Size	LIP EDGE SHELVES	FLUSH EDGE TOP	Wt.
Writing Shelf Only			
18 x 32	3LGL-1832-WSBRK	3LG-1832-WSBRK	97
24 x 36	3LGL-2436-WSBRK	3LG-2436-WSBRK	133
24 x 48	3LGL-2448-WSBRK	3LG-2448-WSBRK	162
Writing Shelf & Storage Pocket Storage pocket measures 14"W x 12-1/2"L x 4-3/4"H			
18 x 32	3LGL1832-WSP-BK	3LG-1832-WSP-BK	106
24 x 36	3LGL2436-WSP-BK	3LG-2436-WSP-BK	142
24 x 48	3LGL2448-WSP-BK	3LG-2448-WSP-BK	171

Instrument Cart with Writing Shelf and Storage Pocket

1200 lbs. Capacity

- 14 gauge shelves
- 12" long writing shelf
- Storage pocket measures 14"W x 12-1/2"L x 4-3/4"H
- Height: top shelf - 34", overall height - 39"
- 9" pneumatic wheels
- Two rigid and two swivel casters



Model
G-2436-9PM-WSP

Shelf Size	LIP SHELVES	FLUSH SHELVES	Wt.
Non-Slip Vinyl Shelf Surfaces			
24 x 36	GL-2436-9PM-WSP	G-2436-9PM-WSP	117
24 x 48	GL-2448-9PM-WSP	G-2448-9PM-WSP	133
Without Vinyl Shelf Surfaces			
24 x 36	GL-2436-9P-WSP	G-2436-9P-WSP	113
24 x 48	GL-2448-9P-WSP	G-2448-9P-WSP	127



Multi-Shelf Trucks

3600 lbs. Capacity

- Available with three, four, or five shelves
- Available with 1-1/2" retaining lips or flush edges
- 6" x 2" phenolic wheels
- Two rigid and two swivel casters

	W x L	LIP SHELVES 46-1/2" Overall Height	FLUSH SHELVES 45" Overall Height	Shelf Clearance	Wt.
3 Shelf	24 x 36	3ML-2436-6PH	3M-2436-6PH	16-1/2"	142
	24 x 48	3ML-2448-6PH	3M-2448-6PH	16-1/2"	173
	30 x 48	3ML-3048-6PH	3M-3048-6PH	16-1/2"	204
	30 x 60	3ML-3060-6PH	3M-3060-6PH	16-1/2"	244
	30 x 72	3ML-3072-6PH	3M-3072-6PH	16-1/2"	286
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
4 Shelf	24 x 36	4ML-2436-6PH	4M-2436-6PH	16-1/2"	175
	24 x 48	4ML-2448-6PH	4M-2448-6PH	16-1/2"	216
	30 x 48	4ML-3048-6PH	4M-3048-6PH	16-1/2"	256
	30 x 60	4ML-3060-6PH	4M-3060-6PH	16-1/2"	309
	30 x 72	4ML-3072-6PH	4M-3072-6PH	16-1/2"	365
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
5 Shelf	24 x 36	5ML-2436-6PH	5M-2436-6PH	12"	207
	24 x 48	5ML-2448-6PH	5M-2448-6PH	12"	258
	30 x 48	5ML-3048-6PH	5M-3048-6PH	12"	307
	30 x 60	5ML-3060-6PH	5M-3060-6PH	12"	373
	30 x 72	5ML-3072-6PH	5M-3072-6PH	12"	443

For 6" x 2" Polyurethane Casters, use wheel code **-6PY** (3600 lbs. Capacity)

Also available with Wheel Brakes, add: **-BRK**



Model
5M-2448-6PH

Multi-Shelf Order Picking Truck

3600 lbs. Capacity

- Available with three, four, or five shelves
- Available with 1-1/2" retaining lips or flush edges
- 12" long writing shelf
- Storage pocket measures 14"W x 12-1/2"L x 4-3/4"H
- Handle extends 16" out from shelves
- 6" x 2" phenolic wheels
- Two rigid and two swivel casters

	W x L	LIP SHELVES 46-1/2" Overall Height	FLUSH SHELVES 45" Overall Height	Shelf Clearance	Wt.
3 Shelf	24 x 36	3ML2436-6PH-WSP	3M-2436-6PH-WSP	16-1/2"	162
	24 x 48	3ML2448-6PH-WSP	3M-2448-6PH-WSP	16-1/2"	193
	30 x 48	3ML3048-6PH-WSP	3M-3048-6PH-WSP	16-1/2"	233
	30 x 60	3ML3060-6PH-WSP	3M-3060-6PH-WSP	16-1/2"	273
	30 x 72	3ML3072-6PH-WSP	3M-3072-6PH-WSP	16-1/2"	315
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
4 Shelf	24 x 36	4ML2436-6PH-WSP	4M-2436-6PH-WSP	16-1/2"	195
	24 x 48	4ML2448-6PH-WSP	4M-2448-6PH-WSP	16-1/2"	236
	30 x 48	4ML3048-6PH-WSP	4M-3048-6PH-WSP	16-1/2"	285
	30 x 60	4ML3060-6PH-WSP	4M-3060-6PH-WSP	16-1/2"	338
	30 x 72	4ML3072-6PH-WSP	4M-3072-6PH-WSP	16-1/2"	394
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
5 Shelf	24 x 36	5ML2436-6PH-WSP	5M-2436-6PH-WSP	12"	227
	24 x 48	5ML2448-6PH-WSP	5M-2448-6PH-WSP	12"	278
	30 x 48	5ML3048-6PH-WSP	5M-3048-6PH-WSP	12"	327
	30 x 60	5ML3060-6PH-WSP	5M-3060-6PH-WSP	12"	393
	30 x 72	5ML3072-6PH-WSP	5M-3072-6PH-WSP	12"	463

For 6" x 2" Polyurethane Casters, use wheel code: **-6PY** (3600 lbs. Capacity)

Also available with Wheel Brakes, add: **-BRK**



Model
4ML2448-6PH-WSP



Model
5ENM-3060-6PH



Multi-Shelf Truck with Ergonomic Handle

3600 lbs. Capacity

- Available with three, four, or five shelves
- Available with 1.5" retaining lips or flush edges
- 6" x 2" phenolic wheels
- Two rigid and two swivel casters

	W x L	LIP SHELVES 46-1/2" Overall Height	FLUSH SHELVES 45" Overall Height	Shelf Clearance	Wt.
3 Shelf	24 x 36	3ENML-2436-6PH	3ENM-2436-6PH	16-1/2"	143
	24 x 48	3ENML-2448-6PH	3ENM-2448-6PH	16-1/2"	174
	30 x 48	3ENML-3048-6PH	3ENM-3048-6PH	16-1/2"	205
	30 x 60	3ENML-3060-6PH	3ENM-3060-6PH	16-1/2"	245
	30 x 72	3ENML-3072-6PH	3ENM-3072-6PH	16-1/2"	287
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
4 Shelf	24 x 36	4ENML-2436-6PH	4ENM-2436-6PH	16-1/2"	176
	24 x 48	4ENML-2448-6PH	4ENM-2448-6PH	16-1/2"	217
	30 x 48	4ENML-3048-6PH	4ENM-3048-6PH	16-1/2"	257
	30 x 60	4ENML-3060-6PH	4ENM-3060-6PH	16-1/2"	310
	30 x 72	4ENML-3072-6PH	4ENM-3072-6PH	16-1/2"	366
	W x L	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
5 Shelf	24 x 36	5ENML-2436-6PH	5ENM-2436-6PH	12"	208
	24 x 48	5ENML-2448-6PH	5ENM-2448-6PH	12"	259
	30 x 48	5ENML-3048-6PH	5ENM-3048-6PH	12"	308
	30 x 60	5ENML-3060-6PH	5ENM-3060-6PH	12"	374
	30 x 72	5ENML-3072-6PH	5ENM-3072-6PH	12"	444

For 6" x 2" Polyurethane Casters, use wheel code: **-6PY** (3600 lbs. Capacity)

Also available with Wheel Brakes, add: **-BRK**



Model
5ENML-2448-5PY

Welded Multi-Shelf Service Cart with Ergonomic Handle

1200 lbs. Capacity

- 14 gauge shelves
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Available with 1-1/2" retaining lips or flush edges
- Overall height: 62"

	Shelf Size	LIP SHELVES Model No.	FLUSH SHELVES Model No.	Shelf Clearance	Wt.
3 Shelf	24 x 36	3ENML-2436-5PY	3ENM-2436-5PY	25.5"	128
	24 x 48	3ENML-2448-5PY	3ENM-2448-5PY	25.5"	163
4 Shelf	24 x 36	4ENML-2436-5PY	4ENM-2436-5PY	16.5"	151
	24 x 48	4ENML-2448-5PY	4ENM-2448-5PY	16.5"	193
5 Shelf	24 x 36	5ENML-2436-5PY	5ENM-2436-5PY	12"	174
	24 x 48	5ENML-2448-5PY	5ENM-2448-5PY	12"	223



Welded Multi-Shelf Service Cart

1200 lbs. Capacity

- 14 gauge shelves
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Available with 1-1/2" retaining lips or flush edges
- Overall height: 62"

	Shelf Size	LIP SHELVES	FLUSH SHELVES	Shelf Clearance	Wt.
		Model No.	Model No.		
3 Shelf	18 x 32	3ML-1832-5PY	3M-1832-5PY	25.5"	101
	24 x 36	3ML-2436-5PY	3M-2436-5PY	25.5"	128
	24 x 48	3ML-2448-5PY	3M-2448-5PY	25.5"	163
4 Shelf	18 x 32	4ML-1832-5PY	4M-1832-5PY	16.5"	113
	24 x 36	4ML-2436-5PY	4M-2436-5PY	16.5"	151
	24 x 48	4ML-2448-5PY	4M-2448-5PY	16.5"	193
5 Shelf	18 x 32	5ML-1832-5PY	5M-1832-5PY	12"	125
	24 x 36	5ML-2436-5PY	5M-2436-5PY	12"	174
	24 x 48	5ML-2448-5PY	5M-2448-5PY	12"	223



**Model
5ML-2448-5PY**

Multi-Shelf Order Picking Truck

3600 lbs. Capacity

- 12 gauge shelves
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Shelves have 1-1/2" retaining lips on 3 sides, flush front edge
- Overall height: 64-1/2"

Shelf Size	4 Shelves Shelf clearance: 16-1/2"		5 Shelves Shelf clearance: 12"	
	Model No.	Wt.	Model No.	Wt.
24 x 36	4MC-2436-6PY	175	5MC-2436-6PY	207
24 x 48	4MC-2448-6PY	216	5MC-2448-6PY	258



**Model
5MC-2448-6PY**

Adjustable Height Multi-Shelf Truck

800 lbs. Capacity per Shelf

- 14 gauge shelves
- Available with two or three shelves
- Adjustable in the following ways:
 - Shelves can be flush or lip up
 - Positioned either level, or with a 7° or 15° slope
 - Shelf heights are adjustable in 2-1/4" increments
- 48" tall shelf supports
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Powder coated gray finish
- All-welded construction

Shelf Size	2 Adjustable Shelves and fixed base		3 Adjustable Shelves and fixed base	
	Model No.	Wt.	Model No.	Wt.
24 x 48	AM-2A-2448-6PY	167	AM-3A-2448-6PY	198
24 x 60	AM-2A-2460-6PY	191	AM-3A-2460-6PY	229

Also available with Wheel Brakes, add: **-BRK**



**Model
AM-3A-2448-6PY**



Model
4MLP-2448-6PY-G

Multi-Shelf Nursery Truck

Up to 2000 lbs. Capacity (400 lbs. per Shelf)

- Heavy-duty, perforated, 14 gauge steel shelves
- 1-1/2" retaining lip
- 1" tubular steel push handle
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels

	Overall W x D x H	Model No.	Shelf Clearance	Wt.
3 Shelf	24 x 48 x 63	3MLP-2448-6PY-G	24-3/4"	133
	30 x 60 x 63	3MLP-3060-6PY-G	24-3/4"	180
4 Shelf	24 x 48 x 63	4MLP-2448-6PY-G	16"	162
	30 x 60 x 63	4MLP-3060-6PY-G	16"	224
5 Shelf	24 x 48 x 63	5MLP-2448-6PY-G	11-1/2"	186
	30 x 60 x 63	5MLP-3060-6PY-G	11-1/2"	262



Model
LGLP-2436-BK

Welded Service Cart with Perforated Deck

1200 lbs. Capacity

- Perforated, 12 gauge steel shelves
- 1-1/2" retaining lips
- Overall height: 35"
- Shelf clearance: 25"
- 5" non-marking polyurethane wheels with wheel brakes

Shelf Size W x L	Model No.	Wt.
24 x 36	LGLP-2436-BK	80
24 x 48	LGLP-2448-BK	97



Model
LGLP-2436-9P-G

Service Cart with Perforated Deck

1200 lbs. Capacity

- Perforated, 12 gauge steel shelves
- 1-1/2" retaining lip
- 9" pneumatic wheels
- Shelf clearance: 19"
- Overall height: 35"

Deck Size	Model No.	Wt.
24 x 36	LGLP-2436-9P-G	80
24 x 48	LGLP-2448-9P-G	97



Model
2LDWP2436-10P-G

2-Shelf Wagon Truck with Perforated Deck

1200 lbs. Capacity

- Perforated, 12 gauge steel shelves
- 5th wheel style steering with ergonomic handle

W x L Deck	Model No.	Wheel Type	Wt.
24 x 36	2LDWP2436-10-G	10" Solid Rubber Tire	101
	2LDWP2436-10P-G	10" Pneumatic	92
24 x 48	2LDWP2448-10-G	10" Solid Rubber Tire	117
	2LDWP2448-10P-G	10" Pneumatic	108



Wagon Trucks

1200 lbs. Capacity

- Fifth wheel steering
- Your choice of wheels:
 - 8" x 2-1/2" solid rubber
 - 10" x 2-1/2" solid rubber
 - 10" x 2-3/4" pneumatic
- Pull handle with vinyl grip
- 24" x 36" deck size
- Deck available with flush edges or 1-1/2" retaining lips
- Powder coated red finish
- Ships fully assembled, ready for immediate use

Steel Deck

- All-welded construction
- 12 gauge steel deck
- Deck available with flush edges or 1-1/2" retaining lips

Deck	Model No.	Capacity (lbs.)	Wheel Type	Wt.
Lip-Up	LW-2436-8S	1200	8 x 2.50 Solid Rubber	70
	LW-2436-10	1200	10 x 2.75 Solid Rubber	76
	LW-2436-10P	1200	10 x 3.50 Pneumatic	67
Flush	LW-2436-8S-FSD	1200	8 x 2.50 Solid Rubber	70
	LW-2436-10-FSD	1200	10 x 2.75 Solid Rubber	76
	LW-2436-10P-FSD	1200	10 x 3.50 Pneumatic	67

Perforated Steel Deck

- 12 gauge perforated steel deck
- 1" diameter holes
- 1-1/2" retaining lip

W x L Deck	Model No.	Capacity (lbs.)	Wheel Type	Wt.
24 x 36	LWP-2436-10	1200	10 x 2.75 Solid Rubber	73
	LWP-2436-10P	1200	10 x 3.50 Pneumatic	63



Model
LW-2436-10P



Model
LW-2436-10-FSD



Model
LWP-2436-10P

Nursery Wagon with Perforated Deck

1200 lbs. Capacity

- Perforated, 12 gauge steel deck
- 1-1/2" retaining lip
- Stronger and more durable than expanded metal
- Powder coated green finish
- Ships fully assembled, ready for immediate use

W x L Deck	Model No.	Capacity (lbs.)	Wheel Type	Wt.
24 x 36	LWP-2436-10-G	1200	10 x 2.75 Solid Rubber	73
	LWP-2436-10P-G	1200	10 x 3.50 Pneumatic	63



Model
LWP-2436-10P-G



Model
LDW2436-X6-10



Model
LDWP2436-X6-10P

Steel Deck Trucks with 6" Sides

1200 lbs. Capacity

- 6" sides formed from 12 gauge steel sheet
- All-welded construction
- Available with solid steel deck or perforated steel deck
- Easy assembly of wheels and handle to welded unit
- Your choice of wheels:
 - 10" x 2-3/4" solid rubber
 - 10" x 3-1/2" pneumatic

Steel Deck

W x L Deck	Model No.	Capacity (lbs.)	Wheel Type	Wt.
24 x 36	LDW2436-X6-10	1200	10 x 2.75 Solid Rubber	92
	LDW2436-X6-10P	1200	10 x 3.50 Pneumatic	83

Perforated Steel Deck

W x L Deck	Model No.	Capacity (lbs.)	Wheel Type	Wt.
24 x 36	LDWP2436-X6-10	1200	10 x 2.75 Solid Rubber	89
	LDWP2436-X6-10P	1200	10 x 3.50 Pneumatic	80

Deep Lip Wagon Trucks

Up to 3500 lbs. Capacity

- 12 gauge, reinforced steel deck
- Deck available with 3" or 6" retaining lips
- Your choice of wheels:
 - 12" x 2-1/2" mold-on rubber - 3500 lbs. capacity
 - 16" x 4" pneumatic - 3000 lbs. capacity
 - 12" x 3-1/2" pneumatic - 2000 lbs. capacity



Model
CH-2448-X6-16P

Size	WHEEL SELECTION					
	12" x 2-1/2" Mold-On Rubber 3500 lbs. Capacity		16" x 4" Pneumatic 3000 lbs. Capacity		12" x 3-1/2" Pneumatic 2000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
3" LIP EDGE DECK						
24 x 48	CH-2448-X3-12MR	189	CH-2448-X3-16P	137	CH-2448-X3-12P	127
30 x 60	CH-3060-X3-12MR	221	CH-3060-X3-16P	170	CH-3060-X3-12P	160
6" LIP EDGE DECK						
24 x 48	CH-2448-X6-12MR	205	CH-2448-X6-16P	153	CH-2448-X6-12P	143
30 x 60	CH-3060-X6-12MR	241	CH-3060-X6-16P	190	CH-3060-X6-12P	180



HEAVY-DUTY Wagon Trucks

Up to 3500 lbs. Capacity

- Easier to maneuver with fifth wheel steering
- T-handle with vinyl hand grips
- Full 1" diameter axles and roller bearing wheels
- Structural channel undercarriage for heavier loads and durability
- 12 gauge, reinforced steel deck
- Deck available with flush edges or 1-1/2" retaining lips
- Your choice of wheels:
 - 12" x 2-1/2" mold-on rubber - 3500 lbs. capacity
 - 16" x 4" pneumatic - 3000 lbs. capacity
 - 12" x 3-1/2" pneumatic - 2000 lbs. capacity



Model
CH-3060-16P

Size	WHEEL SELECTION					
	12" x 2-1/2" Mold-On Rubber 3500 lbs. Capacity Deck Height: 16-1/2"		16" x 4" Pneumatic 3000 lbs. Capacity Deck Height: 18-1/2"		12" x 3-1/2" Pneumatic 2000 lbs. Capacity Deck Height: 16-1/2"	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	CH-2436-12MR	175	CH-2436-16P	123	CH-2436-12P	113
24 x 48	CH-2448-12MR	185	CH-2448-16P	133	CH-2448-12P	123
30 x 48	CH-3048-12MR	201	CH-3048-16P	149	CH-3048-12P	140
30 x 60	CH-3060-12MR	216	CH-3060-16P	165	CH-3060-12P	155
36 x 60	CH-3660-12MR	224	CH-3660-16P	182	CH-3660-12P	172
36 x 72	CH-3672-12MR	251	CH-3672-16P	198	CH-3672-12P	187

For Flush Steel Deck, add: **-FSD** to model number

HEAVY-DUTY Wagon Trucks with Perforated Deck

Up to 3500 lbs. Capacity

- Perforated, 12 gauge steel deck
- Easier to maneuver with fifth wheel steering
- T-handle with vinyl hand grips
- Full 1" diameter axles and roller bearing wheels
- Structural channel undercarriage for heavier loads and durability
- 1-1/2" retaining lips
- Your choice of wheels:
 - 12" x 2-1/2" mold-on rubber - 3500 lbs. capacity
 - 16" x 4" pneumatic- 3000 lbs. capacity
 - 12" x 3-1/2" pneumatic - 2000 lbs. capacity

Size	WHEEL SELECTION					
	12" x 2-1/2" Mold-On Rubber 3500 lbs. Capacity Deck Height: 16-1/2"		16" x 4" Pneumatic 3000 lbs. Capacity Deck Height: 18-1/2"		12" x 3-1/2" Pneumatic 2000 lbs. Capacity Deck Height: 16-1/2"	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	CHP-2436-12MR	171	CHP-2436-16P	119	CHP-2436-12P	109
24 x 48	CHP-2448-12MR	179	CHP-2448-16P	127	CHP-2448-12P	117
30 x 48	CHP-3048-12MR	193	CHP-3048-16P	141	CHP-3048-12P	132
30 x 60	CHP-3060-12MR	206	CHP-3060-16P	155	CHP-3060-12P	145
36 x 60	CHP-3660-12MR	213	CHP-3660-16P	171	CHP-3660-12P	161
36 x 72	CHP-3672-12MR	238	CHP-3672-16P	185	CHP-3672-12P	175



Model
CHP-2448-12MR

RING DRAWBAR OPTION

Optional 36" long combination Ring Drawbar/ T-Handle includes 2-1/2" I.D. Eye for intermittent towing at speeds under 5 mph. Capacities reduced by 25% when towing.

Model 004-0184





8-Wheeler Wagon Truck

3000 lbs. Capacity

- Ring drawbar/T-handle has 2-1/2" I.D. ring
- 12 gauge, reinforced steel deck
- 16" x 4" pneumatic wheels
- Deck available with 1-1/2" retaining lips or flush edges



Model
CD-3060-16PFD-CR

Size	Lip Edge Model No.	Flush Deck Model No.	Wt.
30 x 48	CD-3048-16P-CR	CD-3048-16PFD-CR	155
30 x 60	CD-3060-16P-CR	CD-3060-16PFD-CR	170
36 x 60	CD-3660-16P-CR	CD-3660-16PFD-CR	187
36 x 72	CD-3672-16P-CR	CD-3672-16PFD-CR	202

Caster Steer Wagon

2000 lbs. Capacity

- 12 gauge, reinforced steel deck
- Deck height: 11"
- 1-1/2" retaining lips
- "T" style handle with vinyl hand grips
- Two rigid and two swivel casters
- Powder coated gray finish
- All-welded construction



Model
CSW-3060-8MR

Deck Size	8" MOLD-ON RUBBER		8" POLYURETHANE	
	Model No.	Wt.	Model No.	Wt.
24 x 48	CSW-2448-8MR	80	CSW-2448-8PY	68
30 x 48	CSW-3048-8MR	91	CSW-3048-8PY	79
30 x 60	CSW-3060-8MR	111	CSW-3060-8PY	99
30 x 72	CSW-3072-8MR	122	CSW-3072-8PY	110
36 x 60	CSW-3660-8MR	135	CSW-3660-8PY	123



Caster Steer Trailers

2000 lbs. Capacity

- 12 gauge, reinforced steel deck
- Available with 1 or 2 removable pushbar handles
- Deck height: 11"
- 8" x 2" mold-on rubber wheels
- Two rigid and two swivel casters
- Can be used independently or connected to other trailers
- Ring drawbar stays in upright position for manual operation as a platform truck
- Pin and clevis rear hitch
- Not intended for speeds above 5 mph



Model
CS-3060-8MRHD

Single Handle Model

- One removable pushbar handle

Deck Size	Model No.	Wt.
30 x 60	CS-3060-8MRHD	160
30 x 72	CS-3072-8MRHD	175
36 x 60	CS-3660-8MRHD	178
36 x 72	CS-3672-8MRHD	195

Double Handle Model

- Two removable pushbar handles

Deck Size	Model No.	Wt.
30 x 60	CS3060-8MRHD-2H	175
30 x 72	CS3072-8MRHD-2H	190
36 x 60	CS3660-8MRHD-2H	194
36 x 72	CS3672-8MRHD-2H	211

Model
CS3060-8MRHD-2H



Pin & Clevis Rear Coupler



Versatile ring type wishbone coupler with 2-1/2" I.D. ring can also be used with most pintle hitches.



Wishbone half of coupler stands upright when not in use.





Model
NBH-2448-PU

Heavy-Duty Platform Trucks

Capacities to 5000 lbs.

- 12 gauge reinforced steel deck
- Removable pipe handle sits 29" above deck
- 12" axle mounted load wheels
- 8" x 2" welded swivel caster wheels
- Deck height: 16-1/2"

Deck Size	RUBBER TIRED WHEELS 3000 lbs. Capacity		POLYURETHANE WHEELS 4000 lbs. Capacity		PHENOLIC WHEELS 5000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	NBH-2448-MR	161	NBH-2448-PU	177	NBH-2448-PH	163
30 x 48	NBH-3048-MR	170	NBH-3048-PU	186	NBH-3048-PH	172
30 x 60	NBH-3060-MR	181	NBH-3060-PU	197	NBH-3060-PH	188
30 x 72	NBH-3072-MR	190	NBH-3072-PU	207	NBH-3072-PH	192
36 x 60	NBH-3660-MR	192	NBH-3660-PU	208	NBH-3660-PH	194
36 x 72	NBH-3672-MR	205	NBH-3672-PU	221	NBH-3672-PH	207



Model
NBB-2448-8PY-2H

Double Handle Platform Truck

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Two removable handles
- 8" x 2" non-marking polyurethane wheels

Deck Size	8" x 2" POLYURETHANE 3600 lbs. Capacity	
	Model No.	Wt.
24 x 36	NBB-2436-8PY-2H	93
24 x 48	NBB-2448-8PY-2H	104
24 x 60	NBB-2460-8PY-2H	124
30 x 48	NBB-3048-8PY-2H	125
30 x 60	NBB-3060-8PY-2H	140
30 x 72	NBB-3072-8PY-2H	150
36 x 60	NBB-3660-8PY-2H	152
36 x 72	NBB-3672-8PY-2H	168

Floor Lock Option, add: **-FL**



Model
NB6W-2448-6PY

6-Wheel Platform Trucks

3600 lbs. Capacity

- Six-wheel platform trucks
- Available in a one or two handle design
- 12 gauge steel deck
- Six-wheeled design provides a zero-turn radius
- Two rigid center casters, and four corner mounted swivel casters
- 6" x 2" non-marking polyurethane wheels

Deck Size	1 HANDLE MODELS		2 HANDLE MODELS	
	Model No.	Wt.	Model No.	Wt.
24 x 48	NB6W-2448-6PY	114	NB6W2448-6PY-2H	128
24 x 60	NB6W-2460-6PY	124	NB6W2460-6PY-2H	138
30 x 48	NB6W-3048-6PY	130	NB6W3048-6PY-2H	145
30 x 60	NB6W-3060-6PY	149	NB6W3060-6PY-2H	164
30 x 72	NB6W-3072-6PY	167	NB6W3072-6PY-2H	182
36 x 60	NB6W-3660-6PY	162	NB6W3660-6PY-2H	178
36 x 72	NB6W-3672-6PY	182	NB6W3672-6PY-2H	198



Model
NB6W2448-6PY-2H




Heavy-Duty Platform Trucks

Up to 3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Removable pipe handle extends 29" above deck
- Your choice of wheels:
 - 6" mold-on rubber - 2000 lbs. capacity, deck height - 9"
 - 8" mold-on rubber - 2400 lbs. capacity, deck height: - 11"
 - 8" polyurethane - 3600 lbs. capacity, deck height: - 11"
 - 8" phenolic - 3600 lbs. capacity, deck height: - 11"
- Two rigid and two swivel casters
- Also available with floor lock or wheel brakes



Floor Lock Option



Model
NBB-2448-8PYBK

Deck Size	6" x 2" MOLD-ON RUBBER 2000 lbs. Capacity		8" x 2" MOLD-ON RUBBER 2400 lbs. Capacity		8" x 2" POLYURETHANE NON-MARKING TREAD with Wheel Brakes* 3600 lbs. Capacity		8" x 2" PHENOLIC 3600 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	NBB-2436-6MR	84	NBB-2436-8MR	88	NBB-2436-8PYBK	79	NBB-2436-8PH	80
24 x 48	NBB-2448-6MR	95	NBB-2448-8MR	99	NBB-2448-8PYBK	90	NBB-2448-8PH	91
24 x 60	NBB-2460-6MR	115	NBB-2460-8MR	119	NBB-2460-8PYBK	110	NBB-2460-8PH	111
30 x 48	NBB-3048-6MR	115	NBB-3048-8MR	119	NBB-3048-8PYBK	110	NBB-3048-8PH	111
30 x 60	NBB-3060-6MR	127	NBB-3060-8MR	131	NBB-3060-8PYBK	125	NBB-3060-8PH	123
30 x 72	NBB-3072-6MR	140	NBB-3072-8MR	144	NBB-3072-8PYBK	135	NBB-3072-8PH	136
36 x 60	NBB-3660-6MR	141	NBB-3660-8MR	145	NBB-3660-8PYBK	136	NBB-3660-8PH	137
36 x 72	NBB-3672-6MR	157	NBB-3672-8MR	161	NBB-3672-8PYBK	152	NBB-3672-8PH	153

OPTIONS: Floor Lock **-FL**, Wheel Brakes **-BRK**
Extra handles, fixed handle, pipe stakes, and other
superstructures also available.


* Note: Wheel brakes are not intended to stop moving equipment, or for use on ramps or inclines.

Platform Trucks with Rolling Bumpers


3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Removable pipe handle
- Rolling bumpers
- Deck height: 11"
- 8" non-marking polyurethane wheels
- Two rigid and two swivel casters with wheel brakes
- Powder coated gray finish
- All-welded construction

Deck Size	Rolling Bumpers	
	Model No.	Wt.
24 x 36	NCB-2436-8PYBK	80
24 x 48	NCB-2448-8PYBK	91
24 x 60	NCB-2460-8PYBK	111
30 x 48	NCB-3048-8PYBK	111
30 x 60	NCB-3060-8PYBK	126



Model
NCB-2448-8PYBK



Model
NBB-2448-10SR

Cushion-Load Platform Trucks

- Reinforced steel deck
- Removable pipe handle sits 29" above deck
- Two rigid and two swivel casters
- Your choice of wheel material:
 - 9" pneumatic - 1200 lbs. capacity
 - 10" pneumatic - 1500 lbs. capacity
 - 10" solid rubber - 1500 lbs. capacity

	9" x 3" PNEUMATIC 1200 lbs. Capacity		10" x 3.50" PNEUMATIC 1500 lbs. Capacity		10" x 2.75" SOLID RUBBER 1500 lbs. Capacity	
Deck Size	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	NBB-2436-9P	90	NBB-2436-10P	98	NBB-2436-10SR	104
24 x 48	NBB-2448-9P	104	NBB-2448-10P	112	NBB-2448-10SR	118
24 x 60	NBB-2460-9P	113	NBB-2460-10P	121	NBB-2460-10SR	127
30 x 48	NBB-3048-9P	113	NBB-3048-10P	121	NBB-3048-10SR	127
30 x 60	NBB-3060-9P	131	NBB-3060-10P	139	NBB-3060-10SR	145
36 x 72	NBB-3672-9P	150	NBB-3672-10P	159	NBB-3672-10SR	165



Model
NBBM-2448-9P



Model
NBBH-2448-9P

Platform Truck with Alternative Deck Surfaces

1200 lbs. Capacity

- Reinforced steel deck
- Your choice of 1/4" hardboard or nonslip vinyl matting
- Removable pipe handle sits 29" above deck
- Deck height: 12-1/2"
- Two rigid and two swivel casters
- 9" pneumatic wheels

	NON-SLIP VINYL MATTING		1/4" HARDBOARD	
Deck Size	Model No.	Wt.	Model No.	Wt.
24 x 48	NBBM-2448-9P	107	NBBH-2448-9P	112
30 x 48	NBBM-3048-9P	118	NBBH-3048-9P	123



Model
BB3060B

High-Deck Cushion Load Platform Trucks

2500 lbs. Capacity

- 12 gauge reinforced steel deck
- Removable pipe handle sits 23" above deck
- 16" axle mounted load wheels
- 12" swivel caster wheels

	Deck Height 21" Load Wheels 16" dia. Caster Wheels 12" dia.	
Deck Size	Model No.	Wt.
24 x 48	BB2448B	160
30 x 48	BB3048B	180
30 x 60	BB3060B	200
36 x 60	BB3660B	210
36 x 72	BB3672B	230



Steel Deck Platform Trucks

1200 lbs. and 1600 lbs. Capacity

- 14 gauge steel deck
- Removable pipe handle extends 28" above deck
- Your choice of wheels:
 - 5" polyurethane - 1200 lbs. capacity
 - 6" mold-on rubber - 1600 lbs. capacity
- Two rigid and two swivel casters
- Deck available with flush edges or 1-1/2" retaining lips
- Powder coated gray finish

Flush Deck Size	6" x 2" MOLD-ON RUBBER 1600 lbs. Capacity Deck Height: 9"		5" POLYURETHANE 1200 lbs. Capacity Deck Height: 8"	
	Model No.	Wt.	Model No.	Wt.
18 x 32	T500-1H	61	T700-1H	39
24 x 36	T510-1H	71	T710-1H	48
24 x 48	T520-1H	80	T720-1H	56

Lipped Deck Size	6" x 2" MOLD-ON RUBBER 1600 lbs. Capacity Deck Height: 9"		5" POLYURETHANE 1200 lbs. Capacity Deck Height: 6-1/2"	
	Model No.	Wt.	Model No.	Wt.
18 x 32	T500-LU	61	T700-LU	39
24 x 36	T510-LU	71	T710-LU	48
24 x 48	T520-LU	80	T720-LU	56



3-inch Lip Edge Platform Trucks

1200 lbs. Capacity

- 3" retaining lips on 14 gauge steel deck
- Removable pipe handle extends 28" above deck
- 5" polyurethane wheels
- Two rigid and two swivel casters

Deck Size W x L	Model No.	Wt.
18 x 32	T700-X3	43
24 x 36	T710-X3	53
24 x 48	T720-X3	62

Model
T700-X3



3-inch Lip Edge Platform Truck

3600 lbs. Capacity

- 3" retaining lips on 12 gauge steel deck
- Removable pushbar handle
- 6" polyurethane wheels
- Two rigid and two swivel casters

Deck Size W x L	6" x 2" POLYURETHANE 3600 lbs. Capacity	
	Model No.	Wt.
24 x 36	NBX3-2436-6PY	83
24 x 48	NBX3-2448-6PY	95
30 x 60	NBX3-3060-6PY	127



Model
NBX3-2448-6PY



Model
T810P-9PN-G-LU

Nursery Platform Truck with Perforated Deck

1200 lbs. Capacity

- Perforated, 12 gauge steel deck
- 1-1/2" retaining lips
- Your choice of wheels:
 - 9" pneumatic wheels
 - 10" solid rubber wheels
- Removable handle stands 28" above deck
- Powder coated green finish

9" x 3" PNEUMATIC WHEELS 11" Deck Height		
Deck Size	Lip Deck	Wt.
24 x 36	T810P-9PN-G-LU	59
24 x 48	T820P-9PN-G-LU	71
10" x 2.75" SOLID RUBBER WHEELS 12" Deck Height		
Deck Size	Lip Deck	Wt.
24 x 36	T810P-10SR-G-LU	67
24 x 48	T820P-10SR-G-LU	79



Model
T720-DIA-1H

Quick-Turn Platform Trucks

- Diamond caster pattern allows for a tighter turning radius
- 5" polyurethane - 1000 lbs. capacity
- Deck height: 7-1/2"

5" POLYURETHANE 1000 lbs. Capacity		
Deck Size	Model No.	Wt.
24 x 36	T710-DIA-1H	48
24 x 48	T720-DIA-1H	56
24 x 60	T730-DIA-1H	63



Model
T-720-P-LU-UPS

Model
T-520-P-1H

Platform Truck with Perforated Deck

- 12 gauge perforated steel deck
- Removable pipe handle
- Available with flush edges or 1-1/2" retaining lips
- Your choice of wheels:
 - 5" polyurethane - 1200 lbs. capacity
 - 6" mold-on rubber - 2000 lbs. capacity
- Two rigid and two swivel casters

Deck W x L	Flush Edge	Lip Edge	Wt.
1200 lbs. Capacity, 5" x 1-1/4" Polyurethane casters			
24 x 36	T-710-P-1H-UPS	T-710-P-LU-UPS	44
24 x 48	T-720-P-1H-UPS	T-720-P-LU-UPS	50
2000 lbs. Capacity, 6" x 2" Mold-On Rubber Casters			
24 x 36	T-510-P-1H	T-510-P-LU	44
24 x 48	T-520-P-1H	T-520-P-LU	50



Work-Height Platform Truck with Lower Shelf

2000 lbs. Capacity

- 12 gauge steel
- 1-1/2" retaining lips on lower deck
- Available in a fixed or adjustable height version
 - Fixed height: top deck height of 26"
 - Adjustable height deck: adjusts from 25-1/2" to 35-1/2" on 2" centers
- Removable handle extends 14" above deck
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels

Steel Deck

- 12 gauge steel

Top Deck Size	Lower Deck Size	Fixed Height		Adjustable Height	
		Model No.	Wt.	Model No.	Wt.
24 x 48	24 x 36	RNB2-2448-6PY	132	RNB2-2448-6PYAH	142
24 x 60	24 x 48	RNB2-2460-6PY	155	RNB2-2460-6PYAH	164
30 x 48	30 x 36	RNB2-3048-6PY	155	RNB2-3048-6PYAH	164
30 x 60	30 x 48	RNB2-3060-6PY	179	RNB2-3060-6PYAH	189

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

Hardboard over Steel Deck

- 1/4" hardboard over 12 gauge steel

Top Deck Size	Lower Deck Size	Fixed Height		Adjustable Height	
		Model No.	Wt.	Model No.	Wt.
24 x 48	24 x 36	RNH2-2448-6PY	140	RNH2-2448-6PYAH	150
24 x 60	24 x 48	RNH2-2460-6PY	165	RNH2-2460-6PYAH	174
30 x 48	30 x 36	RNH2-3048-6PY	165	RNH2-3048-6PYAH	174
30 x 60	30 x 48	RNH2-3060-6PY	192	RNH2-3060-6PYAH	202

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

Lip Edge Deck

- 12 gauge steel deck with 1-1/2" retaining lips

Top Deck Size	Lower Deck Size	Fixed Height		Adjustable Height	
		Model No.	Wt.	Model No.	Wt.
24 x 48	24 x 36	RNL2-2448-6PY	132	RNL2-2448-6PYAH	142
24 x 60	24 x 48	RNL2-2460-6PY	155	RNL2-2460-6PYAH	164
30 x 48	30 x 36	RNL2-3048-6PY	155	RNL2-3048-6PYAH	164
30 x 60	30 x 48	RNL2-3060-6PY	179	RNL2-3060-6PYAH	189

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

6" Deep Lip Edge Deck

- 6" deep lips on top deck
- 1-1/2" retaining lips on lower deck

Top Deck Size	Lower Deck Size	Fixed Height		Adjustable Height	
		Model No.	Wt.	Model No.	Wt.
24 x 48	24 x 36	RNL2X6-2448-6PY	156	RNL2X624486PYAH	166
24 x 60	24 x 48	RNL2X6-2460-6PY	183	RNL2X624606PYAH	192
30 x 48	30 x 36	RNL2X6-3048-6PY	183	RNL2X630486PYAH	192
30 x 60	30 x 48	RNL2X6-3060-6PY	209	RNL2X630606PYAH	219

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**



Model
RNB2-2448-6PYAH



Model
RNH2-2448-6PY



Model
RNL2-2448-6PY



Model
RNL2X6-2448-6PY



Model
RNB-2448-6PY



Model
RNH-2448-6PY-AH



Model
RNL-2448-6PY



Model
RNLX6-2448-6PY



Floor Lock Option
add -FL

Work-Height Platform Truck with Open Base

2000 lbs. Capacity

- 12 gauge steel
- Available in a fixed or adjustable height version
 - Fixed height: top deck height of 26"
 - Adjustable height deck: adjusts from 25-1/2" to 35-1/2" on 2" centers
- Removable handle extends 14" above deck
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels

Steel Deck

- 12 gauge steel

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNB-2448-6PY	108	RNB-2448-6PY-AH	115
24 x 60	RNB-2460-6PY	123	RNB-2460-6PY-AH	130
30 x 48	RNB-3048-6PY	123	RNB-3048-6PY-AH	130
30 x 60	RNB-3060-6PY	138	RNB-3060-6PY-AH	145

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

Hardboard over Steel Deck

- 1/4" hardboard over 12 gauge steel

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNH-2448-6PY	115	RNH-2448-6PY-AH	122
24 x 60	RNH-2460-6PY	133	RNH-2460-6PY-AH	140
30 x 48	RNH-3048-6PY	133	RNH-3048-6PY-AH	140
30 x 60	RNH-3060-6PY	151	RNH-3060-6PY-AH	158

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

Lip Edge Deck

- 12 gauge steel deck with 1-1/2" retaining lips

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNL-2448-6PY	108	RNL-2448-6PY-AH	115
24 x 60	RNL-2460-6PY	123	RNL-2460-6PY-AH	130
30 x 48	RNL-3048-6PY	123	RNL-3048-6PY-AH	130
30 x 60	RNL-3060-6PY	138	RNL-3060-6PY-AH	145

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

6" Deep Lip Edge Deck

- 6" deep lips on top deck

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNLX6-2448-6PY	132	RNLX6-24486PYAH	139
24 x 60	RNLX6-2460-6PY	151	RNLX6-24606PYAH	158
30 x 48	RNLX6-3048-6PY	151	RNLX6-30486PYAH	158
30 x 60	RNLX6-3060-6PY	168	RNLX6-30606PYAH	175

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**

Floor lock option available, add: **-FL**

Work-Height Platform Truck with Butcher Block Top

2000 lbs. Capacity

- Available in a fixed or adjustable height version
 - Fixed height: top deck height of 26"
 - Adjustable height deck: adjusts from 25-1/2" to 35-1/2" on 2" centers
- Removable handle extends 14" above deck
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels

With Open Base

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNJ-2448-6PY	129	RNJ-2448-6PY-AH	131
30 x 48	RNJ-3048-6PY	146	RNJ-3048-6PY-AH	148
30 x 60	RNJ-3060-6PY	167	RNJ-3060-6PY-AH	169

Floor lock option available, add: -FL

With Lower Shelf

Deck Size	Fixed Deck Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
24 x 48	RNJ2-2448-6PY	157	RNJ2-2448-6PY-AH	159
30 x 48	RNJ2-3048-6PY	180	RNJ2-3048-6PY-AH	182
30 x 60	RNJ2-3060-6PY	210	RNJ2-3060-6PY-AH	212

Floor lock option available, add: -FL



Model
RNJ-2448-6PY



Model
RNJ2-2448-6PY-AH

"Combo Cart" Combination Shelf and Platform Truck

1200 lbs. Capacity

- Shelf clearance: 12"
- Overall height: 36"
- 5" polyurethane wheels
- Two rigid and two swivel casters with wheel brakes

Platform Size W x L	Shelf Size W x L	Model No.	Wt.
24 x 48	24 x 22-1/2	CC-2448-5PYBK	84
30 x 60	30 x 26-1/2	CC-3060-5PYBK	157



Model
CC-2448-5PYBK

Platform Truck with Top Shelf

1200 lbs. Capacity

- 250 lbs. capacity half-depth top shelf
- Ergonomic kick-back style handle
- Shelf clearance: 20-1/2"
- 5" polyurethane wheels
- Two rigid and two swivel casters
- Powder coated gray finish

Deck Size W x L	Shelf Size W x L	Model No.	Wt.
24 x 36	24 x 18	LF-2436-5PY	72
24 x 48	24 x 24	LF-2448-5PY	87
24 x 60	24 x 30	LF-2460-5PY	106
30 x 48	30 x 24	LF-3048-5PY	102
30 x 60	30 x 30	LF-3060-5PY	124



Model
LF-2448-5PY



Double End Rack Platform Truck with Optional Side Rack(s)

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Two removable end racks
- Also available with removable side and/or back rack
- 6" x 2" non-marking polyurethane wheels
- Two rigid and two swivel casters

Deck Size	2 End Racks		2 End & 1 Side Racks (3 Sides)		2 End & 2 Side Racks (4 Sides)	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	DR-2448-6PY	108	DRB-2448-6PY	126	DR2B-2448-6PY	144
24 x 60	DR-2460-6PY	121	DRB-2460-6PY	142	DR2B-2460-6PY	163
30 x 48	DR-3048-6PY	123	DRB-3048-6PY	142	DR2B-3048-6PY	161
30 x 60	DR-3060-6PY	138	DRB-3060-6PY	159	DR2B-3060-6PY	180
30 x 72	DR-3072-6PY	153	-	-	-	-

Floor Lock Option, add: -FL



Optional Floor Lock



6-Wheel Double End Rack Platform Truck

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Two removable end racks
- Also available with removable side and/or back rack(s)
- 6" x 2" non-marking polyurethane
- Two rigid and four swivel casters wheels

Deck Size	2 End Racks		2 End & 1 Side Racks (3 Sides)		2 End & 2 Side Racks (4 Sides)	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	DR6W-2448-6PY	113	DRB6W-2448-6PY	131	DR2B6W-2448-6PY	149
24 x 60	DR6W-2460-6PY	126	DRB6W-2460-6PY	147	DR2B6W-2460-6PY	168
30 x 48	DR6W-3048-6PY	130	DRB6W-3048-6PY	149	DR2B6W-3048-6PY	168
30 x 60	DR6W-3060-6PY	145	DRB6W-3060-6PY	166	DR2B6W-3060-6PY	187
30 x 72	DR6W-3072-6PY	160	-	-	-	-

Floor Lock Option, add: -FL





High-End Truck

2000 lbs. Capacity

- 12 gauge steel shelves
- Six wheel design for easy maneuverability and zero-turn radius
- Two 8" rigid center wheels, and four 5" corner mounted swivel casters
- 12 gauge reinforced steel deck
- Non-marking polyurethane wheels
- Two removable pipe handles extend 48" above deck
- Also available with a removable shelf (200 lbs. shelf capacity)

Deck Size	High End Truck		With Removable Shelf	
	Model No.	Wt.	Model No.	Wt.
16 x 48	HE-1648	105	HE-1648-RS	127
16 x 60	HE-1660	115	HE-1660-RS	142
16 x 72	HE-1672	124	—	—
24 x 48	HE-2448	124	—	—
24 x 60	HE-2460	188	—	—



**Model
HE-1648**



**Model
HE-1660-RS**

High-End Truck with Fixed Shelf

2000 lbs. Capacity

- 12 gauge steel shelves
- Six wheel design for easy maneuverability and zero-turn radius
- Two 8" rigid center wheels, and four 5" corner mounted swivel casters
- Non-marking polyurethane wheels
- End panels extend 48" high
- Shelf clearance: 24"

Size	Model No.	Wt.
16 x 48	HE2-1648	118
16 x 60	HE2-1660	129
16 x 72	HE2-1672	152
24 x 48	HE2-2448	152
24 x 60	HE2-2460	190



**Model
HE2-2460**

Narrow-Aisle Order Picking Truck

2000 lbs. Capacity

- 21" wide x 12" deep writing shelf with storage pocket
- 12 gauge steel shelves
- End panels extend 48" above deck
- Non-marking polyurethane wheels
- Two 8" rigid center wheels, and four 5" corner mounted swivel casters

Size	Model No.	Wt.
24 x 48	HE2-2448-WSP	172
24 x 60	HE2-2460-WSP	210



**Model
HE2-2460-WSP**



Model
DET4-2448-6PY



Model
DET2L-2448-6PY

Model
DET3L2448-6PYFP



2-Sided Multi-Shelf Truck

3600 lbs. Capacity

- Expanded metal end panels extend 48" above deck
- 12 gauge steel shelves
- Available in two, three, or four shelf configurations
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters
- Deck available with flush edges or 1-1/2" retaining lips
- Also available with two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar
- All-welded construction

Shelf Size	2 SHELVES 23-1/4" Clearance		3 SHELVES 15" Clearance		4 SHELVES 12" Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
FLUSH SHELVES – 57" OAH						
24 x 48	DET2-2448-6PY	154	DET3-2448-6PY	196	DET4-2448-6PY	238
24 x 60	DET2-2460-6PY	175	DET3-2460-6PY	217	DET4-2460-6PY	269
30 x 48	DET2-3048-6PY	178	DET3-3048-6PY	229	DET4-3048-6PY	281
30 x 60	DET2-3060-6PY	204	DET3-3060-6PY	268	DET4-3060-6PY	332
LIP UP SHELVES – 58-1/2" OAH						
24 x 48	DET2L-2448-6PY	154	DET3L-2448-6PY	196	DET4L-2448-6PY	238
24 x 60	DET2L-2460-6PY	175	DET3L-2460-6PY	217	DET4L-2460-6PY	269
30 x 48	DET2L-3048-6PY	178	DET3L-3048-6PY	229	DET4L-3048-6PY	281
30 x 60	DET2L-3060-6PY	204	DET3L-3060-6PY	268	DET4L-3060-6PY	332
FORKLIFTABLE MODELS – LIP UP SHELVES – 58-1/2" OAH						
24 x 48	DET2L-2448-6PYFP	179	DET3L-2448-6PYFP	221	DET4L-2448-6PYFP	263
30 x 48	DET2L-3048-6PYFP	203	DET3L-3048-6PYFP	254	DET4L-3048-6PYFP	306

2-Sided Towable Multi-Shelf Truck

2000 lbs. Capacity

- Expanded metal end panels extend 49-1/2" above deck
- 12 gauge steel shelves
- Available in two, three, or four shelf configurations
- 1-1/2" retaining lips
- 8" kingpinless mold-on rubber wheels
- Two rigid and two swivel casters
- Can be used independently or connected to other units
- Ring drawbar stays in upright position for manual operation
- Pin and clevis rear hitch
- All-welded construction
- 60-1/2" OAH



Model
DET3L3048-8MRRD

Shelf Size	2 SHELVES 23-1/4" Clearance		3 SHELVES 15" Clearance		4 SHELVES 12" Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	DET2L3048-8MRRD	208	DET3L3048-8MRRD	259	DET4L3048-8MRRD	311
30 x 60	DET2L3060-8MRRD	234	DET3L3060-8MRRD	298	DET4L3060-8MRRD	362

2-Sided Adjustable Shelf Truck

3600 lbs. Capacity

- End panels extend 48" above deck
- Available with expanded metal, solid steel, or open ends
- Available with 1 or 2 adjustable shelves on 3-1/2" centers
- Additional adjustable shelves are available
- Shelf lips can be positioned up or down
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels
- Overall height: 57"
- All-welded construction

Expanded Metal End Panels

Size W x D	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	DET2-A-2448-6PY	184	DET3-A-2448-6PY	226
24 x 60	DET2-A-2460-6PY	205	DET3-A-2460-6PY	257
30 x 48	DET2-A-3048-6PY	208	DET3-A-3048-6PY	259
30 x 60	DET2-A-3060-6PY	234	DET3-A-3060-6PY	297



Model
DET2-A-2448-6PY



Model
DET3-A-2448-6PY

Open Angle End Panels

Size W x D	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	DETO2A-2448-6PY	171	DETO3A-2448-6PY	213
24 x 60	DETO2A-2460-6PY	192	DETO3A-2460-6PY	244
30 x 48	DETO2A-3048-6PY	195	DETO3A-3048-6PY	246
30 x 60	DETO2A-3060-6PY	218	DETO3A-3060-6PY	281



Model
DETO3A-2448-6PY

Solid Steel End Panels

Size W x D	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	DETS2A-2448-6PY	241	DETS3A-2448-6PY	283
24 x 60	DETS2A-2460-6PY	262	DETS3A-2460-6PY	314
30 x 48	DETS2A-3048-6PY	283	DETS3A-3048-6PY	334
30 x 60	DETS2A-3060-6PY	306	DETS3A-3060-6PY	369



Model
DETS2A-2448-6PY



Tubular Sides
OTL-2436-6PPY

3-Sided Bulk Truck - Tubular Steel Sides

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Deck available with flush edges or 1-1/2" retaining lips
- Pushbar handle on swivel caster end
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Interior height: 48"
- 57" OAH for flush, 58-1/2" OAH for lip up
- 14 gauge tubular steel sides

Deck Size D x W	Flush Edge Deck Model No.	1-1/2" Lip Edge Deck Model No.	Wt.
24 x 36	OT-2436-6PPY	OTL-2436-6PPY	108
24 x 48	OT-2448-6PPY	OTL-2448-6PPY	126
24 x 60	OT-2460-6PPY	OTL-2460-6PPY	143
30 x 48	OT-3048-6PPY	OTL-3048-6PPY	139
30 x 60	OT-3060-6PPY	OTL-3060-6PPY	157



Slat-Type Sides
S1-2448-6PPY

3-Sided Bulk Truck - Slat-Type Sides

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Deck available with flush edges or 1-1/2" retaining lips
- Pushbar handle on swivel caster end
- 6" x 2" non-marking polyurethane wheels
- Interior height: 48"
- 57" OAH for flush, 58-1/2" OAH for lip up

	Deck Size W x L	Flush Edge Deck Model No.	1-1/2" Lip Edge Deck Model No.	Wt.
Single Shelf (Deck Only)	24 x 48	S1-2448-6PPY	S1L-2448-6PPY	156
	24 x 60	S1-2460-6PPY	S1L-2460-6PPY	174
	30 x 48	S1-3048-6PPY	S1L-3048-6PPY	182
	30 x 60	S1-3060-6PPY	S1L-3060-6PPY	208



Adjustable Shelf
S3L-2448-6PPY

2 or 3 Welded Shelf Models

	Deck Size W x L	Flush Edge Deck Model No.	1-1/2" Lip Edge Deck Model No.	Wt.
2 Shelves 23-1/4" Clearance	24 x 48	S2-2448-6PPY	S2L-2448-6PPY	156
	24 x 60	S2-2460-6PPY	S2L-2460-6PPY	174
	30 x 48	S2-3048-6PPY	S2L-3048-6PPY	182
	30 x 60	S2-3060-6PPY	S2L-3060-6PPY	208
3 Shelves 15" Clearance	24 x 48	S3-2448-6PPY	S3L-2448-6PPY	156
	24 x 60	S3-2460-6PPY	S3L-2460-6PPY	174
	30 x 48	S3-3048-6PPY	S3L-3048-6PPY	182
	30 x 60	S3-3060-6PPY	S3L-3060-6PPY	208



Adjustable Shelf
S2-A-2448-6PPY

Adjustable Shelf Models

Deck Size D x W	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	S2-A-2448-6PPY	218	S3-A-2448-6PPY	260
24 x 60	S2-A-2460-6PPY	256	S3-A-2460-6PPY	308
30 x 48	S2-A-3048-6PPY	263	S3-A-3048-6PPY	317
30 x 60	S2-A-3060-6PPY	297	S3-A-3060-6PPY	369



3-Sided Bulk Truck - 36" Interior Height

3600 lbs. Capacity

- Three-sided bulk truck with mesh sides
- 12 gauge steel deck
- Two rigid and two swivel casters
- 8" x 2" non-marking polyurethane wheels
- Pushbar handle
- Interior height: 36"
- Also available with a removable drop-gate panel

Deck Size D x W	3 Sided Bulk Truck		With Removable Drop Gate	
	Model No.	Wt.	Model No.	Wt.
24 x 48	CA-2448-8PPY	140	CARD-2448-8PPY	166
24 x 60	CA-2460-8PPY	159	CARD-2460-8PPY	191
30 x 48	CA-3048-8PPY	160	CARD-3048-8PPY	186
30 x 60	CA-3060-8PPY	175	CARD-3060-8PPY	206

Model
CA-2448-8PPY



Drop-Gate removed



Model
CARD-2448-8PPY



Easy-Access Box Truck

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Pushbar handle
- Expanded metal side panels
- Front panel extends 17-3/4" above deck
- Side and back panels extend 36" above deck

Size	Model No.	Wt.
24 x 48	CAW-2448-6PY	145
24 x 60	CAW-2460-6PY	203
30 x 48	CAW-3048-6PY	165
30 x 60	CAW-3060-6PY	218



Model
CAW-2448-6PY

Welded Drop Gate Truck

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Pushbar handle
- Expanded metal side panels
- Front drop-gate with slide-bolt latches
- Side and back panels extend 36" above deck

Size	Model No.	Wt.
24 x 48	CAWD-2448-6PY	160
24 x 60	CAWD-2460-6PY	185
30 x 48	CAWD-3048-6PY	180
30 x 60	CAWD-3060-6PY	200



Model
CAWD-2448-6PY



Mesh Sides
T1-2448-6PY



Model
T1L-2448-6PYFP



Model
T3-3060-6PY



Model
T2-A-3060-6PY

3-Sided Bulk Trucks – 48" Interior Height

3600 lbs. Capacity

- 12 gauge reinforced steel deck
- Deck available with flush edges or 1-1/2" retaining lips
- Pushbar handle on swivel caster end
- 6" x 2" non-marking polyurethane wheels
- Powder coated gray finish
- Interior height: 48"
- 57" OAH for flush, 58-1/2" OAH for lip up
- Also available with two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar

Lower Platform Only

	Deck Size D x W	Flush Edge Deck		1-1/2" Lip Edge Deck	
		Model No.	Wt.	Model No.	Wt.
Bulk Truck	24 x 48	T1-2448-6PY	137	T1L-2448-6PY	137
	24 x 60	T1-2460-6PY	155	T1L-2460-6PY	155
	30 x 48	T1-3048-6PY	152	T1L-3048-6PY	152
	30 x 60	T1-3060-6PY	163	T1L-3060-6PY	163
with Fork Pockets	24 x 48	T1-2448-6PYFP	173	T1L-2448-6PYFP	157
	30 x 48	T1-3048-6PYFP	190	T1L-3048-6PYFP	177

2 Fixed Shelf Models

- Shelf clearance: 23-1/4"

	Deck Size D x W	Flush Edge Deck		1-1/2" Lip Edge Deck	
		Model No.	Wt.	Model No.	Wt.
Bulk Truck	24 x 48	T2-2448-6PY	179	T2L-2448-6PY	179
	24 x 60	T2-2460-6PY	198	T2L-2460-6PY	198
	30 x 48	T2-3048-6PY	205	T2L-3048-6PY	205
	30 x 60	T2-3060-6PY	226	T2L-3060-6PY	226
with Fork Pockets	24 x 48	T2-2448-6PYFP	215	T2L-2448-6PYFP	199
	30 x 48	T2-3048-6PYFP	264	T2L-3048-6PYFP	228

3 Fixed Shelf Models

- Shelf clearance: 15"

	Deck Size D x W	Flush Edge Deck		1-1/2" Lip Edge Deck	
		Model No.	Wt.	Model No.	Wt.
Bulk Truck	24 x 48	T3-2448-6PY	221	T3L-2448-6PY	221
	24 x 60	T3-2460-6PY	250	T3L-2460-6PY	250
	30 x 48	T3-3048-6PY	256	T3L-3048-6PY	256
	30 x 60	T3-3060-6PY	293	T3L-3060-6PY	293
with Fork Pockets	24 x 48	T3-2448-6PYFP	257	T3L-2448-6PYFP	241
	30 x 48	T3-3048-6PYFP	293	T3L-3048-6PYFP	280

Adjustable Shelf Models

Deck Size D x W	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	T2-A-2448-6PY	203	T3-A-2448-6PY	245
24 x 60	T2-A-2460-6PY	228	T3-A-2460-6PY	280
30 x 48	T2-A-3048-6PY	230	T3-A-3048-6PY	284
30 x 60	T2-A-3060-6PY	259	T3-A-3060-6PY	322



Forkliftable Order Picking Truck

3600 lbs. Capacity

- Two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Available with 2 or 3 shelves
 - 2 shelf version: 29-1/4" shelf clearance and/or pushbar handle
 - 3 shelf version: 19" shelf clearance
- Overall height: 69"
- Custom configurations available

	Deck Size D x W	Flush Edge Deck		1-1/2" Lip Edge Deck	
		Model No.	Wt.	Model No.	Wt.
No Handle					
2	24 x 48	T2-2448-6PYFP60	229	T2L2448-6PYFP60	204
Shelves	30 x 48	T2-3048-6PYFP60	259	T2L3048-6PYFP60	235
3	24 x 48	T3-2448-6PYFP60	271	T3L2448-6PYFP60	246
Shelves	30 x 48	T3-3048-6PYFP60	310	T3L3048-6PYFP60	286
Tubular Pushbar Handle					
2	24 x 48	T2H-2448-6PYFP60	238	T2LH2448-6PYFP60	213
Shelves	30 x 48	T2H-3048-6PYFP60	269	T2LH3048-6PYFP60	245
3	24 x 48	T3H-2448-6PYFP60	280	T3LH2448-6PYFP60	255
Shelves	30 x 48	T3H-3048-6PYFP60	320	T3LH3048-6PYFP60	296

Model
T3-2448-6PYFP60



Model
T2LH-2448-6PYFP60

Forkliftable Order Picking Truck with Shelf Dividers

3600 lbs. Capacity

- Three shelves with 2 center dividers on each shelf for 3 total compartments per shelf
- Available with a pushbar handle
- Compartment width: 15"
- 12 gauge steel shelves
- Two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar
- Shelf clearance: 19"
- Overall height: 69"
- Two rigid, and two swivel casters
- 6" polyurethane wheels

Deck Size	No Handle		Pushbar Handle	
	Model No.	Wt.	Model No.	Wt.
30 x 48	T3D3-3048-6PYFP60	385	T3D3-H-3048-6PYFP60	395

Model
T3D330486PYFP60



Model
T3D3H3486PYFP60



Model
T3LH-2448-8MRRDFP60

Towable Forkliftable Order Picking Truck

2000 lbs. Capacity

- Ring drawbar
- Available with pushbar handle
- Two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar
- Two rigid and two swivel casters
- 8" mold-on rubber wheels
- Shelf clearance: 19"
- Overall height: 71"

Deck Size	No Handle		Pushbar Handle	
	Model No.	Wt.		Wt.
24 x 48	T3L2488MRRDFP60	265	T3LH-2448-8MRRDFP60	274
30 x 48	T3L3088MRRDFP60	306	T3LH-3048-8MRRDFP60	316



Model
T1-3060-6PY-DS



Release slide bolts to drop upper shelf down and out of the way

Shelf in raised position

Drop-Shelf Truck

3600 lbs. Capacity

- Upper shelf can drop down or be removed completely
- Sides extend 48" above deck
- Drop-shelf positioned 30" above deck
- Drop-shelf capacity not to exceed 500 lbs
- 6" x 2" non-marking polyurethane wheels
- Two rigid and two swivel casters

Mesh Sides - 13 gauge expanded metal

Slat-Type Sides - 1-1/2" x 3/16" slats

	Deck Size W x L	Shelf Size W x L	Model No.	Wt.
Mesh Sides	24 x 48	21 x 44	T1-2448-6PY-DS	181
	24 x 60	21 x 56	T1-2460-6PY-DS	206
	30 x 48	27 x 44	T1-3048-6PY-DS	209
	30 x 60	27 x 56	T1-3060-6PY-DS	237
Slat Sides	24 x 48	21 x 44	S1-2448-6PY-DS	198
	24 x 60	21 x 56	S1-2460-6PY-DS	225
	30 x 48	27 x 44	S1-3048-6PY-DS	234
	30 x 60	27 x 56	S1-3060-6PY-DS	271



Model
PPT-2848-6PY

Pick-Pack Truck

2000 lbs. Capacity

- Upper shelves are sloped
- Bottom shelf has 1-1/2" retaining lip
- 14 gauge steel shelves
- Shelf clearance: 14"
- Diamond caster pattern
- 6" x 2" polyurethane wheels

Size	Model No.	Shelf Size	Wt.
28.25 x 48	PPT-2848-6PY	14 x 48	217
28.25 x 60	PPT-2860-6PY	14 x 60	247

For 6" mold-on rubber wheels, use wheel code: **-6MR** (1600 lbs. capacity)

Raised Platform Box Trucks with Open Base

- Raised 12 gauge steel platform
- Sides extend 20" above deck
- Ships fully assembled, ready for immediate use
- Two rigid and two swivel casters
- Non-marking polyurethane wheels
 - 5" polyurethane: 1200 lbs. capacity
 - 6" polyurethane: 2000 lbs. capacity
- All-welded construction

Solid Sides - 14 gauge steel sides

Capacity	Platform Size	3-SIDED MODEL		4-SIDED MODEL	
		Model No.	Wt.	Model No.	Wt.
1200 lbs. 5" Poly.	18 x 32	RP3S-1832-5PY	94	RP4S-1832-5PY	109
	24 x 36	RP3S-2436-5PY	114	RP4S-2436-5PY	133
	24 x 48	RP3S-2448-5PY	134	RP4S-2448-5PY	154
2000 lbs. 6" Poly.	24 x 36	RP3S-2436-6PY	124	RP4S-2436-6PY	143
	24 x 48	RP3S-2448-6PY	134	RP4S-2448-6PY	154
	30 x 48	RP3S-3048-6PY	175	RP4S-3048-6PY	195
	30 x 60	RP3S-3060-6PY	198	RP4S-3060-6PY	224

Expanded Metal Sides - 3/4" expanded metal sides for greater visibility and airflow

Capacity	Platform Size	3-SIDED MODEL		4-SIDED MODEL	
		Model No.	Wt.	Model No.	Wt.
1200 lbs. 5" Poly.	18 x 32	RP3X-1832-5PY	73	RP4X-1832-5PY	78
	24 x 36	RP3X-2436-5PY	93	RP4X-2436-5PY	100
	24 x 48	RP3X-2448-5PY	120	RP4X-2448-5PY	128
2000 lbs. 6" Poly.	24 x 36	RP3X-2436-6PY	102	RP4X-2436-6PY	110
	24 x 48	RP3X-2448-6PY	124	RP4X-2448-6PY	132
	30 x 48	RP3X-3048-6PY	156	RP4X-3048-6PY	165

Raised Platform Box Trucks with Lower Shelf

1200 lbs. Capacity

- Same features as open base
- 12 gauge steel lower shelf
- 1-1/2" retaining lip on lower shelf
- Ships fully assembled, ready for immediate use
- All-welded construction
- Shelf clearance: 11"

Solid Sides - 14 gauge steel sides

Platform Size	3-SIDED MODEL		4-SIDED MODEL	
	Model No.	Wt.	Model No.	Wt.
18 x 32	2RP3S1832-5PY	101	2RP4S1832-5PY	117
24 x 36	2RP3S2436-5PY	128	2RP4S2436-5PY	147
24 x 48	2RP3S2448-5PY	155	2RP4S2448-5PY	175

Expanded Metal Sides - 3/4" expanded metal sides for greater visibility and airflow

Platform Size	3-SIDED MODEL		4-SIDED MODEL	
	Model No.	Wt.	Model No.	Wt.
18 x 32	2RP3X1832-5PY	81	2RP4X1832-5PY	86
24 x 36	2RP3X2436-5PY	107	2RP4X2436-5PY	114
24 x 48	2RP3X2448-5PY	123	2RP4X2448-5PY	131



**3-Sided Model
RP3S-2436-5PY**



**4-Sided Model
RP4X-1832-5PY**



**Model
2RP4S1832-5PY**



**Model
2RP3X2436-5PY**



Model
RPDS-2436-6PY



Model
RPDY-2436-6PY



Model
RPDYL-2436-6PY



Raised Platform Box Truck with Drop-Gate

2000 lbs. Capacity

- Spring latches secure drop-gate in upright position
- Raised 12 gauge steel platform
- Sides extend 20" above platform
- 6" x 2" polyurethane wheels
- Two rigid and two swivel casters
- Available with solid or expanded metal sides
 - Solid sides: 14 gauge steel
 - Expanded metal sides: 3/4" expanded metal

Platform Size	Solid Sides		Expanded Metal Sides	
	Model No.	Wt.	Model No.	Wt.
24 x 36	RPDS-2436-6PY	143	RPDX-2436-6PY	110
24 x 48	RPDS-2448-6PY	152	RPDX-2448-6PY	124
30 x 48	RPDS-3048-6PY	195	RPDX-3048-6PY	156

Raised Platform Box Truck with Drop-Gate and Lid

- Hinged top cover has padlock hasp for security

Solid Sides - 14 gauge steel sides

Platform Size	Model No.	Wt.
24 x 36	RPDSL-2436-6PY	183
24 x 48	RPDSL-2448-6PY	215

Expanded Metal Sides - 3/4" expanded metal for greater visibility and airflow.

Platform Size	Model No.	Wt.
24 x 36	RPDXL-2436-6PY	180
24 x 48	RPDXL-2448-6PY	211

2-Sided Box Truck

1200 lbs. Capacity

- Two mesh ends extend 20" above 20" high deck
- 1-1/2" retaining lips on upper and lower deck
- Two rigid and two swivel casters
- 5" x 1-1/4" non-marking polyurethane wheels
- Tubular handle
- Shelf clearance: 11"

Platform Size	Model No.	Wt.
18 x 32	2RP2X-1832-5PY	76
24 x 36	2RP2X-2436-5PY	100
24 x 48	2RP2X-2448-5PY	115



Model
2RP2X-2436-5PY



Box Truck

2000 lbs. Capacity

- 24" interior height
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Overall height: 33"
- Available with hinged top lid with padlock hasp
- Available with solid 14 gauge steel sides or 3/4" expanded metal sides

Capacity	Deck Size	Box Truck		Box Truck with Lid	
		Model No.	Wt.	Model No.	Wt.
Solid Steel	24 x 36	BTS2436-6PY	141	BTSL2436-6PY	109
	24 x 48	BTS2448-6PY	167	BTSL2448-6PY	198
	30 x 48	BTS3048-6PY	184	BTSL3048-6PY	222
	30 x 60	BTS3060-6PY	209	BTSL3060-6PY	256
Expanded Metal	24 x 36	BTX2436-6PY	93	BTXL2436-6PY	109
	24 x 48	BTX2448-6PY	109	BTXL2448-6PY	131
	30 x 48	BTX3048-6PY	122	BTXL3048-6PY	147
	30 x 60	BTX3060-6PY	137	BTXL3060-6PY	166

For 6" Mold-On Rubber Wheels, use wheel code: **-6MR**



Model
BTSL2436-6PY



Model
BTX2436-6PY

Box Truck with Ergonomic Handle

2000 lbs. Capacity

- 24" interior height
- Raised offset handle
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Available with solid 14 gauge steel sides or 3/4" expanded metal sides
- 41-1/2" handle height

Deck Size	Solid Steel Sides		Expanded Metal	
	Model No.	Wt.	Model No.	Wt.
24 x 36	BTSK-2436-6PY	146	BTXK-2436-6PY	98
24 x 48	BTSK-2448-6PY	172	BTXK-2448-6PY	114
30 x 48	BTSK-3048-6PY	189	BTXK-3048-6PY	127
30 x 60	BTSK-3060-6PY	214	BTXK-3060-6PY	142



Model
BTSK-2436-6PY



Model
BTXK-2436-6PY

Forkliftable Security Box Truck

2000 lbs. Capacity

- 24" interior height
- 14 gauge solid steel sides
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Overall height: 33"
- Hinged top lid with padlock hasp

Deck Size	Model No.	Wt.
30 x 48	BTSL-3048-6PYFP	246
30 x 60	BTSL-3060-6PYFP	280



Model
BTSL-3048-6PYFP



**Model
HT-4857-6PH**

Low-Profile Hopper Truck – 12" Deep

2000 lbs. Capacity

- Angled scoop side
- Hopper height: 21"
- Removable handle height: 40"
- Two rigid and two swivel casters
- 6" x 2" phenolic wheels

Overall W x D x H*	Model No.	Cubic Yard Capacity	Wt.
48 x 59 x 21	HT-4857-6PH	2/3 Yard	206

* Includes handle pockets, but does not include handle dimensions.



**Model
HT-3651-6PH**

Low-Profile Hopper Truck – 16" Deep

2000 lbs. Capacity

- Angled scoop side
- Hopper height: 25"
- 40" removable handle can be placed on any of the three sides
- Four swivel casters
- 6" x 2" phenolic wheels

Overall W x D x H*	Model No.	Cubic Yard Capacity	Wt.
54 x 38 x 25	HT-3651-6PH	1/3 Yard	183

* Includes handle pockets, but does not include handle dimensions.



**Model
HT-2751-6PY**

Hopper Truck

2000 lbs. Capacity

- 14 gauge steel construction
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Two 1" diameter handles
- Leakproof construction

Overall W x D x H	Model No.	Cubic Yard Capacity	Wt.
27 x 56-3/4 x 42	HT-2751-6PY	3/4 Yard	149

Hopper Truck with Ergonomic Handle

2000 lbs. Capacity

- 14 gauge steel construction
- Leak-proof construction with drain plug
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Ergonomic handle positioned 38" from ground
- Lower handle is 1" in diameter

Overall L x W x H	Model No.	Cubic Yard Capacity	Wt.
45 x 24" x 38"	HT-2439-6PY	1/3 Yard	127



**Model
HT-2439-6PY**

Mobile Storage Locker

2000 lbs. Capacity

- Double doors open 270 degrees
- Padlockable slide latch on doors
- Two rigid and two swivel 6" polyurethane wheels
- Overall height: 56"

Interior* D x W	No Center Shelf 46-1/2" Clearance		1 Center Shelf 21-3/4" Clearance		2 Center Shelves 14" Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-6PPY	186	SC-2448-6PPY	216	SC2-2448-6PPY	246
24 x 60	SCN-2460-6PPY	196	SC-2460-6PPY	228	SC2-2460-6PPY	266
30 x 48	SCN-3048-6PPY	196	SC-3048-6PPY	230	SC2-3048-6PPY	267
30 x 60	SCN-3060-6PPY	245	SC-3060-6PPY	275	SC2-3060-6PPY	320
30 x 72	SCN-3072-6PPY	291	SC-3072-6PPY	343	SC2-3072-6PPY	418
36 x 60	SCN-3660-6PPY	292	SC-3660-6PPY	345	SC2-3660-6PPY	420
36 x 72	SCN-3672-6PPY	350	SC-3672-6PPY	392	SC2-3672-6PPY	451

Floor Lock Option, add: -FL

Adjustable Shelf Models

- Removable center shelf
- 3-1/2" centers to adjust shelf

Interior* D x W	Model No.	Wt.
24 x 48	SC-A-2448-6PPY	242
24 x 60	SC-A-2460-6PPY	252
30 x 48	SC-A-3048-6PPY	258
30 x 60	SC-A-3060-6PPY	303

Floor Lock Option, add: -FL

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SC-3048-6PPY



Model
SC-A-3048-6PPY

Mobile Security Locker with Handle

2000 lbs. Capacity

- Double doors open 270 degrees
- Padlockable slide latch on doors
- Two rigid and two swivel 6" polyurethane wheels
- Overall height: 56"

Interior* D x W	No Center Shelf 46-1/2" Clearance		1 Center Shelf 21-3/4" Clearance		2 Center Shelves 14" Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-6PY-1H	189	SC-2448-6PY-1H	219	SC2-2448-6PY-1H	249
24 x 60	SCN-2460-6PY-1H	199	SC-2460-6PY-1H	231	SC2-2460-6PY-1H	269
30 x 48	SCN-3048-6PY-1H	199	SC-3048-6PY-1H	233	SC2-3048-6PY-1H	270
30 x 60	SCN-3060-6PY-1H	248	SC-3060-6PY-1H	278	SC2-3060-6PY-1H	323
30 x 72	SCN-3072-6PY-1H	294	SC-3072-6PY-1H	346	SC2-3072-6PY-1H	421
36 x 60	SCN-3660-6PY-1H	295	SC-3660-6PY-1H	348	SC2-3660-6PY-1H	423
36 x 72	SCN-3672-6PY-1H	353	SC-3672-6PY-1H	395	SC2-3672-6PY-1H	454

Floor Lock Option, add: -FL

Adjustable Shelf Models

- Removable center shelf
- 3-1/2" centers to adjust shelf

Interior* D x W	Model No.	Wt.
24 x 48	SC-A-2448-6PY-1H	245
24 x 60	SC-A-2460-6PY-1H	255
30 x 48	SC-A-3048-6PY-1H	261
30 x 60	SC-A-3060-6PY-1H	306

Floor Lock Option, add: -FL

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SCN-2448-6PY-1H



Model
SC2-3048-6PYFP

Forkliftable Mobile Storage Locker

2000 lbs. Capacity

- Double doors open 270 degrees
- Padlockable slide latch on doors
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels
- Overall height: 56"
- Fork pockets

Deck Size	No Center Shelf 46-1/2" Clearance		1 Center Shelf 21-3/4" Clearance		2 Center Shelves 14" Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-6PYFP	216	SC-2448-6PYFP	246	SC2-2448-6PYFP	276
30 x 48	SCN-3048-6PYFP	228	SC-3048-6PYFP	262	SC2-3048-6PYFP	299



Model
SC1-2448-6PY-PB

Tool Security Cart with Pegboard Tool Storage

2000 lbs. Capacity

- 16 gauge steel pegboard with holes 1" on center
- Doors open a full 270 degrees
- Interior height: 46-1/2"
- Double doors with padlockable slide latch
- Available with or without center shelf
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels

Shelf D x W	No Center Shelf		1 Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-6PY-PB	206	SC1-2448-6PY-PB	236
24 x 60	SCN-2460-6PY-PB	221	SC1-2460-6PY-PB	253

For Louvered Panel, replace **-PB** with **-LP**

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SCN-3048-10SR

Cushion-Load Security Cart

1500 lbs. Capacity

- 13 gauge expanded metal
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Overall height: 60"
- Interior height: 46-1/2"
- Available with adjustable shelves
- Two rigid and two swivel casters
- 10" solid rubber tires

Interior* D x W	No Center Shelf		1 Center Shelf		2 Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-10SR	198	SC-2448-10SR	228	SC2-2448-10SR	258
24 x 60	SCN-2460-10SR	208	SC-2460-10SR	240	SC2-2460-10SR	278
30 x 48	SCN-3048-10SR	208	SC-3048-10SR	242	SC2-3048-10SR	279

* Note: For Outside Dimensions- Depth add 3", Width add 1"

Adjustable Shelf Models

Interior* D x W	Model No.	Wt.
24 x 48	SC-A-2448-10SR	254
24 x 60	SC-A-2460-10SR	264
30 x 48	SC-A-3048-10SR	270

* Note: For Outside Dimensions- Depth add 3", Width add 1"

Model
SC-A-3048-10SR



3 COMPARTMENT Mobile Storage Locker

2000 lbs. Capacity

- Three extra-large, 18" high openings
- Three double doors with padlockable slide latches
- Doors open a full 270 degrees
- Available in stationary or mobile model
 - Mobile: 67-1/2" OAH
 - Stationary: 64-1/4" OAH

Shelf D x W	Mobile - 6" Polyurethane		Stationary	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SC2-6D-2448-6PY	289	SC2-6D-2448-NC	259
30 x 48	SC2-6D-3048-6PY	314	SC2-6D-3048-NC	281

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SC2-6D-2448-6PY



Model
SC2-6D-2448-NC

2-Sided Mobile Maintenance Cart with Pegboard or Louvered Panels

3600 lbs. Capacity

- Double-sided tool bench cart
- Available with pegboard or louvered panel separator
- 12 gauge steel top
- 13 gauge expanded metal ends
- 14 gauge perforated doors
- Both doors have a padlockable slide latch
- 6" non-marking polyurethane wheels
- Overall height: 33"

Size	Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.
24 x 48	ST-2448-6PY-PB	215	ST-2448-6PY-LP	215

Floor Lock Option, add: -FL



Model
ST-2448-6PY-PB

Security Box Truck

1200 lbs. to 3600 lbs. Capacity

- Double-hinged top cover with padlock hasp
- Front drop-gate with spring latches
- Interior height: 36"
- Your choice of wheels:
 - 6" x 2" polyurethane - 3600 lbs. capacity
 - 10" x 2-3/4" solid rubber - 1500 lbs. capacity
- Available in an expanded metal or solid side version

	Deck Size D x W	6" Polyurethane		10" Solid Rubber	
		Model No.	Wt.	Model No.	Wt.
Expanded Metal Sides	24 x 48	SB-2448-6PY	173	SB-2448-10SR	185
	24 x 60	SB-2460-6PY	195	SB-2460-10SR	207
	30 x 48	SB-3048-6PY	196	SB-3048-10SR	208
	30 x 60	SB-3060-6PY	220	SB-3060-10SR	232
Solid Sides	24 x 48	SBS-2448-6PY	264	SBS-2448-10SR	284
	30 x 60	SBS-3060-6PY	331	SBS-3060-10SR	361

Floor Lock Option, add: -FL

Expanded Metal Version also available with 9" pneumatic, add: -9P



Model
SB-2448-6PY

Model
SBS-2448-10SR





**Model
SC-2448-NC**

Visible Contents Welded Storage Cabinet

2000 lbs. Capacity

- 3/4" x 1-3/4" diamond shaped mesh pattern
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Overall height: 52"
- 4" underclearance for transport by pallet truck or fork lift
- Footpads have 5/8" lag holes for mounting to floor
- Available with or without fixed shelves or adjustable center shelf

Interior* D x W	No Center Shelf 46-1/2" Clearance		1 Fixed Center Shelf 21-3/4" Clearance		2 Fixed Center Shelves 14" Clearance		1 Adjustable Center Shelf	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SCN-2448-NC	174	SC-2448-NC	204	SC2-2448-NC	234	SC-A-2448-NC	230
24 x 60	SCN-2460-NC	184	SC-2460-NC	216	SC2-2460-NC	254	SC-A-2460-NC	240
30 x 48	SCN-3048-NC	184	SC-3048-NC	218	SC2-3048-NC	255	SC-A-3048-NC	246
30 x 60	SCN-3060-NC	233	SC-3060-NC	263	SC2-3060-NC	308	SC-A-3060-NC	291
30 x 72	SCN-3072-NC	284	SC-3072-NC	331	SC2-3072-NC	406	-	-
36 x 60	SCN-3660-NC	280	SC-3660-NC	333	SC2-3660-NC	408	-	-
36 x 72	SCN-3672-NC	338	SC-3672-NC	380	SC2-3672-NC	439	-	-

* Note: For Outside Dimensions- Depth add 3", Width add 1"



**Model
SC-1D-2424-NC**

All-Welded Compact Storage Cabinet

- Single door with padlockable slide latch
- Doors open a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 52"
- Shelf clearance: 22-1/2"
- Interior height: 46-1/2"
- Footpads have 5/8" lag holes for mounting to floor

Interior* D x W	Model No.	Wt.
24 x 24	SC-1D-2424-NC	124

* Note: For Outside Dimensions- Depth add 3", Width add 1"



**Model
SL5-2424-78**

Compact Storage Locker

- Five 14 gauge shelves
- Door features a padlockable slide latch
- Door opens a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 78"
- 13 gauge expanded metal
- Footpads have 5/8" lag holes for mounting to floor
- All-welded construction
- Powder coated gray finish

Interior* D x W	Model No.	Wt.
24 x 24	SL5-2424-78	223

Shelf clearance from bottom to top: 16.5", 16.5", 12", 10", 10".

* Note: For Outside Dimensions- Depth add 3", Width add 1"

Multi-Compartment Compact Storage Locker

- All-welded construction
- Available with two or three separate locking compartments
- Doors feature padlockable slide latch
- Doors open a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 78"
- Footpads have 5/8" lag holes for mounting to floor
- Powder coated gray finish
- 13 gauge expanded metal
- 14 gauge shelves

Interior D x W	2 Compartments 34" Shelf Clearance		3 compartments 22-1/2" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 24	SL1-2D-2424	164	SL2-3D-2424	218



Multi-Compartment Solid Steel Compact Storage Locker

- All-welded construction
- 14 gauge steel
- Available with two or three separate locking compartments
- Doors open a full 270 degree and feature a padlocking slide latch
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 78"
- Footpads have 5/8" lag holes for mounting to floor
- Available with solid or clearview doors

With Solid Doors

SOLID DOORS				
Interior D x W	2 Compartments 34" Shelf Clearance		3 compartments 22-1/2" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 24	SSL1-2D-2424	164	SSL2-3D-2424	218



With Clearview Doors

- Perforated doors allow for increased visibility and air-flow

CLEARVIEW DOORS				
Interior D x W	2 Compartments 34" Shelf Clearance		3 compartments 22-1/2" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 24	SSLP1-2D-2424	164	SSLP2-3D-2424	218





Model
SL1-3048-6PYFL



Model
SL2A-3048-6PYFL

All-Welded Mobile Storage Lockers

2000 lbs. Capacity

- 13 gauge expanded metal
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Overall height: 81"
- Interior height: 72"
- 6" non-marking polyurethane wheels with floor lock
- Ships fully assembled, ready for immediate use
- Powder coated gray finish

Interior* D x W	No Center Shelf		1 Center Shelf		2 Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	SLN-3048-6PYFL	279	SL1-3048-6PYFL	308	SL2-3048-6PYFL	345
30 x 60	SLN-3060-6PYFL	314	SL1-3060-6PYFL	358	SL2-3060-6PYFL	395

Interior* D x W	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
30 x 48	SL1A-3048-6PYFL	344	SL2A-3048-6PYFL	375
30 x 60	SL1A-3060-6PYFL	386	SL2A-3060-6PYFL	425

* Note: For Outside Dimensions- Depth add 3", Width add 1"

Forkliftable Mobile Storage Locker

2000 lbs. Capacity

- 13 gauge expanded metal
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Overall height: 81"
- Interior height: 72"
- 6" non-marking polyurethane wheels
- Two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar



Model
SL1-3048-6PYFP

Interior D x W	No Center Shelf		1 Center Shelf		2 Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	SLN-3048-6PYFP	306	SL1-3048-6PYFP	335	SL2-3048-6PYFP	372

All-Welded Storage Lockers

- 1,000 lbs. capacity per shelf, not to exceed 2,000 lbs. total
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Interior height: 72", overall height: 78"
- Ships fully assembled, ready for immediate use
- Footpads with 5/8" lag hole

Interior* D x W	No Center Shelves		1 Center Shelf		2 Center Shelves		3 Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SLN-2448	230	SL1-2448	253	SL2-2448	283	SL3-2448	325
24 x 60	SLN-2460	258	SL1-2460	287	SL2-2460	324	SL3-2460	376
30 x 48	SLN-3048	241	SL1-3048	270	SL2-3048	307	SL3-3048	361
30 x 60	SLN-3060	276	SL1-3060	312	SL2-3060	357	SL3-3060	420
30 x 72	SLN-3072	307	SL1-3072	372	SL2-3072	447	SL3-3072	522
36 x 60	SLN-3660	309	SL1-3660	374	SL2-3660	449	SL3-3660	524
36 x 72	SLN-3672	357	SL1-3672	435	SL2-3672	524	SL3-3672	613

* Note: For Outside Dimensions- Depth add 3", Width add 1"



**Model
SLN-3048**

Adjustable Shelf Models

- 750 lbs. capacity per shelf, not to exceed 2,000 lbs. total
- Available with one, two, or three adjustable gauge shelves
- Adjustable on 3-1/2" centers

Interior* D x W	1 Adjustable Center Shelf		2 Adjustable Center Shelves		3 Adjustable Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SL1-A-2448	289	SL2-A-2448	313	SL3-A-2448	355
24 x 60	SL1-A-2460	323	SL2-A-2460	354	SL3-A-2460	406
30 x 48	SL1-A-3048	306	SL2-A-3048	337	SL3-A-3048	391
30 x 60	SL1-A-3060	348	SL2-A-3060	387	SL3-A-3060	450

* Note: For Outside Dimensions- Depth add 3", Width add 1"



**Model
SL2-A-3048**

Additional Shelves

- 1000 lbs. Capacity per shelf

Cabinet Size	Model No.	Wt.
24 x 48	SHLF-2447	43
24 x 60	SHLF-2459	53
30 x 48	SHLF-3047	53
30 x 60	SHLF-3059	65



Model
SL1-2448-PB

Tool Storage Locker with Pegboard or Louvered Panel

- 48" high, 16 gauge steel pegboard or louvered panel
- 13 gauge steel mesh sides
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Shelf under pegboard or louvered panel
- Overall height: 78"
- Under shelf clearance: 18"
- 4" underclearance for transport by pallet truck or fork lift
- Pegs and bins not included
- Footpads with 5/8" lag holes

Interior* D x W	Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SL1-2448-PB	296	SL1-2448-LP	296
24 x 60	SL1-2460-PB	339	SL1-2460-LP	339
30 x 48	SL1-3048-PB	312	SL1-3048-LP	312
30 x 60	SL1-3060-PB	364	SL1-3060-LP	364

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SL1-A-2448-PB

Tool Storage Locker with Adjustable Shelves and Full Pegboard Back

750 lbs. Capacity per Shelf, not to exceed 2000 lbs. total

- Full back 16 gauge steel pegboard panel
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Interior height: 72", overall height: 78"
- 4" underclearance for transport by pallet truck or fork lift
- Footpads with 5/8" lag holes
- Pegs not included

Interior* D x W	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SL1-A-2448-PB	337	SL2-A-2448-PB	361
24 x 60	SL1-A-2460-PB	383	SL2-A-2460-PB	466
30 x 48	SL1-A-3048-PB	354	SL2-A-3048-PB	439
30 x 60	SL1-A-3060-PB	408	SL2-A-3060-PB	510

* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model
SLC-2-3060

Combination Cabinets with Two Half Shelves

- Two center half-shelves and 1 full-height opening
- Expanded metal
- Double doors with padlockable slide latch
- 4" underclearance for transport by pallet truck or fork lift
- Interior height: 72", overall height: 78"
- Doors open a full 270 degrees

Interior* D x W	Model No.	Wt.
24 x 48	SLC-2-2448	284
24 x 60	SLC-2-2460	319
30 x 48	SLC-2-3048	304
30 x 60	SLC-2-3060	347

* Note: For Outside Dimensions- Depth add 3", Width add 1"

High Capacity Storage Cabinet with Pegboard Doors

1500 lbs. Shelf Capacity

- All-welded construction
- 12 gauge steel cabinet
- Built-in 16 gauge steel pegboard panels on doors
- Doors open a full 180 degrees
- Pegboards have round holes on 1" centers
- Available with two or three adjustable 14 gauge steel shelves
- Shelves adjustable in 3-1/2" increments
- Doors have three-point locking system
- Overall height: 78"
- Powder coated gray finish
- Footpads with 5/8" lag holes
- Pegs and accessories not included

Interior D x W	2 Adj. Shelves		3 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SSL2-A-2448-PBD	531	SSL3-A-2448-PBD	561
24 x 60	SSL2-A-2460-PBD	612	SSL3-A-2460-PBD	649
30 x 48	SSL2-A-3048-PBD	593	SSL3-A-3048-PBD	630
30 x 60	SSL2-A-3060-PBD	682	SSL3-A-3060-PBD	728



**Model
SSL2-A-2448-PBD**

High Capacity Storage Bin Cabinet

- 12 gauge steel cabinet
- Built-in 16 gauge steel louvered panels on back and doors
- Doors open a full 180 degrees
- Doors have three-point locking system
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Powder coated gray finish
- All-welded construction
- Bins and accessories not included

Interior D x W	Model No.	Wt.	Louvered Panel Dimensions	
			Door W x H	Cabinet Back W x H
24 x 48	SSL-LP-2448-LPD	557	18 x 60	48 x 72
24 x 60	SSL-LP-2460-LPD	667	18 x 60	60 x 72
30 x 48	SSL-LP-3048-LPD	613	18 x 60	48 x 72
30 x 60	SSL-LP-3060-LPD	731	18 x 60	60 x 72



**Model
SSL-LP-2448-LPD**





2 Adjustable Shelves
Model
SSL2-A-2448

High Capacity Storage Cabinet

1500 lbs. Shelf Capacity

- 12 gauge steel cabinet
- All-welded construction
- Doors have three-point latching system with keyed handle
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Flush doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSL2-A-2448	446	SSL3-A-2448	476	SSL4-A-2448	506
24 x 60	SSL2-A-2460	527	SSL3-A-2460	564	SSL4-A-2460	601
30 x 48	SSL2-A-3048	502	SSL3-A-3048	539	SSL4-A-3048	576
30 x 60	SSL2-A-3060	591	SSL3-A-3060	637	SSL4-A-3060	683

Additional Shelves

- 1500 lbs. Capacity per shelf

Interior D x W	Model No.	Wt.
24 x 48	SHLF-2247-SSL	43
24 x 60	SHLF-2259-SSL	53
30 x 48	SHLF-2847-SSL	53
30 x 60	SHLF-2859-SSL	65



Model
SSL2-A-2448-FP

Forkliftable High Capacity Storage Cabinet

1500 lbs. Shelf Capacity

- 12 gauge steel cabinet
- All-welded construction
- Doors have three-point latching system with keyed handle
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Flush doors open a full 180 degrees
- Overall height: 78"
- Footpads with 5/8" lag holes
- Two 6" x 3-1/2" fork pockets on 24" centers with 1-1/2" steel grab bar

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSL2-A-2448-FP	476	SSL3-A-2448-FP	506	SSL4-A-2448-FP	536
30 x 48	SSL2-A-3048-FP	534	SSL3-A-3048-FP	571	SSL4-A-3048-FP	608




High Visibility Storage Cabinet

1500 lbs. Shelf Capacity

- Diamond shaped perforated doors
- Doors have three-point locking system with keyed handle
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSLP2-A-2448	437	SSLP3-A-2448	467	SSLP4-A-2448	497
24 x 60	SSLP2-A-2460	518	SSLP3-A-2460	555	SSLP4-A-2460	592
30 x 48	SSLP2-A-3048	493	SSLP3-A-3048	530	SSLP4-A-3048	567
30 x 60	SSLP2-A-3060	582	SSLP3-A-3060	628	SSLP4-A-3060	674



Model
SSLP2-A-2448

Heavy-Duty Ventilated Cabinet

1500 lbs. Shelf Capacity

- 12 gauge steel cabinet
- Diamond shaped perforated doors
- Expanded metal back provides complete ventilation and visibility
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSLP2-A-2448-VB	387	SSLP3-A-2448-VB	417	SSLP4-A-2448-VB	447
24 x 60	SSLP2-A-2460-VB	468	SSLP3-A-2460-VB	505	SSLP4-A-2460-VB	542
30 x 48	SSLP2-A-3048-VB	443	SSLP3-A-3048-VB	480	SSLP4-A-3048-VB	517
30 x 60	SSLP2-A-3060-VB	532	SSLP3-A-3060-VB	578	SSLP4-A-3060-VB	624



Model
SSLP3-A-2448-VB



Model
SSL2C-2448

“Two-Compartment” Heavy-Duty Security Cabinet

1500 lbs. Capacity

- Dual locking compartments
- 12 gauge steel construction
- Doors have two-point latching system with keyed handle
- Each door is keyed differently
- Two center shelves
- Doors open a full 180 degrees
- Overall height: 78”
- 5-1/2” underclearance for transport by pallet truck or fork lift
- All-welded construction
- Powder coated gray finish

Overall D x W	Shelf D x W	Model No.	Wt.
24 x 48	21-3/4 x 24	SSL2C-2448	446
24 x 60	21-3/4 x 30	SSL2C-2460	527
30 x 48	27-3/4 x 24	SSL2C-3048	504
30 x 60	27-3/4 x 30	SSL2C-3060	593



Model
SSLR-2448-27ARM

Heavy-Duty Rigging Cabinet

75 lbs. Capacity per hook, not to exceed 2000 lbs. overall

- Doors have three-point latching system with keyed handle
- Includes 27 arm attachments (*addt'l can be purchased*)
- Arms are 1-1/4” OD, 8” inside length and adjustable on 3-1/2” increments.
- 7 vertical slotted steel uprights allow for versatility in spacing
- Flush doors open a full 180 degrees
- Overall height: 78”
- 5-1/2” underclearance for transport by pallet truck or fork lift
- Footpads with 5/8” lag holes

Size	Model No.	Wt.
24 x 48	SSLR-2448-27ARM	500
30 x 48	SSLR-3048-27ARM	545

Welded Steel Wall Storage Cabinet

- All-welded construction
- 14 gauge steel cabinet
- Available with center shelf, 16 gauge pegboard panel, or louvered back panel
- Available with solid or clearview doors
- Mounting holes on 4" centers at top and bottom
- Doors open 180 degrees
- Doors have three-point locking system with keyed handle
- Powder coated gray finish
- Ships fully assembled, ready for immediate use



**Model
HC2-36**

Solid Doors

Overall D x W x H	Center Shelf		Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
10 x 36 x 24	HC2-36	97	HC-36-PB	103	HC-36-LP	103
10 x 48 x 24	HC2-48	119	HC-48-PB	128	HC-48-LP	128



**Model
HC-36-PB**

Clearview Doors

Overall D x W x H	Center Shelf		Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
10 x 36 x 24	HCP2-36	86	HCP-36-PB	92	HCP-36-LP	92
10 x 48 x 24	HCP2-48	106	HCP-48-PB	115	HCP-48-LP	115



**Model
HCP-36-LP**



Model
ESH-2436-3A

Welded Steel Adjustable Shelving

1000 lbs. Shelf Capacity; 5000 lbs. Overall Capacity

- Three adjustable 14 gauge center shelves
- Shelves adjustable on 6" centers
- Available in 36", 48", and 60" widths
- Overall height: 72"
- Heavy-duty construction
- Powder coated gray finish

Overall D x W x H	Model No.	Wt.
24-1/2 x 36-1/4 x 72	ESH-2436-3A	291
24-1/2 x 48-1/4 x 72	ESH-2448-3A	344
24-1/2 x 60-1/4 x 72	ESH-2460-3A	397



Model
5SE-2448-72

Welded Steel Closed Shelving

2000 lbs. Shelf Capacity

- 12 gauge reinforced steel shelves
- Enclosed on three sides
- 2" x 2" x 3/16" corner angles with footpads and 5/8" anchor hole
- Overall height: 72"
- 15" clearance between shelves
- 3-1/2" bottom shelf clearance
- Powder coated gray finish

Overall D x W x H	Model No.	Wt.
18 x 32 x 72	5SE-1832-72	263
24 x 36 x 72	5SE-2436-72	335
24 x 48 x 72	5SE-2448-72	429
24 x 60 x 72	5SE-2460-72	504

48" High Welded Shelving

2000 lbs. Capacity per Shelf

- 12 gauge reinforced steel shelves
- 2"x 2" x 3/16" corner angles with footpads and 5/8" anchor holes
- Overall height: 48"
- 3-1/2" underclearance and boxed angles on lower shelf allow for transport of empty unit by pallet truck
- Shelf clearance: 12.75"
- All-welded construction
- Ships fully assembled, ready for immediate use

D x W	Model No.	Wt.
18 x 32	4SH-1832-48	130
24 x 36	4SH-2436-48	168
24 x 48	4SH-2448-48	207
24 x 60	4SH-2460-48	246



Model
4SH-2448-48

Adjustable Steel Shelving

1500 lbs. Capacity per Shelf

- 12 gauge reinforced steel shelves
- Adjustable shelves on 3-1/2" centers
- Fixed top and bottom shelves
- Available with one, two, or three adjustable center shelves
- 2"x 2" x 3/16" corner angles with footpads and 5/8" anchor holes
- Overall height: 72"
- 3-1/2" underclearance and boxed angles on lower shelf allow for transport of empty unit by pallet truck

Shelf D x W	1 Adj. Shelf 3 Total Shelves		2 Adj. Center Shelf 4 Total Shelves		3 Adj. Center Shelf 5 Total Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	3SH-A-1832-72	151	4SH-A-1832-72	177	5SH-A-1832-72	203
24 x 36	3SH-A-2436-72	179	4SH-A-2436-72	215	5SH-A-2436-72	251
24 x 48	3SH-A-2448-72	229	4SH-A-2448-72	276	5SH-A-2448-72	323
24 x 60	3SH-A-2460-72	262	4SH-A-2460-72	321	5SH-A-2460-72	380



Model
5SH-A-2448-72

Perforated Steel Shelving

1500 lbs. Capacity per Shelf

- Perforated 12 gauge reinforced steel shelves
- 2"x 2" x 3/16" corner angles with footpads and 5/8" anchor holes
- Overall height: 72"
- 3-1/2" underclearance and boxed angles on lower shelf allow for transport of empty unit by pallet truck
- All-welded construction
- Ships fully assembled, ready for immediate use

Shelf D x W	4 Shelf 20-3/4" Shelf Clearance		5 Shelf 15" Shelf Clearance		6 Shelf 11-3/4" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	4SHP-1832-72	131	5SHP-1832-72	144	6SHP-1832-72	164
24 x 36	4SHP-2436-72	160	5SHP-2436-72	182	6SHP-2436-72	214
24 x 48	4SHP-2448-72	208	5SHP-2448-72	255	6SHP-2448-72	286
24 x 60	4SHP-2460-72	248	5SHP-2460-72	296	6SHP-2460-72	346
30 x 48	4SHP-3048-72	241	5SHP-3048-72	287	6SHP-3048-72	351
30 x 60	4SHP-3060-72	289	5SHP-3060-72	349	6SHP-3060-72	413
30 x 72	4SHP-3072-72	361	5SHP-3072-72	441	-	-
36 x 60	4SHP-3660-72	334	5SHP-3660-72	405	-	-
36 x 72	4SHP-3672-72	413	5SHP-3672-72	508	-	-



Model
5SHP-2448-72



Model
5SH-2448-72

Welded Steel Shelving

2000 lbs. Capacity per Shelf

- 12 gauge reinforced steel shelves
- 2" x 2" x 3/16" corner angles with footpads and 5/8" anchor holes
- Overall height: 72"
- 3-1/2" underclearance and boxed angles on lower shelf allow for transport of empty unit by pallet truck
- Ships fully assembled, ready for immediate use

Shelf D x W	4 Shelf 20-3/4" Shelf Clearance		5 Shelf 15" Shelf Clearance		6 Shelf 11-3/4" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	4SH-1832-72	156	5SH-1832-72	179	6SH-1832-72	206
24 x 36	4SH-2436-72	195	5SH-2436-72	227	6SH-2436-72	268
24 x 48	4SH-2448-72	253	5SH-2448-72	299	6SH-2448-72	352
24 x 60	4SH-2460-72	298	5SH-2460-72	356	6SH-2460-72	421
30 x 48	4SH-3048-72	291	5SH-3048-72	364	6SH-3048-72	426
30 x 60	4SH-3060-72	344	5SH-3060-72	414	6SH-3060-72	491
30 x 72	4SH-3072-72	421	5SH-3072-72	511	—	—
36 x 60	4SH-3660-72	394	5SH-3660-72	475	—	—
36 x 72	4SH-3672-72	478	5SH-3672-72	583	—	—



Model
5SHC-2448-72

Welded Steel Shelving with Retaining Lips

2000 lbs. Capacity per Shelf

- 12 gauge reinforced steel shelves
- 1-1/2" retaining lips on sides and back
- Shelves have a flush front edge
- 2" x 2" x 3/16" corner angles with footpads and 5/8" anchor holes
- Overall height: 72"
- 3-1/2" underclearance and boxed angles on lower shelf allow for transport of empty unit by pallet truck
- Ships fully assembled, ready for immediate use

Shelf D x W	4 Shelf 20-3/4" Shelf Clearance		5 Shelf 15" Shelf Clearance		6 Shelf 11-3/4" Shelf Clearance	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	4SHC-1832-72	156	5SHC-1832-72	179	6SHC-1832-72	206
24 x 36	4SHC-2436-72	195	5SHC-2436-72	227	6SHC-2436-72	268
24 x 48	4SHC-2448-72	253	5SHC-2448-72	299	6SHC-2448-72	352
24 x 60	4SHC-2460-72	298	5SHC-2460-72	356	6SHC-2460-72	421
30 x 48	4SHC-3048-72	291	5SHC-3048-72	364	6SHC-3048-72	426
30 x 60	4SHC-3060-72	344	5SHC-3060-72	414	6SHC-3060-72	491
30 x 72	4SHC-3072-72	421	5SHC-3072-72	511	—	—
36 x 60	4SHC-3660-72	394	5SHC-3660-72	475	—	—
36 x 72	4SHC-3672-72	478	5SHC-3672-72	583	—	—

Rack Decking

3000 lbs. Capacity per Deck

- 14 gauge steel deck
- 12 gauge reinforcing channels fit 1-5/8" step beams
- 1-1/2" waterfall on front and back edges
- All-welded construction
- Powder coated gray finish

Section Width	24" Overall Depth (20-1/4" Channels)		36" Overall Depth (32-1/4" Channels)		42" Overall Depth (38-1/4" Channels)		48" Overall Depth (44-1/4" Channels)	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
46	RD-2446-3	40	RD-3646-3	58	RD-4246-3	65	RD-4846-4	82
52	RD-2452-3	41	RD-3652-3	61	RD-4252-3	71	RD-4852-4	89
58	RD-2458-3	44	RD-3658-3	66	RD-4258-3	77	RD-4858-4	96



**Model
RD-4846-4**

Heavy-Duty Rack Decking

4000 lbs. Capacity per Deck

- 12 gauge steel deck
- 12 gauge reinforcing channels fit 1-5/8" step beams
- 1-1/2" waterfall on front and back edges
- All-welded construction
- Powder coated gray finish

Section Width	24" Overall Depth (20-1/4" Channels)		36" Overall Depth (32-1/4" Channels)		42" Overall Depth (38-1/4" Channels)		48" Overall Depth (44-1/4" Channels)	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
46	RDH-2446-4	50	RDH-3646-4	76	RDH-4246-4	89	RDH-4846-5	109
52	RDH-2452-4	54	RDH-3652-4	82	RDH-4252-4	96	RDH-4852-5	118
58	RDH-2458-4	58	RDH-3658-4	89	RDH-4258-4	104	RDH-4858-5	127



**Model
RDH-4846-5**

Punched Steel Rack Decking

3000 lbs. Capacity per Deck

- 14 gauge steel deck
- 1" diameter holes
- 1-1/2" waterfall on front and back edges
- Powder coated gray finish

Section Width	24" Overall Depth (20-1/4" Channels)		36" Overall Depth (32-1/4" Channels)		42" Overall Depth (38-1/4" Channels)		48" Overall Depth (44-1/4" Channels)	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
46	RDP-2446-3	37	RDP-3646-3	54	RDP-4246-3	60	RDP-4846-4	77
52	RDP-2452-3	38	RDP-3652-3	57	RDP-4252-3	66	RDP-4852-4	84
58	RDP-2458-3	41	RDP-3658-3	62	RDP-4258-3	72	RDP-4858-4	91




**Model
RDP-4846-4**

Perforated Rack Deck Channels

500 lbs. Capacity per Channel

- Perforated 14 gauge steel channels
- Helps to comply with NFPA and fire code regulations
- 11-1/2" wide rack deck sections
- Available in three standard rack depths: 36"D, 42"D, and 48"D
- Powder coated gray finish

Depth	Model No.	Wt.
36	RDCP-36	10
42	RDCP-42	12
48	RDCP-48	14



**Model
RDCP-36**
Above photo
shows 3 items



Model
SS-RD-5149-42

Rack Decking with Spill Control Sump

66 Gallon Sump Capacity

- Grating is 51"D x 49"W
- Available with two sump sizes to fit either 42"D or 48"D pallet racks
- Includes drain plug

Deck W x L x H	Model No.	Description	Wt.
51 x 49 x 8-1/2	SS-RD-5149-42	Fits 42" deep pallet racks	254
51 x 49 x 7-1/2	SS-RD-5149-48	Fits 48" deep pallet racks	240



Model
SSF-2045



Spill-Control Platform for Cabinets

- 12 gauge steel construction
- All-welded construction
- Sump measures 20"D x 45"W x 6"H
- Accepts most 18"D x 43"W safety cabinets
- Platform will contain up to 25 gallons securely without leaks
- Cabinet sits down in platform by 1" allowing cabinet doors to open fully
- Steel rear corner braces allow for easy loading
- Powder coated gray finish

Sump Cap.	Overall W x L	Model No.	Wt.
25 Gallon Cap.	20-1/4 x 45-1/4	SSF-2045	80



Model
SSP-5151

Spill-Control Platform with Pallet Supports


- Store palletized bulk volume while controlling leaks and spills
- 12 gauge steel deck with flow through pallet supports
- All-welded construction
- Powder coated finish

	SUMP CAP.	DIMENSIONS W x L x H	Model No.	Ship Wt.	Capacity Lbs. UDL
4-Drum	66 gal.	51 x 51 x 9.75	SSP-5151	213	4000



Spill-Control Platforms


- Heavy-gauge steel construction
- Removable welded steel bar grating
- Ramps available in two heights: 6-1/2" and 10-1/2"
- Helps comply with EPA and OSHA requirements
- Models with 66 and 99 gallon capacity help comply with Uniform Fire Code



Low-Profile Models

	SUMP CAP.	DIMENSIONS W x L x H	Model No.	Ship Wt.	Capacity Lbs. UDL
1-Drum	66 gal.	32 x 26 x 18.5	SSB-2632-66	123	3000
2-Drum	33 gal.	51 x 26 x 6.5	SSB-5125	125	3000
2-Drum	66 gal.	51 x 26 x 12	SSB-5125-66	158	3000
3-Drum	66 gal.	78 x 32 x 6.5	SSB-3278	145	4500
4-Drum	66 gal.	51 x 51 x 6.5	SSB-5151	233	6000
4-Drum	93 gal.	104 x 32 x 6.5	SSB-32104	277	6000
6-Drum	99 gal.	76 x 51 x 6.5	SSB-5176	358	9000
Ramp*	–	33 x 36 x 6.5	SSB-RAMP	70	1500

*Ramp not for use with SSB-5125-66 or SSB-2632-66



All platforms feature full height internal support channels with flow-through vents.

Forkliftable Models

- Four-way fork entry with 4" underclearance

	SUMP CAP.	DIMENSIONS W x L x H	Model No.	Ship Wt.	Capacity Lbs. UDL
1-Drum	66 gal.	32 x 26 x 22.5	SST-2632-66	139	3000
2-Drum	33 gal.	51 x 26 x 10.5	SST-5125	138	3000
2-Drum	66 gal.	51 x 26 x 16	SST-5125-66	171	3000
3-Drum	66 gal.	78 x 32 x 10.5	SST-3278	168	4500
4-Drum	66 gal.	51 x 51 x 10.5	SST-5151	259	6000
4-Drum	93 gal.	104 x 32 x 10.5	SST-32104	300	6000
6-Drum	99 gal.	76 x 51 x 10.5	SST-5176	381	9000
Ramp*	–	33 x 36 x 10.5	SST-RAMP	95	1500

*Ramp not for use with SST-5125-66 or SST-2632-66



**4-Drum Forkliftable
with Ramp**



1-Drum Forkliftable



4-Drum Forkliftable



6-Drum Forkliftable



**Model
SST-IBC**

Left: Positioned lengthwise with IBC moved back, there is sufficient room to hang pail shelf on inside of sump (one decking panel is removed).

Below: Positioned widthwise, Pail Shelf can be hung outside of sump, allowing extra storage space on deck.



**Model
SST-IBC**



**Model
SST-IBC-2**

IBC Containment & Dispensing Station

10,000 lbs. Capacity

- Heavy-gauge steel construction
- 400 gallon sump capacity
- Removable steel grating deck panels
- Includes drain plug and grounding screw
- Helps comply with EPA requirements

Single IBC Unit

- Three-piece steel grating deck is 29" high
- Convertible deck for Internal dispensing within sump area
- Included pail holder shelf attaches on inside or outside of sump

Model No.	Overall Size	Capacity	Wt. (lbs.)
SST-IBC	51"W x 76"L x 29"H	400 gal	625

Double IBC Unit

- Four-piece removable grating deck is 23" high
- Includes two removable pail holder shelves

Model No.	Overall Size	Capacity	Wt. (lbs.)
SST-IBC-2	51"W x 99"L x 23"H	400 gal	702



**Model
IBCS-5252**




**Model
IBCS-5252-8PH2FL**

All-Welded IBC Stand

Up to 5000 lbs. Capacity

- All-welded construction
- Fits most standard IBC containers
- 12 gauge steel deck
- Available in stationary or mobile version
 - Stationary: 34" deck height
 - Mobile: 8" phenolic wheels, 34-1/2" deck height

Deck Size W x L	Stationary - 5000 Lbs. Cap.		Mobile - 3600 Lbs. Cap.	
	Model No.	Wt.	Model No.	Wt.
52 x 52	IBCS-5252	163	IBCS-5252-8PH2FL	212



Adjustable Spring Safety Gate

- Adjustable width 22-1/2" to 36"
- Stainless steel torsion spring closes gate automatically
- Spring is tension-adjustable and reversible
- Powder coated red finish (except spring)
- Outside tubing 1.32" O.D. x 12 gauge wall
- Mounting channel is 2" x 1" with three mounting holes (hardware not included)
- Also available with easy mount clamping kits which requires no drilling

Overall W x D x H	Model No.	Includes	Wt.
24 x 3 x 24	SGS-R	Gate Only	18
24 x 3 x 24	SGS-R-EM	Gate with Easy Mount Kit	20



Spill-Control Platform with Drum Rack

1600 lbs. Capacity

- Heavy-gauge steel construction
- One-drum unit has 33 gallon sump capacity
- Two-drum unit has 66 gallon sump capacity
- Four-way forkliftable access

Drum Capacity	Dimensions W x L x H	Model No.	Wt.
1-Drum	26 x 51 x 22	SST-5125-1D	105
2-Drum	51 x 51 x 22	SST-5151-2D	170



Spill-Control Cart

3000 lbs. Capacity

- Allows up to four 55 gallon drums
- Durable, welded steel construction
- Sump has removable steel bar grating deck
- 6" non-marking polyurethane casters
- Two rigid and two swivel casters
- Removable pipe handle with cross brace
- Handle extends 25" above top of sump

Sump Cap.	2-DRUM with wheel brakes		4-DRUM with floor lock	
	Model No.	Wt.	Model No.	Wt.
33 Gallon Cap.	SSB-5125-6PYBK	170	—	—
66 Gallon Cap.	SSB-512566-6PYBK	203	SSB-5151-6PYFL	341





**Model
BRT-3660-8PHBK**

Portable Bar & Pipe Truck

2000 lbs. Capacity per Level, not to exceed 3600 lbs. overall

- Three load levels
- Structural channel uprights with 1-1/2" square tube arms
- Arms have 4-1/2" high stops on ends
- 12 gauge steel lower deck
- Platform height: 11"
- Overall height: 59"
- Available with four swivel casters with wheel brakes or two rigid and two swivel casters with floor lock
- 8" x 2" phenolic wheels
- Available with 30" or 36" wide deck

Deck Size	4 Swivel Casters with Brakes		2 Swivel, 2 Rigid Casters with Floor Lock	
	Model No.	Wt.	Model No.	Wt.
30 x 48	BRT-3048-8PHBK	177	BRT3048-2R8PHFL	181
30 x 60	BRT-3060-8PHBK	194	BRT3060-2R8PHFL	198
30 x 72	BRT-3072-8PHBK	211	BRT3072-2R8PHFL	215
36 x 48	BRT-3648-8PHBK	195	BRT3648-2R8PHFL	198
36 x 60	BRT-3660-8PHBK	215	BRT3660-2R8PHFL	218
36 x 72	BRT-3672-8PHBK	236	BRT3672-2R8PHFL	239



**Model
BRT3-3672-8PHBK**

Heavy-Duty Bar & Pipe Truck

2500 lbs. Capacity per Level, not to exceed 5000 lbs. overall

- Three load levels
- Three structural channel uprights with 1-1/2" square tube arms
- Arms have 4-1/2" high stops on ends
- 12 gauge steel lower deck
- Platform height: 11"
- Overall height: 59"
- Available with four swivel casters with wheel brakes or two rigid and two swivel casters with floor lock
- 8" x 2" phenolic wheels

Deck Size	4 Swivel Casters with Brakes		2 Swivel, 2 Rigid Casters with Floor Lock	
	Model No.	Wt.	Model No.	Wt.
36 x 60	BRT3-3672-8PHBK	276	BRT3-3672-2R8PHFL	280
36 x 84	BRT3-3684-8PHBK	295	BRT3-3684-2R8PHFL	299



**Model
ABR-3640-6PH**

Adjustable Bar Rack Truck

- Deck height: 9-1/4"
- Deck measures 9" deep x 41" across
- 1" retaining lip
- Four pairs (eight total) of tubular hooks
- Hooks are 1-1/4" OD and 9" deep
- Hooks are adjustable on 3-1/2" increments
- Two rigid and two swivel casters
- 6" phenolic casters

W x D x H	Model No.	Overall Capacity	Wt.
41 x 36 x 67	ABR-3640-6PH	2000 lbs.	119

Additional 1-1/4 Round Tubing Arm

Model No.	Pair Capacity	Wt.
AF-ARM	200 lbs.	3



Mobile Stake Truck

3600 lbs. Capacity

- 12 gauge steel
- Uprights extend 18" above top shelf
- Shelf clearance: 20"
- 2 rigid and 2 swivel casters with brakes
- 6" non-marking polyurethane wheels
- All-welded construction
- Overall height: 48-1/2"

Deck Size	6" Phenolic Wheels		6" Polyurethane Wheels	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MST-2436-6PHBK	122	MST-2436-6PYBK	120
24 x 48	MST-2448-6PHBK	142	MST-2448-6PYBK	140
30 x 48	MST-3048-6PHBK	165	MST-3048-6PYBK	163
30 x 60	MST-3060-6PHBK	185	MST-3060-6PYBK	183

For Floor Lock, replace -BK with -FL



**Model
MST-3048-6PYBK**

Open Frame Stake Truck

3600 lbs Capacity

- 12 gauge steel
- Uprights extend 18" above top level
- 20" clearance between solid deck and upper level
- 2 rigid and 2 swivel casters
- Floor lock to stop unwanted movement
- Available with 6" phenolic or 6" polyurethane wheels
- Welded construction, no assembly required
- Overall height: 48-1/2"

Deck Size	6" Phenolic Wheels		6" Polyurethane Wheels	
	Model No.	Wt.	Model No.	Wt.
24 x 36	HF-2436-6PHFL	102	HF-2436-6PYFL	100
24 x 48	HF-2448-6PHFL	115	HF-2448-6PYFL	113
30 x 48	HF-3048-6PHFL	128	HF-3048-6PYFL	126
30 x 60	HF-3060-6PHFL	143	HF-3060-6PYFL	141

For Wheel Brakes, replace -FL with -BK



**Model
HF-3048-6PHFL**



**Model
HF-3048-6PYFL**



Bar Cradle Truck

3000 lbs. Capacity per Unit

- Ergonomic 20" bed height
- Four swivel casters
- 6" phenolic wheels
- Combine multiple units for greater capacity

Overall W x L x H	Cradle ID W x H	Model No.	Wt.
24 x 24 x 34	21" x 14"	ERBST-2424-6PH	75
24 x 36 x 34	21" x 14"	ERBST-2436-6PH	83
24 x 48 x 34	21" x 14"	ERBST-2448-6PH	91



**Model
ERBST-2424-6PH**



**Model
ERBST-2448-6PH**

Bar Cradle Storage Rack

3000 lbs. Capacity per Unit

- Ergonomic 20" bed height reduces user strain
- Cradle interior: 21" W x 14" H
- Overall height: 34"
- Combine multiple units for greater capacity
- All-welded construction

Overall W x L x H	Cradle ID W x H	Model No.	Wt.
24 x 24 x 34	21" x 14"	ERBST-2424	60



**Model
ERBST-2424**



Heavy-Duty Cantilever Rack

1500 lbs. Capacity per Level, not to exceed 4000 lbs.

- Removable retainer pipes extend 5" high
- Each bay provides 15" of vertical storage space
- Powder coated finish

Stationary Models

- Overall height: 51"
- Lag holes in base for anchoring

Mobile Models

- 8" x 2" phenolic casters
- Two rigid and two swivel casters with wheel brakes
- Overall height: 61"

Stationary		Mobile		Base Overall	Usable Depth		
					Base	Center	Upper
Model No.	Wt.	Model No.	Wt.	D x W			
CBR-2448	150	CBR-2448-8PHBK	185	24 x 48	17	13	10
CBR-3060	186	CBR-3060-8PHBK	221	30 x 60	23	19	16



Model
CBR-2448



Mobile Cantilever Rack

400 lbs. Capacity per Level

- Removable retainer pipes extend 4" high
- Each bay provides 14" of vertical storage space
- Usable depth: 22"
- Two rigid and two swivel casters
- 5" nonmarking polyurethane wheels
- Wheel brakes
- Overall dimensions: 24"W x 31"D x 48"H

Base Overall W x D	Model No.	Wt.
24 x 24	CBL-2424-5PYBK	73



Model
CBL-2424-5PYBK



Adjustable Bar & Pipe Storage Rack

- Four pairs (eight total) of round tubing arm attachments
- Arms are adjustable on 3-1/2" increments
- Arm attachments are 1-1/4" OD with 8" inside length
- Additional arms are available: Model # AF-ARM
- 5/8" lag holes for mounting to floor
- 200 lbs. capacity per pair of arms; not to exceed 2000 lbs. overall

Overall W x D x H	Model No.	Wt.
38-1/4 x 18 x 59-1/4	SBR-1839	65



Model
SBR-1839



Model
BR-2448-60



Model
BR2-2448-60

Vertical Bar Rack

1500 lbs. per Bay

- Bays are 10-1/2" wide with security chains and hooks
- Overall height: 60"
- Available in three, four, or five bay versions
- Holes in base for mounting to floor

3 Bays 36"W x 24"D		4 Bays 48"W x 24"D		5 Bays 60"W x 24"D	
Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
BR-2436-60	77	BR-2448-60	87	BR-2460-60	98

Wide Bay Vertical Bar Rack

1500 lbs. per Bay

- Bay width: 21-1/2" wide
- Overall height: 60"
- Security chains and hooks
- Holes in base for mounting to floor

Overall Size D x W x H	Model No.	Wt.
24" x 48" x 60"	BR2-2448-60	68



Model
BR-2436-6PY2FL

Mobile Vertical Bar Rack

500 lbs. per Bay

- Bays are 10-1/2" wide with security chains and hooks
- Available in three, four, or five bay versions
- Four swivel casters with 2 floor locks
- 6" non-marking polyurethane wheels
- Max stock length: 96" H
- Chains must be secured during transport
- Bay depth: 24"
- Bay width: 10-1/2"
- Overall depth: 36"
- Overall height: 69"

3 Bays 36"W x 24"D		4 Bays 48"W x 24"D		5 Bays 60"W x 24"D	
Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
BR-2436-6PY2FL	114	BR-2448-6PY2FL	124	BR-2460-6PY2FL	135



Model
BR-2436-84

Vertical Bar Rack

- 24"D x 36"W 12 gauge steel base
- Includes three trays - 6", 9-1/2", and 13" deep
- Uprights are 1-1/2" angle
- Overall height: 84"
- Bays are 10" wide
- Includes security chains and hooks
- Holes in base for mounting to floor

Overall W x D x H	Model No.	Wt.
36" x 24" x 84"	BR-2436-84	120



Pipe Stake Trucks

Up to 3600 lbs. Capacity

- Removable pipe stakes
- Reinforced 12 gauge deck
- 1-5/16" diameter stakes extend 30" above deck
- Two rigid and two swivel casters with brakes
- Available with 8" mold-on rubber or polyurethane wheels

Deck Size	8" x 2" MOLD-ON RUBBER 2400 lbs. Capacity		8" x 2" POLYURETHANE 3600 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
24 x 36	NBP-2436-8MRBK	88	NBP-2436-8PUBK	79
24 x 48	NBP-2448-8MRBK	99	NBP-2448-8PUBK	90
24 x 60	NBP-2460-8MRBK	118	NBP-2460-8PUBK	109
30 x 48	NBP-3048-8MRBK	119	NBP-3048-8PUBK	110
30 x 60	NBP-3060-8MRBK	131	NBP-3060-8PUBK	125
36 x 72	NBP-3672-8MRBK	161	NBP-3672-8PUBK	152



**Model
NBP-2448-8PUBK**

6-Wheel Pipe Stake Trucks

3600 lbs. Capacity

- Two center-mount rigid and four swivel casters
- Deck is 9" high with 1/2" tilt
- Reinforced 12 gauge deck
- 1-5/16" diameter stakes extend 30" above deck
- 6" non-marking polyurethane wheels

Deck Size	6" x 2" POLYURETHANE 3600 lbs. Capacity	
	Model No.	Wt.
24 x 48	NBP6W-2448-6PY	117
24 x 60	NBP6W-2460-6PY	127
30 x 48	NBP6W-3048-6PY	132
30 x 60	NBP6W-3060-6PY	151
36 x 72	NBP6W-3672-6PY	182



**Model
NBP6W-2448-6PY**

Heavy-Duty Pipe Stake Trucks

Up to 4000 lbs. Capacity

- Center mounted 12" x 2-1/2" Load wheels and two 8" x 2" swivel casters in diamond pattern
- Deck is 14" high with 1/2" tilt
- Reinforced, 12 gauge deck
- Non-marking polyurethane tread

Deck Size	POLYURETHANE TREAD ON STEEL WHEELS 4000 lbs. Capacity	
	Model No.	Wt.
24 x 48	DT-2448-DIA-4PS	190
30 x 48	DT-3048-DIA-4PS	198
30 x 60	DT-3060-DIA-4PS	209
30 x 72	DT-3072-DIA-4PS	219
36 x 60	DT-3660-DIA-4PS	219
36 x 72	DT-3672-DIA-4PS	232



**Model
DT-2448-DIA-4PS**



Model
NBBC-2448-6PYBK

Heavy-Duty Bar Cradle Rack

2000 lbs. Capacity

- Ergonomic 23-1/2" bed height
- Cradle interior: 21"W x 14"H
- Removable bar cradle uprights extend 15" above deck
- Reinforced 12 gauge deck
- Two rigid and two swivel casters

Deck Size	6" POLYURETHANE	
	Model No.	Wt.
24 x 36	NBBC-2436-6PYBK	184
24 x 48	NBBC-2448-6PYBK	195
24 x 60	NBBC-2460-6PYBK	215




Model
TB-1

Big Wheel Cradle Truck

1000 lbs. Capacity

- 16" pneumatic wheels
- Carrier bed is constructed of 3/16" plate
- Carrier bed measures 30"L x 12" x 12"
- Fits loads up to 20" diameter
- Offset T-handle with hand grips

Model No.	Capacity	Wt.
TB-1	1000 lbs.	90



Model
OE-2460-6PY


Roll Goods Truck

3600 lbs. Capacity

- Welded 1-5/16" O.D. tubing uprights on 2 sides
- Uprights extend 48" above deck with welded top cross brace
- 12 gauge steel deck
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels

Deck	Model No.	Wt.
24 x 60	OE-2460-6PY	148
30 x 60	OE-3060-6PY	161

For Floor Lock add: -FL



Adjustable Sheet & Panel Truck

3600 lbs. Capacity

- Two uprights extending 27" above deck
- 12 gauge steel deck
- Uprights can be placed in 4 positions
- Two rigid and two swivel casters
- 6" x 2" polyurethane wheels
- Overall height: 36"

Wheel type	Deck Size	Model No.	Wt.
6" x 2" Non-marking Polyurethane Wheels 3600 lbs Capacity	24 x 36	APT-2436-6PY	99
	24 x 48	APT-2448-6PY	117
	24 x 60	APT-2460-6PY	134
	30 x 48	APT-3048-6PY	132
	30 x 60	APT-3060-6PY	150
	30 x 72	APT-3072-6PY	170
	36 x 60	APT-3660-6PY	165
	36 x 72	APT-3672-6PY	187

For 6" Phenolic Wheels, use wheel code: **-6PH** (3600 lbs. Capacity)
For Wheel Brakes on Swivel Casters, add: **-BRK**

Additional Uprights

	Model No.	Size W x L	Wt.
Additional Uprights	004-0011	for 36" long decks	15
	004-0024	for 48" long decks	18
	004-0023	for 60" long decks	21
	004-0223	for 72" long decks	24



Model
APT-2448-6PY



6-Wheel Adjustable Sheet & Panel Truck

- Six wheel design for easy maneuverability and zero-turn radius
- 6" non-marking polyurethane wheels
- Two uprights extending 27" above deck
- Uprights can be placed in four positions
- Additional uprights are available
- Overall height: 36"

Deck Size	Model No.	Wt.
24 x 48	APT6W-2448-6PY	131
24 x 60	APT6W-2460-6PY	148
30 x 48	APT6W-3048-6PY	146
30 x 60	APT6W-3060-6PY	164
30 x 72	APT6W-3072-6PY	184
36 x 60	APT6W-3660-6PY	179
36 x 72	APT6W-3672-6PY	201



Model
APT6W-2460-6PY

Perforated Adjustable Sheet & Panel Truck


2000 lbs. Capacity

- Perforated, 12 gauge steel deck
- Two upright dividers included
- Uprights extend 27" above deck
- Two rigid and two swivel casters
- 6" x 2" non-marking polyurethane wheels

Deck	Model No.	Wt.
24 x 36	APTP-2436-6PY	95
24 x 48	APTP-2448-6PY	111



Model
APTP-2448-6PY



Lumber & Panel Cart

3600 lbs. Capacity

- Uprights are 27" and 36" high above deck
- 12 gauge steel deck
- Uprights spaced 6" apart on 24"W deck, 6" and 12" on 30"W deck
- 6" x 2" non-marking polyurethane wheels
- Two rigid and four swivel casters
- Overall height: 45"

Deck	Model No.	Wt.
24 x 48	LC-2448-6PY	99
30 x 48	LC-3048-6PY	109



Model
LC-2448-6PY

Mobile Sheet Rack


1500 lbs. Capacity per Bay, 3600 lbs. Overall

- All-welded construction
- 1-5/16" O.D. tubular dividers
- Bays (four total) measure 7"W
- Upright dividers measure 27", 36", and 42" high
- 6" phenolic casters with wheel brakes
- Powder coated gray finish

Overall W x D x H	Model No.	Wt.
48 x 36 x 51	SR-3648-6PHBK	180



Model
SR-3648-6PHBK



Adjustable Sheet & Panel Rack

- 12 gauge steel deck
- 4" underclearance
- Three upright dividers extending 27" above deck
- Legs have footpads with anchor holes
- Overall height: 33"

Deck Size D x W	Model No.	Wt.
30 x 48	ASR-3048	137
30 x 60	ASR-3060	160
36 x 60	ASR-3660	176




**Model
ASR-3048**

Vertical Sheet Rack

1500 lbs. Capacity

- 1-5/16" O.D. tubular dividers
- Bays (four total) measure 7"W
- Upright dividers measure 27", 36", and 42" high
- Powder coated gray finish
- All-welded construction

Overall W x D x H	Model No.	Wt.
48 x 36 x 43-1/2	SR-3648	95




**Model
SR-3648**

2-Way Vertical Sheet Rack

- Can be positioned either horizontally or vertically
- 1-5/16" O.D. tubular dividers
- Bays (4 total) measure 10-7/8" wide
- Dividers measure 42-1/2" high when in horizontal position
- Dividers measure 82-1/2" high when in vertical position
- Powder coated gray finish
- All-welded construction

Overall W x D x H	Model No.	Wt.
50 x 84 x 44	VSR-5084-44	233




**Shown in
horizontal
position**

**Model
VSR-5084-44**



**Shown in
vertical
position**



Model
AF2448
4 Swivel



“A” Frame Sheet & Panel Truck

3600 lbs. Capacity

- 12 gauge steel deck
- 1-1/2” retaining lip on each side
- Frame is 48” above deck
- Uprights are 12” apart at base
- 6” phenolic casters
- Available with four swivel casters or two rigid and two swivel casters

Size	4 Swivel Casters		2 Swivel/2 Rigid Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 36	AF2436	108	AF2436-2R	107
24 x 48	AF2448	122	AF2448-2R	121
24 x 60	AF2460	137	AF2460-2R	136
30 x 48	AF3048	134	AF3048-2R	134
30 x 60	AF3060	150	AF3060-2R	149
30 x 72	AF3072	167	AF3072-2R	166
36 x 72	AF3672	184	AF3672-2R	183


Floor Lock: Available on models with 2 rigid casters, add: **-FL**
For 6” x 2” Polyurethane Casters, use wheel code: **-6PY**



Model
AF2448-2R
2 Swivel/2 Rigid



Floor Lock



Model
AF6W-2448-6PH

“A” Frame Sheet & Panel Truck with 6 Wheel Design

3600 lbs. Shelf Capacity

- Six wheel design for easy maneuverability and zero-turn radius
- 12 gauge steel deck
- 1-1/2” retaining lip on each side
- Frame is 48” above deck
- Uprights are 12” apart at base

Size	6” Phenolic Wheels		6” Polyurethane Wheels	
	Model No.	Wt.	Model No.	Wt.
24 x 36	AF6W-2436-6PH	124	AF6W-2436-6PY	123
24 x 48	AF6W-2448-6PH	138	AF6W-2448-6PY	137
24 x 60	AF6W-2460-6PH	153	AF6W-2460-6PY	152
30 x 48	AF6W-3048-6PH	152	AF6W-3048-6PY	151
30 x 60	AF6W-3060-6PH	168	AF6W-3060-6PY	167
30 x 72	AF6W-3072-6PH	185	AF6W-3072-6PY	184
36 x 72	AF6W-3672-6PH	203	AF6W-3672-6PY	202



“A” Frame with Drop Shelf

2000 lbs. Capacity

- Deck Size: 24" x 48"
- 1.5" retaining lip on front of deck
- 16" x 45" Drop Shelf can lower out of the way when not being utilized
- Reinforced 12 gauge deck
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels
- Floor Lock to stop unwanted movement when loading and unloading

Size	Model No.	Wt.
24 x 48	BOP-2448-6PYFL	147



Model
BOP-2448-6PYFL



1-Sided “A” Frame Sheet & Panel Truck

3600 lbs. Capacity

- 12 gauge steel deck
- 1-1/2" retaining lip on front edge
- Frame extends 48" above deck
- 17-1/2" base depth available
- 6" phenolic casters
- Available with four swivel casters or two rigid and two swivel casters

Size	4 Swivel Casters		2 Swivel/2 Rigid Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 48	AF1S-2448	122	AF1S-2448-2R	121
24 x 60	AF1S-2460	137	AF1S-2460-2R	136
30 x 48	AF1S-3048	134	AF1S-3048-2R	133
30 x 60	AF1S-3060	150	AF1S-3060-2R	149


Floor Lock: Available on models with 2 rigid casters, add: **-FL**
For 6" x 2" Polyurethane Casters, use wheel code: **-6PY**



Model
AF1S-2448

Model
AF1S-2448-2R





Model
AF4S-2436-6PYFL

"A" Frame Sheet & Panel Truck with Back Shelf Storage

3600 lbs. Capacity

- Four storage shelves on back side
- 1-1/2" retaining lip on front side
- Frame is 51" above deck
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Floor lock to stop unwanted movement while loading and unloading
- Overall height: 60"

Size	Model No.	Wt.
24 x 36	AF4S-2436-6PYFL	192
24 x 48	AF4S-2448-6PYFL	219
24 x 60	AF4S-2460-6PYFL	247



Model
PTC-2436-5PY

Panel Truck

1000 lbs. Capacity

- Three removable uprights
- Uprights extend 27" above deck
- 9-1/2" load space between uprights
- Four swivel casters
- 5" non-marking polyurethane wheels
- Available with wood or carpet covered rails

	Model No.	Size W x L	Wt.
Wood Ends	PT-2436-5PY	24 x 36	78
Carpeted Ends	PTC-2436-5PY	24 x 36	80

Drywall Cart

2000 lbs. Capacity

- 12 gauge steel deck
- Deck measures 14" x 44"
- Deck is sloped back to retain load
- Available with four swivel casters or two rigid and two swivel casters with floor lock
- Overall 24"W x 44"L x 51"H



Model
DC-2444-8PY

4 Swivel		2 Rigid, 2 Swivel & Floor Lock	
Model No.	Wt.	Model No.	Wt.
DC-2444-8PY	98	DC-2444-2R8PYFL	103



Stationary Pallet Stand

4000 lbs. Capacity

- Available with fixed or adjustable height deck
- Deck height:
 - Fixed: 30"H
 - Adjustable: 27-1/2" to 43-1/2" in 2" increments

Deck Size W x L	Fixed Height		Adjustable Height	
	Model No.	Wt.	Model No.	Wt.
40 x 48	SPS-4048	81	SPS-4048-AH	90
42 x 48	SPS-4248	83	SPS-4248-AH	92
48 x 48	SPS-4848	87	SPS-4848-AH	98
With Corner Load Retainers				
40 x 48	SPS-4048-LR	83	SPS-4048-AH-LR	92
42 x 48	SPS-4248-LR	85	SPS-4248-AH-LR	94
48 x 48	SPS-4848-LR	89	SPS-4848-AH-LR	100



**Model
SPS-4048**



**Model
SPS-4048-AH-LR**


Low Profile Pallet Stand

- Deck height: 18"

Deck Size W x L	Pallet Stand		With Load Retainers	
	Model No.	Wt.	Model No.	Wt.
40 x 48	SPS-4048-18	77	SPS-4048-18-LR	79
42 x 48	SPS-4248-18	79	SPS-4248-18-LR	81
48 x 48	SPS-4848-18	83	SPS-4848-18-LR	85



**Model
SPS-4048-18**



Model
PDE-4848-6PH2FL



Model
PDEH48-6PH2FLLR

Mobile Pallet Stand

3600 lbs. Capacity

- Adjustable Height: 24" to 34" in 2" increments
- Four swivel casters
- 6" phenolic wheels
- Dual floor locks to control motion while loading and unloading
- Available with 12 gauge solid steel or open deck
- Available with removable push handle extending 14" above deck

Size W x L	Model No. Open Deck	Wt.	Model No. Solid Deck	Wt.
40 x 48	PDE-4048-6PH2FL	107	PDSE-4048-6PH2FL	157
42 x 48	PDE-4248-6PH2FL	109	PDSE-4248-6PH2FL	163
48 x 48	PDE-4848-6PH2FL	114	PDSE-4848-6PH2FL	173
Size	Open Deck with Handle		Solid Deck with Handle	
40 x 48	PDEH4048-6PH2FL	119	PDSEH40486PH2FL	169
42 x 48	PDEH4248-6PH2FL	121	PDSEH42486PH2FL	179
48 x 48	PDEH4848-6PH2FL	126	PDSEH48486PH2FL	185

Load Retainers

- Available with corner load retainers

Size W x L	Model No. Open Deck	Wt.	Model No. Solid Deck	Wt.
40 x 48	PDE40-6PH2FLLR	109	PDSE40-6PH2FLLR	159
42 x 48	PDE42-6PH2FLLR	111	PDSE42-6PH2FLLR	165
48 x 48	PDE48-6PH2FLLR	116	PDSE48-6PH2FLLR	175
Size	Open Deck with Handle		Solid Deck with Handle	
40 x 48	PDEH40-6PH2FLLR	121	PDSEH406PH2FLLR	171
42 x 48	PDEH42-6PH2FLLR	123	PDSEH426PH2FLLR	181
48 x 48	PDEH48-6PH2FLLR	128	PDSEH486PH2FLLR	187



Model
2PDSE48486PH2FL



Model
2PDSEH486P2FLLR

Mobile Pallet Stand with Lower Deck

3600 lbs. Capacity

- 12 gauge steel solid deck
- Adjustable Height: 25-1/2" to 35-1/2" in 2" increments
- Lower shelf
- Shelf clearance: 12"-22"
- 6" phenolic wheels
- Four swivel casters
- Dual floor locks to control motion while loading and unloading

Size W x L	No Handle Model No.	Wt.	With Handle Model No.	Wt.
40 x 48	2PDSE40486PH2FL	216	2PDSEH40-6PH2FL	228
42 x 48	2PDSE42486PH2FL	225	2PDSEH42-6PH2FL	237
48 x 48	2PDSE48486PH2FL	243	2PDSEH48-6PH2FL	255

Load Retainers

- Available with corner load retainers

Size W x L	No Handle Model No.	Wt.	With Handle Model No.	Wt.
40 x 48	2PDSE406PH2FLLR	218	2PDSEH406P2FLLR	230
42 x 48	2PDSE426PH2FLLR	227	2PDSEH426P2FLLR	239
48 x 48	2PDSE486PH2FLLR	245	2PDSEH486P2FLLR	257



Fixed Height Mobile Pallet Stand

3600 lbs. Capacity

- All-welded construction
- Raised 30" deck height
- Available with 12 gauge solid steel or open deck
- 6" phenolic wheels
- Four swivel casters
- Dual floor locks to control motion while loading and unloading
- Powder coated gray finish

Deck Size W x L	Open Deck		Solid Deck	
	Model No.	Wt.	Model No.	Wt.
40 x 48	PDF-4048-6PH2FL	102	PDFS4048-6PH2FL	152
42 x 48	PDF-4248-6PH2FL	104	PDFS4248-6PH2FL	158
48 x 48	PDF-4848-6PH2FL	109	PDFS4848-6PH2FL	168
With Corner Load Retainers				
40 x 48	PDF-40-6PH2FLLR	104	PDFS40-6PH2FLLR	154
42 x 48	PDF-42-6PH2FLLR	106	PDFS42-6PH2FLLR	160
48 x 48	PDF-48-6PH2FLLR	111	PDFS48-6PH2FLLR	170



Model
PDFS4848-6PH2FL



Model
PDF-48-6PH2FLLR

with Lower Deck

- Shelf clearance: 18"

Deck Size W x L	Pallet Stand		With Load Retainers	
	Model No.	Wt.	Model No.	Wt.
40 x 48	2PDFS40486PH2FL	211	2PDFS406PH2FLLR	213
42 x 48	2PDFS42486PH2FL	220	2PDFS426PH2FLLR	222
48 x 48	2PDFS48486PH2FL	238	2PDFS486PH2FLLR	240



Model
2PDFS48486PH2FL

Pallet Dolly with Double End Racks


3600 lbs. Capacity

- 12 gauge steel solid deck
- Two end racks extending 24" above deck
- Deck height: 9"
- Four swivel casters
- 6" x 2" phenolic wheels
- All-welded construction
- Available with double floor locks to control motion

Deck Size	Without Floor Locks		With Floor Locks	
	Model No.	Wt.	Model No.	Wt.
40 x 48	PDS-40-6PH-2H	165	PDS40-6PH2FL-2H	175
42 x 48	PDS-42-6PH-2H	168	PDS42-6PH2FL-2H	178
48 x 48	PDS-48-6PH-2H	178	PDS48-6PH2FL-2H	188



Model
PDS-40-6PH-2H



Pallet Dolly

3600 lbs. Capacity

- Four swivel casters
- 6" x 2" phenolic wheels
- Deck height: 9"
- Available with 12 gauge solid steel or open deck
- Available with double floor locks
- Available with pipe handle extending 29" above deck

Size W x L	Model No.	Wt.	Model No.	Wt.
	Open Deck		Solid Deck	
40 x 48	PD-4048-6PH	75	PDS-4048-6PH	115
42 x 48	PD-4248-6PH	76	PDS-4248-6PH	118
48 x 48	PD-4848-6PH	77	PDS-4848-6PH	128

Size	Open Deck with Handle		Solid Deck with Handle	
40 x 48	PDH-4048-6PH	87	PDSH-4048-6PH	127
42 x 48	PDH-4248-6PH	88	PDSH-4248-6PH	130
48 x 48	PDH-4848-6PH	89	PDSH-4848-6PH	140

Also available with Dual Floor Locks; add **-2FL**

Load Retainers

- Available with corner load retainers

Size W x L	Model No.	Wt.	Model No.	Wt.
	Open Deck		Solid Deck	
40 x 48	PD-4048-6PH-LR	77	PDS-4048-6PH-LR	117
42 x 48	PD-4248-6PH-LR	78	PDS-4248-6PH-LR	120
48 x 48	PD-4848-6PH-LR	79	PDS-4848-6PH-LR	130

Size	Open Deck with Handle		Solid Deck with Handle	
40 x 48	PDH-4048-6PH-LR	89	PDSH-4048-6PHLR	129
42 x 48	PDH-4048-6PH-LR	90	PDSH-4248-6PHLR	132
48 x 48	PDH-4048-6PH-LR	91	PDSH-4848-6PHLR	142

Also available with Dual Floor Locks; add **-2FL**

Pallet Dolly with T-Handle

3600 lbs. Capacity

- T-handle with vinyl hand grips
- Two rigid and two swivel casters
- 6" x 2" phenolic wheels
- Available with 12 gauge solid steel or open deck

Size W x L	Model No.	Wt.	Model No.	Wt.
	Open Deck		Solid Deck	
40 x 48	PDT-4048-6PH	75	PDST-4048-6PH	121
42 x 48	PDT-4248-6PH	76	PDST-4248-6PH	124
48 x 48	PDT-4848-6PH	77	PDST-4848-6PH	134

Size	Open Deck with Floor Lock		Solid Deck with Floor Lock	
40 x 48	PDT-4048-6PHFL	87	PDST-4048-6PHFL	126
42 x 48	PDT-4248-6PHFL	88	PDST-4248-6PHFL	129
48 x 48	PDT-4848-6PHFL	89	PDST-4848-6PHFL	139

Load Retainers

- Available with corner load retainers

Size W x L	Model No.	Wt.	Model No.	Wt.
	Open Deck		Solid Deck	
40 x 48	PDT-4048-6PH-LR	77	PDST-4048-6PH-LR	123
42 x 48	PDT-4248-6PH-LR	78	PDST-4248-6PH-LR	126
48 x 48	PDT-4848-6PH-LR	79	PDST-4848-6PH-LR	136

Size	Open Deck with Floor Lock		Solid Deck with Floor Lock	
40 x 48	PDT-4048-6PHFLLR	89	PDST-4048-6PHFLLR	128
42 x 48	PDT-4248-6PHFLLR	90	PDST-4248-6PHFLLR	131
48 x 48	PDT-4848-6PHFLLR	91	PDST-4848-6PHFLLR	141



Pallet Dolly with Fork Pockets

3600 lbs. Capacity

- 12 gauge steel solid deck
- Two full-length fork pockets with 6"W openings
- Deck height: 14-1/4"
- Four swivel casters
- 6" phenolic casters
- All-welded construction
- Available with double floor locks to control motion

Deck Size	Without Floor Locks		With Floor Locks	
	Model No.	Wt.	Model No.	Wt.
40 x 48	PDS-40-6PHFP	110	PDS-40-6PHFP2FL	120
42 x 48	PDS-42-6PHFP	113	PDS-42-6PHFP2FL	123
48 x 48	PDS-48-6PHFP	133	PDS-48-6PHFP2FL	143

For Corner Load retainers; add -LR



Model
PDS-40-6PHFP2FL



Towable Solid Deck Pallet Dolly

2400 lbs. Capacity

- 12 gauge steel solid deck
- Pin and clevis rear coupler
- 1" load retainers on all four corners
- 2-1/2" I.D. ring
- Two rigid and two swivel casters
- 8" mold-on rubber wheels
- Deck height: 11"
- All-welded construction

Deck Size	Model No.	Wt.
40 x 48	PDCS-40-8MR	127
42 x 48	PDCS-42-8MR	130
48 x 48	PDCS-48-8MR	140



Model
PDCS-48-8MR

6-Wheel Towable Solid Deck Pallet Dolly

2400 lbs. Capacity

- 12 gauge steel deck
- Removable pushbar handle
- Pin and clevis rear coupler
- 2-1/2" I.D. ring
- 1" load retainers on all four corners
- Six-wheeled design provides a zero-turn radius
- 2 rigid, and 4 swivel casters
- 8" mold-on rubber wheels
- Deck height: 11"

Deck Size	Model No.	Wt.
40 x 48	PDCSH-6W-40-8MR	161
42 x 48	PDCSH-6W-42-8MR	164
48 x 48	PDCSH-6W-48-8MR	174



Model
PDCSH-6W-48-8MR





Standard
Foot Kick



Folding
Foot Kick



TF-360-10FF
Continuous Handle,
47" OAH with Foot Kick



T-362 SERIES
Dual Handle, 49" OAH



T-364-10P
Loop Handle, 49" OAH

Shovel Nose Hand Truck

800 lbs. Capacity

- 1/4" tapered nose plate
- Nose plate measures 13-1/2" deep and 16" wide at rear
- Extra-tall 29" stair glides
- Heavy 1.05" 14 gauge tubular steel frame
- Four curved ribs
- Zinc plated "D" axle is interchangeable in tri-hole axle bracket
- Available with a continuous, dual, or loop handle

Available with Patented Foot Kick Option

- Foot kick provides extra leverage when starting
- Your choice of fixed position or folding foot kick

CONTINUOUS HANDLE - 47" High

Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-360-8S	45	TFF-360-8S	45	T-360-8S	43
10" x 2.75" Solid Rubber	TF-360-10	49	TFF-360-10	49	T-360-10	47
10" x 3.50" Pneumatic	TF-360-10P	48	TFF-360-10P	48	T-360-10P	46
10" x 3.50" Flat-Free	TF-360-10FF	48	TFF-360-10FF	48	T-360-10FF	46

DUAL HANDLE - 49" High

Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-362-8S	45	TFF-362-8S	45	T-362-8S	43
10" x 2.75" Solid Rubber	TF-362-10	49	TFF-362-10	49	T-362-10	47
10" x 3.50" Pneumatic	TF-362-10P	48	TFF-362-10P	48	T-362-10P	46
10" x 3.50" Flat-Free	TF-362-10FF	48	TFF-362-10FF	48	T-362-10FF	46

LOOP HANDLE - 49" High

Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-364-8S	46	TFF-364-8S	46	T-364-8S	44
10" x 2.75" Solid Rubber	TF-364-10	50	TFF-364-10	50	T-364-10	48
10" x 3.50" Pneumatic	TF-364-10P	49	TFF-364-10P	49	T-364-10P	47
10" x 3.50" Flat-Free	TF-364-10FF	49	TFF-364-10FF	49	T-364-10FF	47

Hand Truck Wheel Options



WHEEL NO. 8S
Solid rubber
SIZE: 8" x 2.5"



WHEEL NO. 10
Solid rubber
SIZE: 10" x 2.75"



WHEEL NO. 10P
Full pneumatic
SIZE: 10" x 3.5"



WHEEL NO. 10FF
Flat-Free
SIZE: 10" x 3.5"



12" Reinforced Nose Hand Truck

800 lbs. Capacity

- 12"D x 14"W reinforced nose
- 29" stair glides
- Heavy 1.05" 14 gauge tubular steel frame
- Four curved ribs
- Zinc plated "D" axle is interchangeable in tri-hole axle bracket
- Available with a continuous, dual, or loop handle

Available with Patented Foot Kick Option

- Foot kick provides extra leverage when starting
- Your choice of fixed position or folding foot kick



TF-200-10FF
Continuous Handle, 47" High
with Foot Kick



Standard
Foot Kick



Folding
Foot Kick

CONTINUOUS HANDLE - 47" High						
Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-200-8S	36	TFF-200-8S	36	T-200-8S	34
10" x 2.75" Solid Rubber	TF-200-10	40	TFF-200-10	40	T-200-10	38
10" x 3.50" Pneumatic	TF-200-10P	40	TFF-200-10P	40	T-200-10P	36
10" x 3.50" Flat-Free	TF-200-10FF	38	TFF-200-10FF	38	T-200-10FF	36

DUAL HANDLE - 49" High						
Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-220-8S	36	TFF-220-8S	36	T-220-8S	34
10" x 2.75" Solid Rubber	TF-220-10	41	TFF-220-10	41	T-220-10	39
10" x 3.50" Pneumatic	TF-220-10P	39	TFF-220-10P	39	T-220-10P	37
10" x 3.50" Flat-Free	TF-220-10FF	39	TFF-220-10FF	39	T-220-10FF	37

LOOP HANDLE - 49" High						
Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
8" x 2.50" Solid Rubber	TF-240-8S	37	TFF-240-8S	37	T-240-8S	35
10" x 2.75" Solid Rubber	TF-240-10	42	TFF-240-10	42	T-240-10	40
10" x 3.50" Pneumatic	TF-240-10P	40	TFF-240-10P	40	T-240-10P	38
10" x 3.50" Flat-Free	TF-240-10FF	40	TFF-240-10FF	40	T-240-10FF	38

10 YEAR GUARANTEED NOSE PLATE


12" deep nose plates are structurally reinforced for extra strength and longer life. Heavy-duty stair glides are flattened and extended under the nose plate, which virtually eliminates breakage.



T-220-10P
Dual Handle, 49" High



T-240-10
Loop Handle, 49" High

**STEEL HAND TRUCKS
WITH MUSCLE**

**INTERCHANGEABLE
D-AXLE BRACKET**

Special 3-hole axle bracket allows for placement of axle to accommodate different size wheels. D-shaped axle eliminates turning and wear of axle.



T-320 SERIES
Dual Handle, 49" High



T-132 SERIES
Continuous Handle, 47" High



T-182 SERIES
Loop Handle, 49" High

Industrial Strength Hand Trucks

800 lbs. Capacity

- 8"D x 14"W nose plate
- Four curved ribs with vertical center strap
- Heavy 1.05" 14 gauge tubular steel for added strength to frame and stair glides
- Extra-high 29" stair glides
- Zinc plated "D" axle is interchangeable in tri-hole axle bracket

CONTINUOUS HANDLE - 47" HIGH

Model No.	Wheel Description	Cap. lbs.	Wt.
T-132-8S	8" x 2.50" Solid Rubber Tire	800	33
T-132-10	10" x 2.75" Solid Rubber Tire	800	37
T-132-10P	10" x 3.50" Pneumatic	800	35
T-132-10FF	10" x 3.50" Flat-Free	600	36

DUAL HANDLE - 49" HIGH

Model No.	Wheel Description	Cap. lbs.	Wt.
T-320-8S	8" x 2.50" Solid Rubber Tire	800	33
T-320-10	10" x 2.75" Solid Rubber Tire	800	37
T-320-10P	10" x 3.50" Pneumatic	800	35
T-320-10FF	10" x 3.50" Flat-Free	600	36

LOOP HANDLE - 49" HIGH

Model No.	Wheel Description	Cap. lbs.	Wt.
T-182-8S	8" x 2.50" Solid Rubber Tire	800	37
T-182-10	10" x 2.75" Solid Rubber Tire	800	39
T-182-10P	10" x 3.50" Pneumatic	800	37
T-182-10FF	10" x 3.50" Flat-Free	600	38

Hand Truck Wheel Options



WHEEL NO. 8S
Solid rubber
SIZE: 8" x 2.5"



WHEEL NO. 10
Solid rubber
SIZE: 10" x 2.75"



WHEEL NO. 10P
Full pneumatic
SIZE: 10" x 3.5"



WHEEL NO. 10FF
Flat-Free
SIZE: 10" x 3.5"



60" Tall Hand Truck with Patented Foot Kick

800 lbs. Capacity

- Standard or folding foot kick options
- 13-1/2" deep x 1/4" thick tapered nose plate measures 16" wide at back
- Tapered front edge
- 1.05" diameter 14 gauge steel tubing frame
- Wheel guards

Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Wheel Description
TF-370-8S	48	TFF-370-8S	48	8" x 2.50" Solid Rubber
TF-370-10	52	TFF-370-10	52	10" x 2.75" Solid Rubber
TF-370-10P	50	TFF-370-10P	50	10" x 3.50" Pneumatic
TF-370-10FF	51	TFF-370-10FF	51	10" x 3.50" Flat-Free



Model
TF-370-10



Standard
Foot Kick



Folding
Foot Kick

Tilt-back Gas Cylinder Hand Truck

800 lbs. Capacity

- Two 8" solid rubber wheels plus 2 swivel casters
- Safety chains secure cylinder to truck

Model No.	Wheel Size	Casters	Wt.
TW-70-8SR-3R	8" x 2.5" Solid Cushion Rubber	3" x 1-1/4" Rubber	48



Model
TW-70-8SR-3R





Dual Handle
Model TW-42



Standard
Foot Kick



Folding
Foot Kick



Model
TWF-40-10

Gas Cylinder Hand Truck

800 lbs. Capacity

- 1.05" O.D. tubing for strength
- Nose plate is 8"D x 14"W
- Your choice of wheels:
 - 10" solid rubber wheels
 - 10" pneumatic wheels
- Also available with standard or folding foot kick
- Safety chains for securing cylinder to truck

Wheel Description	Standard Foot Kick	Wt.	Folding Foot Kick	Wt.	Standard	Wt.
Continuous Handle, 47" High						
10" x 2.75" Solid Rubber	TWF-40-10	38	TWFF-40-10	38	TW-40-10	36
10" x 3.50" Pneumatic	TWF-40-10P	36	TWFF-40-10P	36	TW-40-10P	34
10" x 3.50" Flat-Free	TWF-40-10FF	37	TWFF-40-10FF	37	TW-40-10FF	35
Dual Handle, 49" High						
10" x 2.75" Solid Rubber	TWF-42-10	38	TWFF-42-10	38	TW-42-10	36
10" x 3.50" Pneumatic	TWF-42-10P	36	TWFF-42-10P	36	TW-42-10P	34
10" x 3.50" Flat-Free	TWF-42-10FF	37	TWFF-42-10FF	37	TW-42-10FF	35



Model
TW-30



4-Wheel Gas Cylinder Hand Cart

- Holds two standard 9" diameter cylinders
- Two load wheels and two swivel casters
- Removable tool tray measuring 12"W x 4"L x 2"D
- Two rod holders
- Safety chains to secure cylinders
- Overall dimensions 21-1/2"W x 36"L x 40"H

Model No.	Load Wheels	Casters	Wt.
TW-30	10" x 2.75" Solid Cushion Rubber	4" x 1-1/4" Rubber	57

Gas Cylinder Truck

Capacities (6) or (8) 9-1/4" Cylinders

- 12 gauge reinforced steel deck
- 1-1/2" square tubing
- 7 gauge steel gussets
- Square tube uprights with 3/16" thick corral dividers
- Heavy-duty chain secures cylinders during transport
- Two rigid and two swivel casters
- 8" phenolic wheels
- Loop handle at swivel end
- Overall height: 45"

Model
GST-8-8PH



Cylinder Cap.	Load Cap.	Overall W x D	Model No.	Wt.
6	1,500 lbs.	24 x 50	GST-6-8PH	157
8	2,000 lbs.	24 x 60	GST-8-8PH	203



Gas Cylinder Storage Units

- 13 gauge expanded metal
- Sloped roof
- Angle frame with reinforced back panels
- Padlock hasp
- Legs have 5/8" hole for bolting to floor
- Powder coated yellow finish
- Helps meet OSHA 1910 requirements and NFPA standards
- Ships fully assembled, ready for immediate use

Model No.	Cylinder Capacity	Overall W x D x H	Wt.
HORIZONTAL CYLINDER STORAGE CABINETS			
For 20-43 lbs. LPG Cylinders Up To 13" Diameter			
GSH-36W-40H	4	36 x 38 x 40	211
GSH-36W-70H	8	36 x 38 x 70	248
UPRIGHT CYLINDER STORAGE CABINETS			
For 20-43 lbs. Cylinders Up To 33" Tall			
GSU-36W-40H	4-6	36 x 38 x 40	165
For Upright Cylinders Up To 68" Tall			
GSU-36W-70H	5-15	36 x 38 x 70	188
GSU-72W-70H	10-30	72 x 38 x 70	316

**Model
GSH-36W-70H**



**Model
GSU-36W-40H**



Gas Cylinder Storage Units

- Two compartments labeled to separate full and empty gas cylinders
- Each compartment holds 5-15 upright cylinders
- Measures 72"W x 38"D x 70"H
- Powder coated yellow finish
- All-welded construction

Model No.	Cylinder Capacity	Overall W x D x H	Wt.
GSU2-72W-70H	5-15 Upright in Each Compartment 10-30 Total	72 x 38 x 70	316

**Model
GSU2-72W-70H**



Gas Cylinder Pallet

Capacities (4), (6) or (8) 9-1/4" Cylinders

- 7 gauge steel deck
- Solid fork pockets that run the full length
- Angle iron uprights with angle gussets
- Dividers with loop handles
- Overall height: 41"

Cylinder Cap.	Load Cap.	Overall W x D	Model No.	Wt.
4	1,000 lbs.	33 x 25	GSP-4	93
6	1,500 lbs.	33 x 36	GSP-6	128
8	2,000 lbs.	33 x 47	GSP-8	156

**Model
GSP-4**





Model
RR-3036-54H

Model
RR-3036



All-Welded Wire Reel Rack

- Available in two standard heights: 72"H and 54"H
- 72" rack features:
 - Three levels
 - Upper levels have three 5/8" diameter spindles
 - Lower level has a single 1" diameter spindle and two 5/8" diameter spindles
- 54" rack features:
 - Two levels
 - Upper level has three 5/8" diameter spindles
 - Lower level has a single 1" diameter spindle and two 5/8" diameter spindles
- Load capacities:
 - 5/8" diameter spindle: 150 lbs
 - 1" diameter spindle: 300 lbs
- Each spindle is 33"W
- Welded construction, no assembly
- Removable wire guides
- Footpads have 5/8" lag holes

Overall W x D x H	Model No.	Wt.
36 x 30 x 72	RR-3036	178
36 x 30 x 54	RR-3036-54H	133

Model
RR-3036-6PHFL



Mobile Wire Reel Storage Rack

- Upper level has three 5/8" diameter spindles
- Lower level has a single 1" diameter spindle and two 5/8" diameter spindles
- Load capacities:
 - 5/8" diameter spindle: 150 lbs.
 - 1" diameter spindle: 300 lbs.
- Welded construction, no assembly
- Removable wire guides
- 6" phenolic wheels with floor lock

Overall W x D x H	Model No.	Wt.
36 x 30 x 58	RR-3036-6PHFL	155

Model
RRLP-3036-6PHFL



Wire Reel Storage Cart with Louvered Panels

- 16 gauge louvered panels
- Upper level has three 5/8" diameter spindles
- Lower Level has a single 1" diameter spindle and two 5/8" diameter spindles
- Load Capacities:
 - 5/8" diameter spindle: 150 lbs
 - 1" diameter spindle: 300 lbs
- Welded Construction, no assembly required
- Removable wire guides
- 6" phenolic wheels with floor lock

Overall W x D x H	Model No.	Wt.
36 x 32 x 58	RRLP-3036-6PHFL	213

Wire Reel Cart

1200 lbs. Capacity

- 12 gauge steel shelves
- 1-1/2" retaining lip
- Top shelf measures 24"W x 36"L x 35"H
- Bottom shelf measures 24"W x 48"L
- Hanger bar for ladder storage
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock wheel brakes
- Overall length: 54"
- Powder coated gray finish
- Ships fully assembled, ready for immediate use
- Includes five 36" long spool holder rods

Model No.	Wt.
RC2448-5PYTL	139

Model
RC2448-5PYTL



Wire Reel Cart with Drawers

- Includes two locking drawers
- Includes three 36" long spool holder rods
- Locking drawers measure 13"W x 17"L x 4-1/2"H

Model No.	Wt.
RC2448-5PYTL2DR	175

Model
RC2448-5PYTL2DR



Wire Reel Cart with Cabinet

1200 lbs. Capacity

- 12 gauge steel shelves
- 1-1/2" retaining lip
- Top shelf is 24"W x 36"L x 35"H
- Storage cabinet with locking door and keyed handle
- Cabinet measures 16"W x 23"D x 25"H
- Bottom shelf is 24"W with 12" extension
- Hanger bar for ladder storage
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock wheel brakes
- Overall length: 54"
- Includes five 15" long spool holder rods

Model No.	Wt.
RCM2448-5PYTL	152

Model
RCM2448-5PYTL




Wire Reel Cart with Louvered Panels

1200 lbs. Capacity

- Double-sided, 16 gauge louvered panels
- Tubular handle extends 17"
- 1-1/2" retaining lips on shelves
- Seven 38" wide rods (33" usable space)
- Overall height: 41-1/2"H
- All-welded construction
- Powder coated gray finish

Overall W x D x H	Model No.	Wt.
24 x 54-1/4 x 41-1/2	RL-LP-2436-TL	164

Model
RL-LP-2436-TL





**Model
SRR-1839**



Adjustable Reel Rack

200 lbs. Capacity per Spindle

- Four reel arm attachments
- Arms are adjustable on 3-1/2" increments
- Additional reel arms are available: Model #: AF-REEL
- 1.25" diameter pipe is 37" long with 34" of useable reel storage length
- 5/8" lag holes for mounting to floor

Overall W x D x H	Model No.	Wt.
38-1/4 x 18 x 59-1/4	SRR-1839	90



**Model
RT3-12P**



Heavy-Duty Reel Caddy

150 lbs. Capacity per Spindle

- Three heavy-duty steel spindles
- 1" diameter bar stock accepts reels up to 12" diameter and 21" wide
- 12" diameter pneumatic wheels
- Three wire guides for dispensing
- Top tray measures 10" x 24"
- All-welded construction
- Powder coated finish
- Ships fully assembled, ready for immediate use

Overall W x D x H	Model No.	Wt.
32 x 31 x 45	RT3-12P	90



**Model
RT2-10S**

Extra-Heavy-Duty Wire Reel Transport

300 lbs. Capacity

- 1" diameter bar stock accepts reels up to 32" diameter and 21" wide
- Smaller 5/8" rods accepts reels up to 12" diameter and 21" wide
- Uniquely designed for easy loading

Overall W x D x H	Model No.	Wt.
24 x 24-7/8 x 42-1/4	RT2-10S	70



Tilt forward
to easily
mount spool
without lifting.

Wire Reel Caddy

600 lbs. Overall Capacity, 150 lbs. Capacity per Spindle

- Four 16" wide rods with seven available positions
- Wheels are off the ground while standing
- Full-width handle
- Convenient tool tray
- Heavy-duty angle iron frame
- 8" x 2-1/2" solid rubber wheels
- Powder coated gray finish

Overall W x D x H	Model No.	Wt.
25 x 19-1/2 x 45	RT4-8S	54



**Model
RT4-8S**

Easy-Load Wire Reel Caddy

600 lbs. Overall Capacity, 150 lbs. Capacity per Spindle

- Four 16" wide rods with seven available positions
- Center divide allows for easy loading & unloading on 1 reel at a time
- Wheels are off the ground while standing
- Full-width handle
- Convenient tool tray
- Heavy-duty angle iron frame
- 8" x 2-1/2" solid rubber wheels
- Powder coated gray finish

Overall W x D x H	Model No.	Wt.
25 x 19-1/2 x 45	RTE4-8S	65



**Model
RTE4-8S**

Wire Reel Cart

- Four 16" wide rods with 7 available positions
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock wheel brakes
- Available with an open back or 16 gauge louvered panel back

Open Back

- Allows unrestricted access to the 18" x 32" deck

Model No.	Wt.
RT4-5TL	56



**Model
RT4-5TL**

Louvered Panel Back

- 18"W x 36"H, 16 gauge louvered panel

Model No.	Wt.
RT4-5TL-LP	65

**Model
RT4-5TL-LP**





Double Sided Frame
Shown with Optional
Pegboard, Shelves, and Tray



Single Sided Frame
Shown with
Optional Shelves
AFS-2440-6PH

A-Frame Only
AFS-3640-6PH



Adjustable Tray A-Frame Shelf Trucks

2000 lbs. Capacity

- Slotted steel uprights accept shelves, arms, trays, and pegboard panels
- Available as a single-sided or double-sided unit
- Mix and match to fit your exact requirements
- Two rigid and two swivel casters
- Available with 6" phenolic or polyurethane wheels

A-Frame Only	W x D x H	Phenolic Wheels		Polyurethane Wheels	
		Model No.	Wt.	Model No.	Wt.
Single-sided	40 x 24 x 67	AFS-2440-6PH	72	AFS-2440-6PY	70
Double-sided	40 x 36 x 67	AFS-3640-6PH	92	AFS-3640-6PY	90
Double-sided w/bottom shelves	40 x 36 x 67	AFSF-3640-6PH	116	AFSF-3640-6PY	114

ALL SHELVES AND ACCESSORIES SOLD SEPARATELY

9" DEEP TRAYS are 3" high on 3 sides. Open front side available with a 1" lip, or flush edge.

15" DEEP TRAYS are 6" high on 3 sides with handles on both ends. Open front side available with 1" lip, or a flush edge.

FLUSH SHELVES have a 1-1/2" lip along the back, flush edge on 3 sides. Ideal for long and oversize items.

PEGBBOARD AND LOUVERED PANELS are 16 gauge formed steel panels that accept most standard pegs and bins. (Pegs and bins not included.)

ROUND TUBING ARM ATTACHMENTS (AF-ARM) are 1-1/4" OD, 8" inside length and adjustable on 3-1/2" increments. Perfect for carrying tubing and bar stock.

Tray Model No.	W x D x H	Front Edge	Max per frame		Wt.
			1-sided	2-sided	
AF-SHELF-9	36 x 9 x 3	flush	8	16	25
AF-SHELF-9-LU	36 x 9 x 3	1" lip	8	16	25
AF-SHELF-15	36 x 15 x 6	flush	5	10	33
AF-SHELF-15-LU	36 x 15 x 6	1" lip	5	10	33
AF-SHELF-FLUSH	36 x 15 x flush	flush	16	32	19
AF-PB	36 x 1 x 24	NA	2	4	17
AF-LP	36 x 1 x 24	NA	2	4	17
AF-ARM*	8" inside length	-	7 pairs	14 pairs	3

* Order each individually

Adjustable Shelf Rack

- Comes standard with 2 adjustable shelves
- Shelf size: 15"D x 36"W
- Adjustable on 3-1/2" increments
- 9-1/4" high deck surface measures 9" deep x 42" across
- 1" retaining lip
- Two rigid and two swivel casters
- 6" phenolic wheels

W x D x H	Model No.	Wt.
40 x 36 x 67	ABS-3640-6PH	154

Additional Flush Shelves

- 1-1/2" retaining lip along back
- Flush edge on three sides

Model No.	Wt.
AF-SHELF-FLUSH	19



Model
ABS-3640-6PH

Mobile Storage Bins

800 lbs. per Tier, 2400 lbs. Overall Capacity

- 14 gauge steel construction
- Open hopper front
- Overall dimensions: 32"W x 45-1/2"H x 20"D
- Available with up to four storage compartments per level
- Available with optional Louvered Panel
- 6" x 2" phenolic wheels
- Four swivel casters
- Powder coated gray finish
- All-welded construction

Model No.	Openings per Level	Total Openings	OPENING SIZE			Wt.
			W	H	D	
MS1-1532-6PH	1	3	32"	12-1/2"	15"	173
MS2-1532-6PH	2	6	16"	12-1/2"	15"	180
MS3-1532-6PH	3	9	10-1/2"	12-1/2"	15"	198
MS4-1532-6PH	4	12	8"	12-1/2"	15"	215



MS2-1532-6PH



MS1-1532-6PH



MS3-1532-6PH



MS4-1532-6PH

Mobile Storage Bins with Louvered Panel

- 16 gauge louvered panel measures 24" high

Model No.	Openings per Level	Total Openings	OPENING SIZE			Wt.
			W	H	D	
MS1-1532-6PH-LP	1	3	32"	12-1/2"	15"	201
MS2-1532-6PH-LP	2	6	16"	12-1/2"	15"	208
MS3-1532-6PH-LP	3	9	10-1/2"	12-1/2"	15"	226
MS4-1532-6PH-LP	4	12	8"	12-1/2"	15"	243

MS2-1532-6PH-LP



Mobile Storage Bins

800 lbs. per Tier, 2400 lbs. Overall Capacity

- 14 gauge steel construction
- Open hopper front
- Level height: 12-1/2"H
- Overall dimensions: 64"W x 45-1/2"H x 20"D
- Available with up to eight storage compartments per level
- 6" x 2" phenolic wheels
- Two rigid and four swivel casters
- All-welded construction

Model No.	Openings per Level	Total Openings	OPENING SIZE			Wt.
			W	H	D	
MS2-1564-6PH	2	6	32"	12-1/2"	15"	332
MS4-1564-6PH	4	12	16"	12-1/2"	15"	346
MS6-1564-6PH	6	18	10-1/2"	12-1/2"	15"	382
MS8-1564-6PH	8	24	8"	12-1/2"	15"	416

MS4-1564-6PH



MS2-1564-6PH



MS6-1564-6PH



MS8-1564-6PH



MS3-1532-FP

Stationary Storage Bins

800 lbs. per Tier, 2400 lbs. Overall Capacity

- 14 gauge steel construction
- Powder coated gray finish
- Fork pockets with 8" x 4" opening
- Available with up to four storage compartments per level
- Overall dimensions 32"W x 42"H x 20"D
- All-welded construction

Model No.	Openings per Level	Total Openings	OPENING SIZE			Wt.
			W	H	D	
MS1-1532-FP	1	3	32"	12-1/2"	15"	169
MS2-1532-FP	2	6	16"	12-1/2"	15"	176
MS3-1532-FP	3	9	10-1/2"	12-1/2"	15"	194
MS4-1532-FP	4	12	8"	12-1/2"	15"	211



MS1-1532-FP



MS2-1532-FP



MS4-1532-FP



MS2-1532-FP-LP

Stationary Storage Bins With Louvered Panel

800 lbs. per Tier, 2400 lbs. Overall Capacity

- 16 gauge louvered panel measures: 32"W x 24"H
- 14 gauge steel construction
- Open hopper front
- Overall dimensions: 32"W x 66"H x 20"D
- Fork pockets with 8" x 4" opening
- Available with up to four storage compartments per level
- Powder coated gray finish
- All-welded construction

Model No.	Openings per Level	Total Openings	OPENING SIZE			Wt.
			W	H	D	
MS1-1532-FP-LP	1	3	32"	12-1/2"	15"	197
MS2-1532-FP-LP	2	6	16"	12-1/2"	15"	204
MS3-1532-FP-LP	3	9	10-1/2"	12-1/2"	15"	222
MS4-1532-FP-LP	4	12	8"	12-1/2"	15"	239



MS1-1532-FP-LP



MS3-1532-FP-LP



MS4-1532-FP-LP




Bin Cart

1200 lbs. Capacity

- 12 gauge shelves
- 1-1/2" retaining lips
- Double-sided center welded louvered panels
- Overall height: 34"
- Two rigid and two swivel casters with total lock brakes
- 5" non-marking polyurethane wheels
- Powder coated gray finish
- All-welded construction
- Bins not included

Size	Model No.	Wt.
24 x 36	BC-2436-TL	71



Model
BC-2436-TL



Bin Cart with Pegboard Tool Storage

- Dual-sided bin cart
- 16 gauge steel pegboard on handle end
- Double-sided louvered panel for bins
- 12 gauge steel shelves with 1-1/2" retaining lip
- Overall height: 34"
- Two rigid and two swivel casters
- 5" non-marking polyurethane wheels with total lock brakes
- All-welded construction
- Ships fully assembled, ready for immediate use
- Bins not included

Size	Model No.	Wt.
24 x 36	BC-2436-TL-PB	79



Model
BC-2436-TL-PB

Sloped Shelf Bin Cart

2400 lbs. Capacity

- Dual-sided bin transport cart
- 14 gauge steel shelves
- 1-1/2" retaining lips
- 15° sloped shelves
- Shelves are 35-1/2"W and accommodate bins up to 11-7/8"D x 8"H
- Shelf clearance: 8-1/4"
- Twelve shelves; six on each side
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels
- All-welded construction
- Bins not included

Size	Model No.	Wt.
30 x 36	6BC-3036-6PY	328



Model
6BC-3036-6PY





Model
IF-2436-5PYTL
Double Sided Frame



Model
IF-2436-5PYTL
Double Sided Frame
Shown with:
(2) IF-SHELF-LU-36 (front)
(2) IF-SHELF-36 (back)
(1) IF-LP-36 (front)
(1) IF-BR-36 (back)

Model
IF-2436-5PYTL
Double Sided Frame
Shown with:
(1) IF-PB-36 (front)
(2) IF-SHELF-LU-36 (back)
(1) IF-SHELF-36 (front)
(1) IF-LP-36 (back)
(2) IF-BR-36 (front)



Model
IF1S-2436-5PYTL
Single Sided Frame



Model
IF1S-2436-5PYTL
Single Sided Frame
Shown with:
(1) IF-PB-36
(1) IF-LP-36
(1) IF-SHELF-36



Heavy-Duty Mobile Work Center

1200 lbs. Capacity

- 60" high uprights
- Adjustable slots on 2" centers
- All accessories and shelves purchased separately

Double Sided Unit

- Full bottom shelf measuring 24" x 36"

Single Sided Unit

- Open base design

Frame Only	Overall D x W x H	Model No.	Wt.
Double Sided Frame	24 x 36 x 66-1/2	IF-2436-5PYTL	85
Single Sided Frame	24 x 39 x 66-1/2	IF1S-2436-5PYTL	50

Available Accessories - All Purchased Separately

Shelf - Flush Edge

- 11"D x 33-3/4"W

Shelf - 1-1/2" Lips:

- 11"D x 33-3/4"W

Pegboard Panel:

- Panel height: 24"
- 16 gauge steel panel
- Holes on 1" centers

Louvered Panel:

- Panel height: 24"
- 16 gauge steel panel

Bin Rail:

- 16 gauge steel louvered panel
- Single row 6" high

Description	Model No.	Size	Wt.
Flush Shelf	IF-SHELF-36	11"D x 34"W	24
Lipped Shelf	IF-SHELF-LU-36	11"D x 34"W	24
Pegboard Panel	IF-PB-36	24"D x 34"W	20
Louvered Panel	IF-LP-36	24"D x 34"W	20
Bin Rail	IF-BR-36	6"D x 34"W	7

Mobile A-Frame – Lean Tool Cart

1200 lbs. Capacity

- 16 gauge steel pegboard
- Pegboard has holes on 1" centers
- Louvered panel accommodates all sizes of hanging bins
- Panel height: 48"
- Overall height: 56"
- Ships fully assembled, ready for immediate use
- Two rigid and two swivel casters
- 5" polyurethane wheels
- Powder coated gray finish
- All-welded construction
- Pegs and bins not included



Model
AFPBLP-2436-5PY



Model
AFPB-2460-5PY

Size	Double Sided Pegboard		Double Sided Louvered		1 Pegboard Side & 1 Louvered Side		Combo Pegboard/Louvered Panel on Both Sides	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	AFPB-2436-5PY	120	AFLP-2436-5PY	120	AFPBLP-2436-5PY	120	AFCP-2436-5PY	120
24 x 48	AFPB-2448-5PY	143	AFLP-2448-5PY	143	AFPBLP-2448-5PY	143	AFCP-2448-5PY	143
24 x 60	AFPB-2460-5PY	170	AFLP-2460-5PY	170	AFPBLP-2460-5PY	170	AFCP-2460-5PY	170



Model
AFCP-2436-5PY

Mobile Pegboard A-Frame – 60" Tall

1200 lbs. Capacity

- Panels measure 60" tall x 48" wide
- 16 gauge steel pegboard panels
- Pegboard has holes on 1" centers
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock brakes
- Overall height: 68"
- Available as a single-sided or double-sided unit
- Pegs and bins not included

A-Frame	Model No.	Wt.
Single-sided	AFPB1S2448-TL60	107
Double-sided	AFPB2S2448-TL60	163



Model
AFPB2S2448-TL60

Mobile Pegboard with Back Shelf Storage

2000 lbs. Capacity

- A-Frame pegboard height: 48"
- Four storage shelves on the back side
- 16 gauge steel pegboard
- Pegboard 1/4" diameter holes
- Two rigid and two swivel casters with floor lock
- 6" polyurethane wheels
- Overall height: 60"

Size	Model No.	Wt.
24 x 36	AFPBS2436-6PYFL	186
24 x 48	AFPBS2448-6PYFL	224
24 x 60	AFPBS2460-6PYFL	262



Model
AFPBS2436-6PYFL



Side view



**Model
IPB-6PYFL**




**Model
ILP-6PYFL**

Double Sided Pegboard or Louvered Panel Cart

- Double sided pegboard or louvered panels
- Two rigid and two swivel casters with floor lock
- 6" x 2" non-marking polyurethane wheels
- Tubular steel handle
- Panels measuring 36" wide x 48" tall
- All-welded construction

Deck Size	Pegboard Panels	Wt.	Louvered Panels	Wt.
30 x 36	IPB-6PYFL	175	ILP-6PYFL	175



**Model
BCPB-2438-6PYFL**

5S Lean Cart

- All-welded construction
- 24"W x 55" tall pegboard panel on each end
- Center mounted, double-sided louvered panel
- Louvered panels measure 36"W x 48" tall
- Two rigid and two swivel casters with floor lock
- 6" x 2" non-marking polyurethane wheels
- Overall dimensions: 24"D x 38"W x 65-1/2"H

Size	Model No.	Wt.
24 x 38	BCPB-2438-6PYFL	212



**Model
MWLP-2436-5TL**

Maintenance Workstation with Pegboard or Louvered Storage

1200 lbs. Capacity

- 16 gauge steel pegboard or louvered panel
- Top shelf height: 34"
- 1-1/2" retaining lip on three sides
- Two rigid and two swivel casters with total lock brakes
- 5" non-marking polyurethane wheels
- Powder coated gray finish

	Shelf Size	Model No.	Wt.
Louvered Panel	24 x 36	MWLP-2436-5TL	102
Pegboard Panel	24 x 36	MWPB-2436-5TL	102

Mobile Workstation

1200 lbs. Capacity

- Top shelf height: 34"
- Top shelf has 1-1/2" retaining lip on three sides
- Bottom and middle shelves are lip up on all four sides
- 12 gauge steel shelves
- 5" polyurethane wheels
- Two rigid and two swivel casters with total lock brakes

Size	2-SHELF 24-1/2" Clearance		3-SHELF 11-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL	84	3MW-2436-5TL	115
24 x 48	MW-2448-5TL	103	3MW-2448-5TL	150

Pegboard or Louvered Panel

- 24"H 16 gauge steel pegboard or louvered panel

Size	2-SHELF 24-1/2" Clearance		3-SHELF 11-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL-PB	102	3MW-2436-5TL-PB	122
24 x 48	MW-2448-5TL-PB	127	3MW-2448-5TL-PB	162

For Louvered Panel, replace **PB** with **LP**

Model
3MW-2436-5TL-PB



Model
MW-2436-5TL



Mobile Workstation with Storage Drawer

- Available with one or two locking drawers
- Drawers measure 13"W x 17"D x 4-1/2"H
- Shelf clearance below drawer: 18"
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock brakes

Shelf Size	1-DRAWER		2-DRAWER	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL-DR	97	MW-2436-5TL-2DR	114
24 x 48	MW-2448-5TL-DR	116	MW-2448-5TL-2DR	129
with Pegboard Panel				
24 x 36	MW2436-5TL-DRPB	115	MW2436-5TL2DRPB	128
24 x 48	MW2448-5TL-DRPB	140	MW2448-5TL2DRPB	153

For Louvered Panel, replace **PB** with **LP**



Model
MW-2436-5TL-2DR

Work-Height Mobile Workstation with writing shelf, drawers, and pegboard

- 12 gauge steel top shelf
- Top shelf height: 42"
- 16 gauge steel pegboard or louvered panel extends 24" above top
- Two locking storage drawers
- Writing shelf measures 21"W x 12"D
- Sloped storage pocket below writing shelf
- Two rigid and two swivel casters with total lock brakes
- 5" non-marking polyurethane wheels

Size D x W	Model No.	Wt.
24 x 36	QC2436-TL2DRPB	163
24 x 48	QC2448-TL2DRPB	187
24 x 60	QC2460-TL2DRPB	212

For Louvered Panel, replace **PB** with **LP**



Model
QC2448-TL2DRPB



Model
IP-2448RM-BRK



Available with
Total Lock Casters
replace **-BRK** with **-TL**

Mobile Tables

1000 lbs. Capacity

- 12 gauge work surface
- Open style base
- Overall height: 34"
- Four swivel casters
- 5" polyurethane wheels with wheel brakes

Size	Model No.	Wt.
18 x 32	IP-1832RM-BRK	59
24 x 36	IP-2436RM-BRK	65
24 x 48	IP-2448RM-BRK	77
24 x 60	IP-2460RM-BRK	94
30 x 48	IP-3048RM-BRK	92
30 x 60	IP-3060RM-BRK	104
30 x 72	IP-3072RM-BRK	118



Model
IP-2448-2-6PY



Model
IP2448-2R-6PYFL

Multi-Shelf Mobile Tables

Up to 3600 lbs. Capacity

- 12 gauge steel construction
- Two shelves
- Overall height: 34"

2 Shelf Models

- Available with either two rigid and two swivel or four swivel casters
- 1200 or 3600 lbs. capacities (wheel dependent)
 - 5" polyurethane - 1200 lbs. capacity (24-1/2" shelf clearance)
 - 6" polyurethane - 3600 lbs. capacity (23" shelf clearance)

Size	1200 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 2 Rigid 2 Swivel/w Floor Lock	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	IP-1832-2	67	—	—	—	—
24 x 36	IP-2436-2	87	IP-2436-2-6PY	113	IP2436-2R-6PYFL	118
24 x 48	IP-2448-2	107	IP-2448-2-6PY	133	IP2448-2R-6PYFL	138
24 x 60	IP-2460-2	127	IP-2460-2-6PY	144	IP2460-2R-6PYFL	164
30 x 48	IP-3048-2	125	IP-3048-2-6PY	154	IP3048-2R-6PYFL	159
30 x 60	IP-3060-2	151	IP-3060-2-6PY	179	IP3060-2R-6PYFL	184
30 x 72	IP-3072-2	177	IP-3072-2-6PY	193	IP3072-2R-6PYFL	223
36 x 72	—	—	IP-3672-2-6PY	233	IP3672-2R-6PYFL	238

Wheel Brakes: 5" add: **-BRK**; 6" add: **-BK**

Total Lock Casters: add: **-TL** (5" only)



Model
3IP-2448-6PY



Model
3IP-2448-5PY

3 Shelf Models

- Available with either two rigid and two swivel or four swivel casters
- 1200 or 3600 lbs. capacities (wheel dependent)
 - 5" polyurethane - 1200 lbs. capacity (11" shelf clearance)
 - 6" polyurethane - 3600 lbs. capacity (10-1/2" shelf clearance)

Size	1200 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 2 Rigid 2 Swivel/w Floor Lock	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	3IP-2436-6PY	124	3IP-2436-6PY	150	3IP2436-2R6PYFL	155
24 x 48	3IP-2448-6PY	154	3IP-2448-6PY	180	3IP2448-2R6PYFL	185
24 x 60	3IP-2460-6PY	186	3IP-2460-6PY	203	3IP2460-2R6PYFL	208
30 x 48	3IP-3048-6PY	182	3IP-3048-6PY	210	3IP3048-2R6PYFL	215
30 x 60	—	—	3IP-3060-6PY	249	3IP3060-2R6PYFL	251

Wheel Brakes: 5" add: **-BRK**; 6" add: **-BK**

Total Lock Casters: add: **-TL** (5" only)

Adjustable Height Mobile Table


Up to 3600 lbs. Capacity

- 12 gauge steel construction
- Adjustable top shelf height
- Available with either two rigid and two swivel or four swivel casters
- 1200 or 3600 lbs. capacities (wheel dependent)
 - 5" polyurethane - 1200 lbs. capacity, 34" - 46" OAH
 - 6" polyurethane - 3600 lbs. capacity, 35-1/2" - 47-1/2" OAH

Size	1200 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 2 Rigid 2 Swivel/w Floor Lock	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	IP-1832-2AH	77	-	-	-	-
24 x 36	IP-2436-2AH	97	IP-2436-2AH-6PY	123	IP24362RAH6PYFL	128
24 x 48	IP-2448-2AH	117	IP-2448-2AH-6PY	143	IP24482RAH6PYFL	148
24 x 60	IP-2460-2AH	137	IP-2460-2AH-6PY	154	IP24602RAH6PYFL	174
30 x 48	IP-3048-2AH	135	IP-3048-2AH-6PY	164	IP30482RAH6PYFL	169
30 x 60	IP-3060-2AH	161	IP-3060-2AH-6PY	189	IP30602RAH6PYFL	194
30 x 72	IP-3072-2AH	187	IP-3072-2AH-6PY	203	IP30722RAH6PYFL	233
36 x 72	-	-	IP-3672-2AH-6PY	243	IP36722RAH6PYFL	248

Wheel Brakes: 5" add: **-BRK**; 6" add: **-BK**

Total Lock Casters: add: **-TL** (5" only)



**Model
IP-2436-2AH-6PY**



**Model
IP-1832-2AH-TL**

Mobile Prep Station

1200 lbs. Capacity


- 12 gauge shelves
- Top worksurface features flush edges
- Lower shelf with 1.5" retaining lips
- Two rigid, 5" Polyurethane Wheels
- Overall height: 35"
- Shelf clearance: 25.5"
- All-welded construction

Top Size	Model No.	Wt.
18 x 24	BQ-1824-2R-5PY	60
18 x 32	BQ-1832-2R-5PY	70
24 x 36	BQ-2436-2R-5PY	89



**Model
BQ-2436-2R-5PY**





Model
IPH-3060-8PHBK

Extra-Heavy-Duty 7 gauge Mobile Table

5000 lbs. Capacity

- 7 gauge reinforced top
- 2" angle corner posts and additional side braces
- Four heavy-duty, 8" phenolic swivel casters
- Overall height: 34"

W x L	Model No.	Wt.
30 x 48	IPH-3048-8PHBK	211
30 x 60	IPH-3060-8PHBK	237
36 x 60	IPH-3660-8PHBK	261
36 x 72	IPH-3672-8PHBK	290



Model
IPG2448-8PHFLPL

Heavy-Duty Mobile Table

5000 lbs. Capacity

- 12 gauge, reinforced steel shelves
- 2" x 2" corner angles
- Four swivel casters
- 8" phenolic wheels
- Two four-position swivel locks
- Floor lock to stop unwanted movement
- Overall height: 36"

Overall W x D	Model No.	Wt.
24 x 36	IPG2436-8PHFLPL	160
24 x 48	IPG2448-8PHFLPL	175
30 x 48	IPG3048-8PHFLPL	193
30 x 60	IPG3060-8PHFLPL	219
30 x 72	IPG3072-8PHFLPL	259
36 x 72	IPG3672-8PHFLPL	280



4 Position
Swivel Lock



Floor
Lock



Mobile Butcher Block Workbench

3000 lbs. Capacity

- 1-3/4" butcher block top
- Work surface height: 37-3/4"
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Floor lock to stop unwanted movement

Size	Model No.	Wt.
24 x 48	WSJ2-2448-6PYFL	221
30 x 48	WSJ2-3048-6PYFL	212
30 x 60	WSJ2-3060-6PYFL	249
30 x 72	WSJ2-3072-6PYFL	290
36 x 72	WSJ2-3672-6PYFL	319



Model
WSJ2-2448-6PYFL

Heavy-Duty Butcher Block Top Mobile Table


3000 lbs. Capacity

- 1-3/4" butcher block top
- Fully assembled and ready for immediate use
- 12 gauge lower shelf
- 6" non-marking polyurethane wheels
- Choice of casters:
 - Four swivel with wheel brakes
 - Two rigid and two swivel with floor lock

TOP Size D x W x H	2 Rigid, 2 Swivel with Floor Lock		4 Swivel with Wheel Brakes	
	Model No.	Wt.	Model No.	Wt.
24 x 36 x 34	IPJ2436-2R6PYFL	129	IPJ-2436-6PYBK	126
24 x 48 x 34	IPJ2448-2R6PYFL	155	IPJ-2448-6PYBK	152
30 x 48 x 34	IPJ3048-2R6PYFL	175	IPJ-3048-6PYBK	172
30 x 60 x 34	IPJ3060-2R6PYFL	214	IPJ-3060-6PYBK	211
30 x 72 x 34	IPJ3072-2R6PYFL	246	IPJ-3072-6PYBK	243
36 x 72 x 34	IPJ3672-2R6PYFL	284	IPJ-3672-6PYBK	281



Model
IPJ-2436-6PYBK



Model
WSL2-2448-6PYFL

Mobile Workbench with Back and End Stops

3600 lbs. Capacity

- Double reinforced, 12 gauge steel top
- 1-1/2" raised edge on back and sides
- Two rigid and two swivel casters
- 6" polyurethane wheels
- Floor lock to stop unwanted movement
- Available in a fixed or adjustable height

Size D x W	FIXED HEIGHT 36" Top Height		ADJUSTABLE HEIGHT 27"-41" High in 2" Increments	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSL2-2448-6PYFL	158	WSL224486PYFLAH	161
24 x 60	WSL2-2460-6PYFL	190	WSL224606PYFLAH	193
30 x 48	WSL2-3048-6PYFL	182	WSL230486PYFLAH	185
30 x 60	WSL2-3060-6PYFL	212	WSL230606PYFLAH	215
30 x 72	WSL2-3072-6PYFL	246	WSL230726PYFLAH	249
36 x 60	WSL2-3660-6PYFL	240	WSL236606PYFLAH	243
36 x 72	WSL2-3672-6PYFL	268	WSL236726PYFLAH	271



Model
WSL224486PYFLPB

With Pegboard or Louvered Panel

- 16 gauge Pegboard or Louvered Panel

Size D x W	FIXED HEIGHT 36" Top Height		ADJUSTABLE HEIGHT 27"-41" High in 2" Increments	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSL224486PYFLPB	199	WSL224486PFLAHPB	202
24 x 60	WSL224606PYFLPB	240	WSL224606PFLAHPB	243
30 x 48	WSL230486PYFLPB	223	WSL230486PFLAHPB	226
30 x 60	WSL230606PYFLPB	262	WSL230606PFLAHPB	265
30 x 72	WSL230726PYFLPB	310	WSL230726PFLAHPB	313
36 x 60	WSL236606PYFLPB	290	WSL236606PFLAHPB	293
36 x 72	WSL236726PYFLPB	332	WSL236726PFLAHPB	335

For Louvered Panel, replace **PB** with **LP**



Model
WSL224486PYFLLP



Steel Workstation

up to 2000 lbs. Capacity

- Top shelf has flush front edge
- Lower shelves lipped edge
- Available in a two or three shelf model
- Available with pegboard panel, louvered panel, or storage drawer
- Heavy-duty leg levelers
- Stationary: Top shelf height adjusts from 39-42"
- Mobile: Top shelf height 43"

Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
Stationary Models – 2000 lbs. Capacity				
24 x 36	SW-2436-LL	78	3SW-2436-LL	109
24 x 48	SW-2448-LL	97	3SW-2448-LL	144
Mobile Models – 1000 lbs. Capacity				
24 x 36	SW-2436-3R	80	3SW-2436-3R	111
24 x 48	SW-2448-3R	99	3SW-2448-3R	146



**Model
3SW-2436-LL**

Pegboard or Louvered Panel

- 16 gauge steel pegboard or louvered panel
- Panel heights are 24"
- Pegs and bins not included

	Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
		Model No.	Wt.	Model No.	Wt.
Stationary Models – 2000 lbs. Capacity					
Pegboard	24 x 36	SW-2436-LL-PB	106	3SW-2436-LL-PB	127
Panel	24 x 48	SW-2448-LL-PB	115	3SW-2448-LL-PB	167
Louvered	24 x 36	SW-2436-LL-LP	106	3SW-2436-LL-LP	127
Panel	24 x 48	SW-2448-LL-LP	115	3SW-2448-LL-LP	167
Mobile Models – 1000 lbs. Capacity					
Pegboard	24 x 36	SW-2436-3R-PB	108	3SW-2436-3R-PB	129
Panel	24 x 48	SW-2448-3R-PB	117	3SW-2448-3R-PB	169
Louvered	24 x 36	SW-2436-3R-LP	108	3SW-2436-3R-LP	129
Panel	24 x 48	SW-2448-3R-LP	117	3SW-2448-3R-LP	169



**Model
SW-2436-3RPB2DR**

Locking Storage Drawer

- Available with one or two locking drawers
- Drawer's interior measures 13"W x 17"D x 3-1/2"H

		1-DRAWER		2-DRAWER	
	Size	Model No.	Wt.	Model No.	Wt.
Stationary Models – 2000 lbs. Capacity					
Drawers Only	24 x 36	SW-2436-LL-DR	91	SW-2436-LL-2DR	108
	24 x 48	SW-2448-LL-DR	110	SW-2448-LL-2DR	123
Pegboard Panel	24 x 36	SW-2436-LLPBDR	109	SW-2436-LLPB2DR	126
	24 x 48	SW-2448-LLPBDR	128	SW-2448-LLPB2DR	141
Louvered Panel	24 x 36	SW-2436-LLLPDR	109	SW-2436-LLLP2DR	126
	24 x 48	SW-2448-LLLPDR	128	SW-2448-LLLP2DR	141
Mobile Models – 1000 lbs. Capacity					
Drawers Only	24 x 36	SW-2436-3R-DR	93	SW-2436-3R-2DR	110
	24 x 48	SW-2448-3R-DR	112	SW-2448-3R-2DR	125
Pegboard Panel	24 x 36	SW-2436-3RPBDR	111	SW-2436-3RPB2DR	128
	24 x 48	SW-2448-3RPBDR	130	SW-2448-3RPB2DR	143
Louvered Panel	24 x 36	SW-2436-3RLPDR	111	SW-2436-3RLP2DR	128
	24 x 48	SW-2448-3RLPDR	130	SW-2448-3RLP2DR	143



**Model
SW-2436-LL-DR**



Model
SW-2436-LD-LL



Model
3SW-2436-LD-3R

Steel Workstation with Flush Lower Shelves


up to 2000 lbs. Capacity

- Top shelf has flush front edge
- Lower shelves are completely flush
- Available in a two or three shelf model
- Heavy-duty leg levelers
- Stationary: Top shelf height adjusts from 39-42"
- Mobile: Top shelf height 43"

Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
Stationary Models – 2000 lbs. Capacity				
24 x 36	SW-2436-LD-LL	78	3SW-2436-LD-LL	109
24 x 48	SW-2448-LD-LL	97	3SW-2448-LD-LL	144
Mobile Models – 1000 lbs. Capacity				
24 x 36	SW-2436-LD-3R	80	3SW-2436-LD-3R	111
24 x 48	SW-2448-LD-3R	99	3SW-2448-LD-3R	146



Model
SDW-1860-3R




Model
3SDW-1860-LL

Narrow Depth Workstation

up to 2000 lbs. Capacity

- Shelves have a flush front edge
- Available in a two or three shelf model
- Stationary or mobile options available:
 - Heavy-duty leg levelers: 2000 lbs. capacity
 - 3" rubber wheels: 1000 lbs. capacity
- Stationary: Top shelf height adjusts from 39-42"
- Mobile: Top shelf height 43"

Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
Stationary Models – 2000 lbs. Capacity				
18 x 60	SDW-1860-LL	107	3SDW-1860-LL	147
24 x 60	SDW-2460-LL	130	3SDW-2460-LL	182
Mobile Models – 1000 lbs. Capacity				
18 x 60	SDW-1860-3R	109	3SDW-1860-3R	149
24 x 60	SDW-2460-3R	132	3SDW-2460-3R	184



Butcher Block Top Tables

- 1-3/4" butcher block top
- Fully assembled and ready for immediate use

Stationary Models

2000 lbs. Capacity

- Leg levelers
- Overall height: 32" - 35"

Top Size D x W	OPEN BASE		LOWER SHELF	
	Model No.	Wt.	Model No.	Wt.
24 x 24	WT-2424-LL	59	WTS-2424-LL	69
24 x 36	WT-2436-LL	78	WTS-2436-LL	95
24 x 48	WT-2448-LL	97	WTS-2448-LL	121
30 x 48	WT-3048-LL	114	WTS-3048-LL	146
30 x 60	WT-3060-LL	134	WTS-3060-LL	177
30 x 72	WT-3072-LL	154	WTS-3072-LL	208
36 x 72	WT-3672-LL	179	WTS-3672-LL	243

Add for Locking Storage Drawer Options (Right Side Mount)

-DR Single -2DR Double (Stacked)

Drawer measures 13"W x 17"D x 4-1/2"H

Mobile Models

1000 lbs. Capacity

- Overall height: 35"
- 3" x 1-1/4" hard rubber casters with brakes

Top Size D x W	OPEN BASE		LOWER SHELF	
	Model No.	Wt.	Model No.	Wt.
24 x 24	WT-2424-3R	63	WTS-2424-3R	73
24 x 36	WT-2436-3R	82	WTS-2436-3R	99
24 x 48	WT-2448-3R	101	WTS-2448-3R	125
30 x 48	WT-3048-3R	118	WTS-3048-3R	150
30 x 60	WT-3060-3R	138	WTS-3060-3R	181
30 x 72	WT-3072-3R	160	WTS-3072-3R	212
36 x 72	WT-3672-3R	183	WTS-3672-3R	247

Add for Locking Storage Drawer Options (Right Side Mount)

-DR Single -2DR Double (Stacked)

Drawer measures 13"W x 17"D x 4-1/2"H



Model
WT-2448-LL



Model
WTS-2448-3R-2DR

Counter Height Work Table with Butcher Block Top


2000 lbs. Capacity

- 1-3/4" butcher block top
- Work surface height: 42"
- Heavy-duty leg levelers provide up to 3" additional height
- Fully assembled and ready for immediate use
- Durable powder coated finish

Overall W x D	Model No.	Wt.
24 x 48	WT1-2448-LL-42	105
30 x 48	WT1-3048-LL-42	121
30 x 60	WT1-3060-LL-42	137
30 x 72	WT1-3072-LL-42	160
36 x 72	WT1-3672-LL-42	184



Model
WT1-2448-LL-42



Model
WTC-2D-2436-LL



Model
WTC2D2436-6PYBK

Work Center Cabinet with Butcher Block Top

Up to 3000 lbs. Capacity

- 1-3/4" butcher block top
- All-welded construction, 14 gauge cabinet
- Keyed handle with three-point locking mechanism
- Interior cabinet clearance: 26"
- Available in stationary or mobile version
- Available with or without center shelf

Stationary Models - 2000 lbs. Capacity

- Overall height: 37" - 40"

Overall W x D	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 36	WTC-2D-2436-LL	166	WTC1-2D-2436-LL	189
24 x 48	WTC-2D-2448-LL	218	WTC1-2D-2448-LL	248
30 x 48	WTC-2D-3048-LL	230	WTC1-2D-3048-LL	267
30 x 60	WTC-2D-3060-LL	265	WTC1-2D-3060-LL	310
30 x 72	WTC-2D-3072-LL	302	WTC1-2D-3072-LL	356

Mobile Models - 3000 lbs. Capacity

- Overall height: 38-3/4"
- 6" polyurethane wheels

Overall W x D	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
4 Swivel with Wheel Brakes				
24 x 36	WTC2D2436-6PYBK	202	WTC12D24366PYBK	225
24 x 48	WTC2D2448-6PYBK	254	WTC12D24486PYBK	284
30 x 48	WTC2D3048-6PYBK	270	WTC12D30486PYBK	307
30 x 60	WTC2D3060-6PYBK	305	WTC12D30606PYBK	350
30 x 72	WTC2D3072-6PYBK	342	WTC12D30726PYBK	396
2 Rigid, 2 Swivel with Floor Lock				
24 x 36	WTC2D24362R6PFL	205	WTC12D24362R6FL	231
24 x 48	WTC2D24482R6PFL	257	WTC12D24482R6FL	290
30 x 48	WTC2D30482R6PFL	273	WTC12D30482R6FL	313
30 x 60	WTC2D30602R6PFL	308	WTC12D30602R6FL	356
30 x 72	WTC2D30722R6PFL	345	WTC12D30722R6FL	402

Model
WTC-1D-2424-LL



Model
WTC1-1D-2424-3R



Model
WTC-2424-3R-DR

Compact Work Center Cabinet

1000 lbs. Capacity

- 1-3/4" butcher block top
- Top Dimensions: 24"D x 24"W
- Available with locking door or drawer
- Available with or without center shelf
- Available with leg levelers or stem casters
 - Leg levelers: 34" - 37" OAH
 - Stem casters: 37" OAH

With Locking Door

	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
Stationary	WTC-1D-2424-LL	134	WTC1-1D-2424-LL	150
Mobile	WTC-1D-2424-3R	139	WTC1-1D-2424-3R	155

With Storage Drawer

Top Size	Stationary		Mobile	
	Model No.	Wt.	Model No.	Wt.
24 x 24	WTC-2424-LL-DR	134	WTC-2424-3R-DR	139



Receiving Station

2000 lbs. Capacity

- All-welded construction
- Top surface measures 24"D x 36"W
- Top surface is enclosed on three sides with flush front edge
- Height can be set from 39-1/2" to 42-1/2"
- Shelf clearance:
 - Three shelf version - 13"
 - Two shelf version - 27"
- Riser measures 10" deep and sits 12" high above writing surface

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2436-LL	159
24 x 36	With Center Shelf	RS3-2436-LL	192



**Model
RS3-2436-LL**

Receiving Station with Locking Doors

- Two locking doors
- Three-point latching system and keyed locking handle

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2D-2436-LL	182
24 x 36	With Center Shelf	RS3-2D-2436-LL	215



**Model
RS-2D-2436-LL**

Butcher Block Table/Desk with Side Shelf Storage

2000 lbs. Capacity

- 1-3/4" butcher block top
- Overall height: 32" - 35"
- Two flush side shelves
- Shelves measure 23" x 21-1/2"
- Shelf clearance: 9-3/4"
- Leg levelers

Size D x W	Model No.	Wt.
24 x 48	WT-2S-2448-LL	125



**Model
WT-2S-2448-LL**

Stand Up Workstation with Butcher Block Top

1000 lbs. Capacity

- 1-3/4" butcher block top
- Work surface height: 42"
- Heavy-duty leg levelers provide up to additional 3" height
- Fully assembled and ready for immediate use
- Durable powder coated finish

Overall W x D	Model No.	Wt.
24 x 36	WT1S-2436-LL	77
24 x 48	WT1S-2448-LL	101



**Model
WT1S-2448-LL**



Model
PSR-2224-LLDR



Model
PSR-2224-3RBKDR



Model
PSR-2224-3RBKDRPB



Model
PSR-2224-LLDRPB

Shop Desk

- Riser shelf is 10"D and sits 10" high above desk surface
- Locking drawer measures 13"W x 17"D x 4-1/2"H
- Lower shelves have 1-1/2" retaining lips
- Shelf clearance: 11-3/4"
- Available in a stationary or mobile model:
 - Stationary: leg levelers allow desk height adjustment from 39" - 42"
 - Mobile: desk height is 42"

Overall D x W	Stationary 2000 lbs. Capacity		Mobile 1000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSR-2224-LLDR	99	PSR-2224-3RBKDR	104
24 x 36	PSR-2436-LLDR	134	PSR-2436-3RBKDR	139

Shop Desk with Pegboard

- 16 gauge pegboard panel

Overall D x W	Stationary		Mobile	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSR-2224-LLDRPB	116	PSR22243RBKDRPB	121
24 x 36	PSR-2436-LLDRPB	158	PSR24363RBKDRPB	163



Model
PSX-2224-LL



Model
PSX-2224-3RBK



Model
PSX-2224-LLDR



Model
PSX-2224-3RBKDR

Enclosed Shop Desk

- Riser shelf is 10"D and sits 10" high above desk surface
- Lower shelves have 1-1/2" retaining lips
- Shelf clearance: 11-3/4"
- Available with 13"W x 17"D x 4-1/2"H locking drawer
- Available in a stationary or mobile model:
 - Stationary: leg levelers allow desk height adjustment from 39" - 42"
 - Mobile: desk height is 42"

Overall D x W	Stationary 2000 lbs. Capacity		Mobile 1000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSX-2224-LL	123	PSX-2224-3RBK	128
24 x 36	PSX-2436-LL	158	PSX-2436-3RBK	163

Enclosed Shop Desk with Locking Drawer

- Locking drawer measures 13"W x 17"D x 4-1/2"H

Overall D x W	Stationary 2000 lbs. Capacity		Mobile 1000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSX-2224-LLDR	136	PSX-2224-3RBKDR	141
24 x 36	PSX-2436-LLDR	171	PSX-2436-3RBKDR	176



Heavy-Duty Mobile Bench Cabinet

3600 lbs. Capacity

- All-welded construction
- Work surface height: 41"
- Welded Center Shelf
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four standard work top surfaces
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters with floor lock

Top Surface	Size D x W	Model No.	Wt.
Powder Coated Steel	24 x 36	MB3-2436-FL	192
Powder Coated Steel	24 x 48	MB3-2448-FL	217
1-3/4" Butcher Block	24 x 36	MJ3-2436-FL	230
1-3/4" Butcher Block	24 x 48	MJ3-2448-FL	267
1/4" Hardboard	24 x 36	MH3-2436-FL	199
1/4" Hardboard	24 x 48	MH3-2448-FL	224
Non-Slip Vinyl	24 x 36	MM3-2436-FL	196
Non-Slip Vinyl	24 x 48	MM3-2448-FL	221

Available with Pegboard or Louvered Panel

Top Surface	Size D x W	with Pegboard Panel		with Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB3-2436-FL-PB	213	MB3-2436-FL-LP	213
Powder Coated Steel	24 x 48	MB3-2448-FL-PB	243	MB3-2448-FL-LP	243
1-3/4" Butcher Block	24 x 36	MJ3-2436-FL-PB	256	MJ3-2436-FL-LP	256
1-3/4" Butcher Block	24 x 48	MJ3-2448-FL-PB	293	MJ3-2448-FL-LP	293
1/4" Hardboard	24 x 36	MH3-2436-FL-PB	220	MH3-2436-FL-LP	220
1/4" Hardboard	24 x 48	MH3-2448-FL-PB	250	MH3-2448-FL-LP	250
Non-Slip Vinyl	24 x 36	MM3-2436-FL-PB	217	MM3-2436-FL-LP	217
Non-Slip Vinyl	24 x 48	MM3-2448-FL-PB	247	MM3-2448-FL-LP	247



**Model
MJ3-2436-FL**



**Model
MB3-2448-FL-PB**



**Model
MM3-2448-FL-LP**

Compact Mobile Bench Cabinet

- 12 gauge steel top work surface
- 1-1/2" retaining lips on sides and back
- Locking door
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock brakes
- All-welded construction
- Powder coated gray finish
- Ships fully assembled, ready for immediate use

Overall D x W x H	Model No.	Wt.
24-1/8 x 18-1/8 x 36-1/4	MNC-1D-1824-TL	111



**Model
MNC-1D-1824-TL**



Model
MB3-2D-2448-FLPB



Model
MJ-2D-2448-FL



Model
MH-2D-2448-HDFL

Mobile Bench Cabinet

- All-welded construction
- Work surface height: 41"
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four standard work top surfaces
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters with floor locks

With Locking Doors

3600 lbs. Capacity

- Three-point latching system and keyed locking handle
- Available with and without center shelf

Top Surface	Size D x W	Without Center Shelf		With Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-2D-2436-FL	190	MB3-2D-2436-FL	220
	24 x 48	MB-2D-2448-FL	215	MB3-2D-2448-FL	245
1-3/4" Butcher Block	24 x 36	MJ-2D-2436-FL	228	MJ3-2D-2436-FL	257
	24 x 48	MJ-2D-2448-FL	265	MJ3-2D-2448-FL	315
1/4" Hardboard	24 x 36	MH-2D-2436-FL	197	MH3-2D-2436-FL	227
	24 x 48	MH-2D-2448-FL	222	MH3-2D-2448-FL	252
Non-Slip Vinyl	24 x 36	MM-2D-2436-FL	194	MM3-2D-2436-FL	224
	24 x 48	MM-2D-2448-FL	219	MM3-2D-2448-FL	249

For Pegboard Panel, add: **-PB** For Louvered Panel, add: **-LP**

With Heavy-Duty Drawer

Drawer Features:

- Drawer measures 26"W x 20"D x 6"H
- Full-width recessed handle
- Padlock hasp
- Available with and without locking doors
- Drawer has 150 lb. capacity

Top Surface	Size D x W	No Doors		Locking Solid Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-2436-HDFL	182	MB-2D-2436-HDFL	221
	24 x 48	MB-2448-HDFL	207	MB-2D-2448-HDFL	246
1-3/4" Butcher Block	24 x 36	MJ-2436-HDFL	220	MJ-2D-2436-HDFL	259
	24 x 48	MJ-2448-HDFL	257	MJ-2D-2448-HDFL	296
1/4" Hardboard	24 x 36	MH-2436-HDFL	189	MH-2D-2436-HDFL	228
	24 x 48	MH-2448-HDFL	214	MH-2D-2448-HDFL	253
Non-Slip Vinyl	24 x 36	MM-2436-HDFL	186	MM-2D-2436-HDFL	225
	24 x 48	MM-2448-HDFL	211	MM-2D-2448-HDFL	250

For Pegboard Panel, add: **-PB** For Louvered Panel, add: **-LP**

Mobile Bench Cabinet with Pegboard or Louvered Panel Doors

- 16 gauge steel pegboard welded to inside of doors
- Three-point latching system and keyed locking handle
- All-welded construction
- Available in four different work top surfaces
- Available with top mounted louvered or pegboard panel

Top Surface	Size D x W	Pegboard Doors		Louvered Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-2436-PBD-FL	224	MB-2436-LPD-FL	224
	24 x 48	MB-2448-PBD-FL	249	MB-2448-LPD-FL	249
1-3/4" Butcher Block	24 x 36	MJ-2436-PBD-FL	263	MJ-2436-LPD-FL	263
	24 x 48	MJ-2448-PBD-FL	300	MJ-2448-LPD-FL	300
1/4" Hardboard	24 x 36	MH-2436-PBD-FL	231	MH-2436-LPD-FL	231
	24 x 48	MH-2448-PBD-FL	256	MH-2448-LPD-FL	256
Non-Slip Vinyl	24 x 36	MM-2436-PBD-FL	228	MM-2436-LPD-FL	228
	24 x 48	MM-2448-PBD-FL	253	MM-2448-LPD-FL	253



**Model
MB-2448-PBD-FL**



**Model
MB-2448-LPD-FL**



**Model
MB-LPD-FL-LP**



**Model
MJ-PBD-FL-PB**

With Pegboard or Louvered Top Panel

- Available with 16 gauge steel pegboard or louvered panel
- Panel height: 24"
- Powder coated gray finish

Top Surface	Size D x W	Pegboard Doors & Top Pegboard Panel		Louvered Doors & Top Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-36-PBD-FL-PB	246	MB-36-LPD-FL-LP	246
	24 x 48	MB-PBD-FL-PB	271	MB-LPD-FL-LP	271
1-3/4" Butcher Block	24 x 36	MJ-36-PBD-FL-PB	284	MJ-36-LPD-FL-LP	284
	24 x 48	MJ-PBD-FL-PB	321	MJ-LPD-FL-LP	321
1/4" Hardboard	24 x 36	MH-36-PBD-FL-PB	253	MH-36-LPD-FL-LP	253
	24 x 48	MH-PBD-FL-PB	278	MH-LPD-FL-LP	278
Non-Slip Vinyl	24 x 36	MM-36-PBD-FL-PB	250	MM-36-LPD-FL-LP	250
	24 x 48	MM-PBD-FL-PB	275	MM-LPD-FL-LP	275



Model
MBP2D-2448-FL



Model
MJP3-2D-2448-FL



Model
MHP3-2D-FL-LP



Model
MMP2D-2448-HDFL

Mobile Bench Cabinet with Perforated Doors

3600 lbs. Capacity

- All-welded construction
- Clearview doors allow for increased visibility and ventilation
- Three-point latching system and keyed locking handle
- Work surface height: 41"
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four standard work top surfaces

With or Without Center Shelf

Top Surface	Size D x W	No Center Shelf		Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-2436-FL	185	MBP3-2D-2436-FL	226
	24x48	MBP2D-2448-FL	210	MBP3-2D-2448-FL	251
1-3/4" Butcher Block	24x36	MJP2D-2436-FL	223	MJP3-2D-2436-FL	264
	24x48	MJP2D-2448-FL	260	MJP3-2D-2448-FL	301
1/4" Hardboard	24x36	MHP2D-2436-FL	193	MHP3-2D-2436-FL	233
	24x48	MHP2D-2448-FL	218	MHP3-2D-2448-FL	258
Non-Slip Vinyl	24x36	MMP2D-2436-FL	189	MMP3-2D-2436-FL	230
	24x48	MMP2D-2448-FL	214	MMP3-2D-2448-FL	255

With Louvered Panel

- 16 gauge louvered panel measures 24"H

Top Surface	Size D x W	No Center Shelf		Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-36-FL-LP	210	MBP32D-36-FL-LP	251
	24x48	MBP2D-FL-LP	235	MBP32D-FL-LP	276
1-3/4" Butcher Block	24x36	MJP2D-36-FL-LP	248	MJP32D-36-FL-LP	289
	24x48	MJP2D-FL-LP	285	MJP32D-FL-LP	320
1/4" Hardboard	24x36	MHP2D-36-FL-LP	218	MHP32D-36-FL-LP	258
	24x48	MHP2D-FL-LP	243	MHP32D-FL-LP	283
Non-Slip Vinyl	24x36	MMP2D-36-FL-LP	214	MMP32D-36-FL-LP	255
	24x48	MMP2D-FL-LP	239	MMP32D-FL-LP	280

For Pegboard Panel, replace **LP** with **PB**

With Heavy-Duty Drawer

150 lbs. Capacity

- Drawer measures 26"W x 20"D x 6"H

Top Surface	Size D x W	With Heavy-Duty Drawer		With Drawer & Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-2436-HDFL	224	MBP2D-36-HDFLLP	249
	24x48	MBP2D-2448-HDFL	249	MBP2D-HDFL-LP	274
1-3/4" Butcher Block	24x36	MJP2D-2436-HDFL	267	MJP2D-36-HDFLLP	292
	24x48	MJP2D-2448-HDFL	304	MJP2D-HDFL-LP	329
1/4" Hardboard	24x36	MHP2D-2436-HDFL	232	MHP2D-36-HDFLLP	257
	24x48	MHP2D-2448-HDFL	257	MHP2D-HDFL-LP	282
Non-Slip Vinyl	24x36	MMP2D-2436-HDFL	228	MMP2D-36-HDFLLP	253
	24x48	MMP2D-2448-HDFL	253	MMP2D-HDFL-LP	278

For Pegboard Panel, replace **LP** with **PB**

Counter Height Bench Cabinet

- Top work surface height: 41"
- Top work surface has retaining lip on three sides
- Fixed center shelf
- Leg-levelers adjust for up to 3" additional height
- Available with 24"H louvered or pegboard panel; add -PB or -LP

With Welded Center Shelf

- Interior shelf clearance is 13"

Top Surface	Size D x W	Solid Doors		Clearview Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB3-LL-2D-2436	215	MBP3-LL-2D-2436	204
	24x48	MB3-LL-2D-2448	240	MBP3-LL-2D-2448	229
1-3/4" Butcher Block	24x36	MJ3-LL-2D-2436	253	MJP3-LL-2D-2436	242
	24x48	MJ3-LL-2D-2448	290	MJP3-LL-2D-2448	279
1/4" Hardboard	24x36	MH3-LL-2D-2436	223	MHP3-LL-2D-2436	212
	24x48	MH3-LL-2D-2448	248	MHP3-LL-2D-2448	237



Model
MJ3-LL-2D-2448LP

With Padlockable Heavy-Duty Storage Drawer

- Drawer measures 26"W x 20"D x 6"H
- Drawer has 150 lb. capacity
- Interior height clearance: 18-3/4"

Top Surface	Size D x W	Solid Doors		Clearview Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-LL-2D-2436HD	215	MBP-LL-2D-2436HD	204
	24x48	MB-LL-2D-2448HD	240	MBP-LL-2D-2448HD	229
1-3/4" Butcher Block	24x36	MJ-LL-2D-2436HD	253	MJP-LL-2D-2436HD	242
	24x48	MJ-LL-2D-2448HD	290	MJP-LL-2D-2448HD	279
1/4" Hardboard	24x36	MH-LL-2D-2436HD	223	MHP-LL-2D-2436HD	212
	24x48	MH-LL-2D-2448HD	248	MHP-LL-2D-2448HD	237



Model
MHP3-LL-2D-2448
Clearview Doors



Model
MB-LL-2D-2448HD

Shop Cabinet

- 12 gauge steel top, center, and bottom shelves
- Top shelf has a 2" retaining lip around three sides
- Leg-levelers adjust for up to 3" additional height
- Work surface height: 31" - 34"
- Shelf clearance: 12-1/2"

Size D x W	Model No.	Doors	Wt.
18 x 18	MC3-1D-1818-LL	1	98
24 x 24	MC3-2D-2424-LL	2	141
24 x 36	MC3-2D-2436-LL	2	187



Model
MC3-2D-2436-LL



Model
WSTC2-2448

All-Welded Cabinet Workbench

3600 lbs. Capacity

- 12 gauge construction
- Keyed locking handle and three-point locking mechanism
- Doors swing open 180 degrees

Top D x W x H	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 48 x 36	WSTC-2448	220	WSTC2-2448	262
30 x 48 x 36	WSTC-3048	248	WSTC2-3048	299
30 x 60 x 36	WSTC-3060	293	WSTC2-3060	356
30 x 72 x 36	WSTC-3072	337	WSTC2-3072	411



Model
WSTC-2448-ND

All-Welded Enclosed Workbench

3600 lbs. Capacity

- 12 gauge construction
- Work surface height: 36"
- Available with or without a fixed center shelf
- Legs have footpads with 5/8" hole for mounting to the floor
- All-welded construction
- Durable powder-coated finish

Top D x W	No Center Shelf		Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSTC-2448-ND	166	WSTC2-2448-ND	316
30 x 48	WSTC-3048-ND	194	WSTC2-3048-ND	353
30 x 60	WSTC-3060-ND	355	WSTC2-3060-ND	418
30 x 72	WSTC-3072-ND	409	WSTC2-3072-ND	483



Model
WSTC2-2448-ND



Model
WWCJ2-3672

Heavy-Duty Cabinet Workbench with Butcher Block Top

10,000 lbs. Capacity

- 1-3/4" butcher block top over 7 gauge steel top
- Work surface height: 35-3/4"
- Heavy-2" x 2" angle legs are 1/4" thick
- Keyed locking handle and three-point locking mechanism
- Also available with heavy-duty drawer
- Drawer measures 26"W x 20"D x 6"H and has heavy-duty drawer slides, padlock hasp and full-width recessed handle
- Clearance under drawers: 16"

Top D x W	Cabinet Inside D x W	Cabinet Only		Cabinet with 1 Drawer Centered		Cabinet with 2 Drawers Centered		Cabinet with Center Shelf	
		Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	25 x 43	WWCJ-3048	383	WWCJ-3048-HD	422	—	—	WWCJ2-3048	407
30 x 60	25 x 55	WWCJ-3060	453	WWCJ-3060-HD	492	—	—	WWCJ2-3060	493
30 x 72	25 x 67	WWCJ-3072	528	WWCJ-3072-HD	567	WWCJ-3072-2HD	606	WWCJ2-3072	577
36 x 72	31 x 67	WWCJ-3672	593	WWCJ-3672-HD	632	WWCJ-3672-2HD	671	WWCJ2-3672	654



Heavy-Duty Cabinet Workbench

10,000 lbs. Capacity

- Extra strong, 7 gauge reinforced steel top
- Comfort edges
- Top height: 34"
- Heavy 2" x 2" angle legs are 1/4" thick
- 12 gauge cabinet construction
- Keyed locking handle and three-point locking mechanism
- Also available with heavy-duty drawer
- Drawer measures 26"W x 20"D x 6"H and has heavy-duty drawer slides, padlock hasp and full-width recessed handle.
- Clearance under drawers: 16"



**Model
WWC-3672**



**Model
WWC-3672-2HD**

Top D x W	Cabinet Inside D x W	Cabinet Only		Cabinet with 1 Drawer Centered		Cabinet with 2 Drawers Centered		Cabinet with Center Shelf	
		Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	25 X 43	WWC-3048	318	WWC-3048-HD	357	—	—	WWC2-3048	349
30 x 60	25 X 55	WWC-3060	371	WWC-3060-HD	410	—	—	WWC2-3060	411
30 x 72	25 X 67	WWC-3072	430	WWC-3072-HD	469	WWC-3072-2HD	508	WWC2-3072	479
36 x 72	31 X 67	WWC-3672	476	WWC-3672-HD	515	WWC-3672-2HD	554	WWC2-3672	537

Mobile Heavy-Duty Cabinet Workbench

3600 lbs. Capacity

- Top height: 37-1/2"H
- Extra strong, 7 gauge reinforced steel top
- Heavy 2" x 2" angle legs are 1/4" thick
- Keyed locking handle and three-point locking mechanism
- Also available with heavy-duty drawer
- Clearance under drawers: 16"
- Two rigid and two swivel 6" phenolic casters with floor lock



**Model
WWC36722HD6PHFL**


Top D x W	Cabinet Inside D x W	Cabinet Only		Cabinet with 1 Drawer Centered		Cabinet with 2 Drawers Centered		Cabinet with Center Shelf	
		Model No.	Wt.	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30x48	25x43	WWC-3048-6PHFL	362	WWC3048-HD6PHFL	401	—	—	WWC2-3048-6PHFL	393
30x60	25x55	WWC-3060-6PHFL	415	WWC3060-HD6PHFL	454	—	—	WWC2-3060-6PHFL	455
30x72	25x67	WWC-3072-6PHFL	474	WWC3072-HD6PHFL	513	WWC30722HD6PHFL	552	WWC2-3072-6PHFL	523
36x72	31x67	WWC-3672-6PHFL	533	WWC3672-HD6PHFL	572	WWC36722HD6PHFL	611	WWC2-3672-6PHFL	594



Includes
Floor Lock



**Model
WW-3672-HD**
Shown with heavy-duty drawer



**Model
WW-3072-ADJ**



**Model
WW-3672-6PHFL**



Floor lock between swivel casters stops unwanted movement.

Heavy-Duty Workbench

- Extra strong, 7 gauge reinforced steel top
- Quarter-round edges
- Heavy 2" x 2" angle legs are 1/4" thick
- 7 gauge gussets
- 12 gauge lower shelf has 500 lbs. capacity
- Shelf clearance: 25"
- All-welded construction

Stationary Models

Up to 10,000 lbs. Capacity

- Stationary models have footpads with 5/8" diameter anchor holes

Size D x W	Fixed Height - 34"H 25" Clearance		Adjustable Height - 30" - 38"H 18-3/4" Clearance	
	Model No.	Wt.	Model No.	Wt.
30 x 36	WW-3036	151	WW-3036-ADJ	176
30 x 48	WW-3048	187	WW-3048-ADJ	212
30 x 60	WW-3060	220	WW-3060-ADJ	245
30 x 72	WW-3072	263	WW-3072-ADJ	288
36 x 60	WW-3660	250	WW-3660-ADJ	275
36 x 72	WW-3672	287	WW-3672-ADJ	312
42 x 84	WW-4284	421	WW-4284-ADJ	446

Mobile Models

Up to 5000 lbs. Capacity

- Two swivel and two rigid 8" phenolic casters
- Floor lock to stop unwanted movement
- Available in a fixed or adjustable height version
 - Fixed height - 36" top height
 - Adjustable height - adjusts from 30" - 38" on 1"

Size D x W	Fixed Height - 36"H 22" Clearance		Adjustable Height - 30" - 38"H	
	Model No.	Wt.	Model No.	Wt.
30 x 36	WW-3036-8PHFL	201	WW3036-8PHFL-AH	228
30 x 48	WW-3048-8PHFL	238	WW3048-8PHFL-AH	265
30 x 60	WW-3060-8PHFL	270	WW3060-8PHFL-AH	297
30 x 72	WW-3072-8PHFL	296	WW3072-8PHFL-AH	323
36 x 60	WW-3660-8PHFL	304	WW3660-8PHFL-AH	331
36 x 72	WW-3672-8PHFL	341	WW3672-8PHFL-AH	368
42 x 84	WW-4284-8PHFL	478	WW4284-8PHFL-AH	505

For 6" Phenolic Casters & Floor Lock, use wheel code: **-6PHFL** (3,600 lbs. Capacity, 34"H)


Extra-Heavy-Duty Welded Steel Workbench

15,000 lbs. Capacity

- Extra strong, 7 gauge reinforced steel top
- Top reinforced with 3" x 1-1/2" structural C channel
- Legs constructed with 3" C channel
- 12 gauge lower shelf has 500 lbs. capacity
- Lower shelf measures: 22" deep on 36" models, 28" deep on 42" models
- Footpads with anchor holes
- Clearance below lower shelf: 5-1/2" to allow fork access
- Top height: 34"



**Model
WX-4284-34**



Underside supporting frame

D x W x H	Capacity	Model No.	Wt.
36 x 60 x 34	15,000	WX-3660-34	348
36 x 72 x 34	15,000	WX-3672-34	396
42 x 84 x 34	15,000	WX-4284-34	532



Welded Steel Workbench

Up to 5,000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half depth lower shelf or open base
- Durable powder-coated finish
- Available in fixed or adjustable height

Fixed Height Workbench

- Overall height: 36"
- Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron
- Legs have footpads with 5/8" hole for mounting to the floor

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36	109	WST1-2448-36	87
24 x 60	4500	WST2-2460-36	136	WST1-2460-36	109
30 x 48	5000	WST2-3048-36	124	WST1-3048-36	98
30 x 60	4500	WST2-3060-36	153	WST1-3060-36	121
30 x 72	4000	WST2-3072-36	186	WST1-3072-36	142
36 x 60	4500	WST2-3660-36	174	WST1-3660-36	136
36 x 72	4000	WST2-3672-36	201	WST1-3672-36	157
36 x 84	3000	WST2-3684-36	224	WST1-3684-36	177



Model
WST1-2448-36



Model
WST2-2448-36

Adjustable Height Workbench

- Legs are adjustable from 24" to 41" high on 2" centers

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH	111	WST1-2448-AH	89
24 x 60	4500	WST2-2460-AH	138	WST1-2460-AH	111
30 x 48	5000	WST2-3048-AH	126	WST1-3048-AH	100
30 x 60	4500	WST2-3060-AH	155	WST1-3060-AH	123
30 x 72	4000	WST2-3072-AH	188	WST1-3072-AH	144
36 x 60	4500	WST2-3660-AH	176	WST1-3660-AH	138
36 x 72	4000	WST2-3672-AH	203	WST1-3672-AH	159
36 x 84	3000	WST2-3684-AH	225	WST1-3684-AH	179



Model
WST2-3060-AH



Model
WST1-2448-AH



Model
WST2-2448-36-PB



Model
WST1-2448-36-LP



Model
WST1-2448-AH-LP



Model
WST2-2448-AH-PB

Welded Steel Workbench with Pegboard or Louvered Panel

Up to 5,000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- Available with half-depth lower shelf or open base
- All-welded construction

Pegboard Panel

- Panel height: 24"
- Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron
- Legs have footpads with 5/8" hole for mounting to the floor

PEGBOARD PANEL					
Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36-PB	134	WST1-2448-36-PB	112
24 x 60	4500	WST2-2460-36-PB	166	WST1-2460-36-PB	139
30 x 48	5000	WST2-3048-36-PB	159	WST1-3048-36-PB	123
30 x 60	4500	WST2-3060-36-PB	183	WST1-3060-36-PB	151
30 x 72	4000	WST2-3072-36-PB	223	WST1-3072-36-PB	179
36 x 60	4500	WST2-3660-36-PB	204	WST1-3660-36-PB	166
36 x 72	4000	WST2-3672-36-PB	238	WST1-3672-36-PB	194

LOUVERED PANEL					
Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36-LP	134	WST1-2448-36-LP	112
24 x 60	4500	WST2-2460-36-LP	166	WST1-2460-36-LP	139
30 x 48	5000	WST2-3048-36-LP	159	WST1-3048-36-LP	123
30 x 60	4500	WST2-3060-36-LP	183	WST1-3060-36-LP	151
30 x 72	4000	WST2-3072-36-LP	223	WST1-3072-36-LP	179
36 x 60	4500	WST2-3660-36-LP	204	WST1-3660-36-LP	166
36 x 72	4000	WST2-3672-36-LP	238	WST1-3672-36-LP	194

Adjustable Height Workbench

- Legs are adjustable from 24" to 41" high on 2" centers

PEGBOARD PANEL					
Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH-PB	136	WST1-2448-AH-PB	114
24 x 60	4500	WST2-2460-AH-PB	168	WST1-2460-AH-PB	141
30 x 48	5000	WST2-3048-AH-PB	161	WST1-3048-AH-PB	125
30 x 60	4500	WST2-3060-AH-PB	185	WST1-3060-AH-PB	153
30 x 72	4000	WST2-3072-AH-PB	225	WST1-3072-AH-PB	181
36 x 60	4500	WST2-3660-AH-PB	206	WST1-3660-AH-PB	168
36 x 72	4000	WST2-3672-AH-PB	240	WST1-3672-AH-PB	196

LOUVERED PANEL					
Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH-LP	136	WST1-2448-AH-LP	114
24 x 60	4500	WST2-2460-AH-LP	168	WST1-2460-AH-LP	141
30 x 48	5000	WST2-3048-AH-LP	161	WST1-3048-AH-LP	125
30 x 60	4500	WST2-3060-AH-LP	185	WST1-3060-AH-LP	153
30 x 72	4000	WST2-3072-AH-LP	225	WST1-3072-AH-LP	181
36 x 60	4500	WST2-3660-AH-LP	206	WST1-3660-AH-LP	168
36 x 72	4000	WST2-3672-AH-LP	240	WST1-3672-AH-LP	196



Welded Steel Workbench with Storage Drawer

Up to 5,000 lbs. Capacity

- 13"W x 17"D x 4-1/2"H storage drawer
- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half-depth lower shelf or open base
- Durable powder-coated finish
- Available in fixed or adjustable height

Fixed Height Workbench

- Overall height: 36"
- Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron
- Legs have footpads with 5/8" hole for mounting to the floor

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36-DR	122	WST1-2448-36-DR	100
24 x 60	4500	WST2-2460-36-DR	149	WST1-2460-36-DR	122
30 x 48	5000	WST2-3048-36-DR	137	WST1-3048-36-DR	111
30 x 60	4500	WST2-3060-36-DR	166	WST1-3060-36-DR	134
30 x 72	4000	WST2-3072-36-DR	199	WST1-3072-36-DR	155
36 x 60	4500	WST2-3660-36-DR	187	WST1-3660-36-DR	149
36 x 72	4000	WST2-3672-36-DR	214	WST1-3672-36-DR	170
36 x 84	3000	WST2-3684-36-DR	237	WST1-3684-36-DR	190



Model
WST1-2448-36-DR



Model
WST2-2448-36-DR

Adjustable Height Workbench

- Legs are adjustable from 24" to 41" high on 2" centers

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH-DR	124	WST1-2448-AH-DR	102
24 x 60	4500	WST2-2460-AH-DR	151	WST1-2460-AH-DR	124
30 x 48	5000	WST2-3048-AH-DR	139	WST1-3048-AH-DR	113
30 x 60	4500	WST2-3060-AH-DR	168	WST1-3060-AH-DR	136
30 x 72	4000	WST2-3072-AH-DR	201	WST1-3072-AH-DR	157
36 x 60	4500	WST2-3660-AH-DR	189	WST1-3660-AH-DR	151
36 x 72	4000	WST2-3672-AH-DR	216	WST1-3672-AH-DR	172
36 x 84	3000	WST2-3684-AH-DR	238	WST1-3684-AH-DR	192



Model
WST1-2448-AH-DR



Model
WST2-3060-AH-DR



Model
WST2-2448-36
Shown with:
WB48-BR-RG-SHELF-KIT



Model
WSJ2-2448-36
Shown with:
WB48-WPB-SHELF-KIT



Model
WSL1-2448-AH
Shown with:
WB48-WLP-SHELF-KIT

Welded Workbench Packaging Table Accessory Kits

- Available to order as individual components or preconfigured kits
- Engineered to work with Little Giant WST1/2, WSL1/2, or WSJ2 Welded Workbench Models
- Patented bracket system allows for attaching to workbench without drilling any holes.

Roll Goods Holder

- 1" diameter rod

Bin Rail

- 4" high
- For use with most standard bins

Shelf - Flush

- Flush edges
- 11" deep

Pegboard Panel

- Panel height: 24"
- Holes on 1" centers

Louvered Panel

- Panel height: 24"

Individual Components - Use these model numbers to configure your own unique set up.

Description	Model No.	Compatibility	Size	Wt.
Roll Goods Holder 1" Diameter Rod	WB-ROD-48	48" Wide Models	45.75"W	10
	WB-ROD-60	60" Wide Models	57.75"W	12
	WB-ROD-72	72" Wide Models	69.75"W	14
Bin Rail	WB-BINRAIL-48	48" Wide Models	45.75"W x 4"H	15
	WB-BINRAIL-60	60" Wide Models	57.75"W x 4"H	18
	WB-BINRAIL-72	72" Wide Models	69.75"W x 4"H	21
Flush Shelf	WB-SHELF-48	48" Wide Models	45.75"W x 11"D	23
	WB-SHELF-60	60" Wide Models	57.75"W x 11"D	28
	WB-SHELF-72	72" Wide Models	69.75"W x 11"D	33
Pegboard Panel	WB-WPB-48	48" Wide Models	45.75"W x 24"H	25
	WB-WPB-60	60" Wide Models	57.75"W x 24"H	31
	WB-WPB-72	72" Wide Models	69.75"W x 24"H	36
Louvered Panel	WB-WLP-48	48" Wide Models	45.75"W x 24"H	25
	WB-WLP-60	60" Wide Models	57.75"W x 24"H	31
	WB-WLP-72	72" Wide Models	69.75"W x 24"H	36
Slotted Uprights	WB-UPRIGHTS		36"H	12
Bracket Set	WB-BRACKETS	For WST1/2 Models		7
	WB-BRACKETS-LU	For WSL1/2 or WSJ Models		7

Kits - Use these model numbers to order preconfigured kits.

Description	FOR WST1/WST2 Model No.	FOR WSL2/WSJ2 Model No.	Workbench Compatibility	Wt.
Bin Rail, Roll Goods & Flush Shelf, Upright Set, Bracket Set	WB48-BR-RG-SHELF-KIT	WB48-BR-RG-SHELF-KIT-LU	48" Wide Models	67
	WB60-BR-RG-SHELF-KIT	WB60-BR-RG-SHELF-KIT-LU	60" Wide Models	77
	WB72-BR-RG-SHELF-KIT	WB72-BR-RG-SHELF-KIT-LU	72" Wide Models	87
Pegboard Panel Flush Shelf, Upright Set, Bracket Set	WB48-WPB-SHELF-KIT	WB48-WPB-SHELF-KIT-LU	48" Wide Models	67
	WB60-WPB-SHELF-KIT	WB60-WPB-SHELF-KIT-LU	60" Wide Models	78
	WB72-WPB-SHELF-KIT	WB72-WPB-SHELF-KIT-LU	72" Wide Models	88
Louvered Panel, Flush Shelf, Upright Set, Bracket Set	WB48-WLP-SHELF-KIT	WB48-WLP-SHELF-KIT-LU	48" Wide Models	67
	WB60-WLP-SHELF-KIT	WB60-WLP-SHELF-KIT-LU	60" Wide Models	78
	WB72-WLP-SHELF-KIT	WB72-WLP-SHELF-KIT-LU	72" Wide Models	88



Welded Steel Workbench with Riser Shelf

Up to 5,000 lbs. Capacity

- 10" deep riser shelf attaches to a patented bracket system allowing user to remove the shelf if desired
- Riser shelf sits 12" above the workbench top
- Riser shelf capacity: 100 lbs.
- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half-depth lower shelf or open base
- Durable powder-coated finish
- Available in fixed or adjustable height



Model
WST1-2448-36-RS

Fixed Height Workbench

- Overall height: 36"
- Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron
- Legs have footpads with 5/8" hole for mounting to the floor

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-36-RS	139	WST1-2448-36-RS	117
24 x 60	4500	WST2-2460-36-RS	171	WST1-2460-36-RS	144
30 x 48	5000	WST2-3048-36-RS	154	WST1-3048-36-RS	128
30 x 60	4500	WST2-3060-36-RS	188	WST1-3060-36-RS	156
30 x 72	4000	WST2-3072-36-RS	241	WST1-3072-36-RS	182
36 x 60	4500	WST2-3660-36-RS	209	WST1-3660-36-RS	171
36 x 72	4000	WST2-3672-36-RS	256	WST1-3672-36-RS	197



Model
WST2-2448-36-RS

Adjustable Height Workbench

- Legs are adjustable from 24" to 41" high on 2" centers

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST2-2448-AH-RS	141	WST1-2448-AH-RS	119
24 x 60	4500	WST2-2460-AH-RS	173	WST1-2460-AH-RS	146
30 x 48	5000	WST2-3048-AH-RS	156	WST1-3048-AH-RS	130
30 x 60	4500	WST2-3060-AH-RS	190	WST1-3060-AH-RS	158
30 x 72	4000	WST2-3072-AH-RS	228	WST1-3072-AH-RS	184
36 x 60	4500	WST2-3660-AH-RS	211	WST1-3660-AH-RS	173
36 x 72	4000	WST2-3672-AH-RS	243	WST1-3672-AH-RS	199



Model
WST1-2448-AH-RS



Model
WST2-2448-AH-RS



Welded Steel Workbench with Backstop

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- 3" backstop on top and lower shelf
- All-welded construction
- Half-depth lower shelf
- Durable powder-coated finish

Adjustable Height Workbench

- Legs are adjustable from 27" to 41" high on 2" centers.

Size D x W	Cap.	Model No.	Wt.
24 x 48	5000	WSB2-2448-AH	115
24 x 60	4500	WSB2-2460-AH	143
30 x 48	5000	WSB2-3048-AH	130
30 x 60	4500	WSB2-3060-AH	160
30 x 72	4000	WSB2-3072-AH	194
36 x 60	4500	WSB2-3660-AH	181
36 x 72	4000	WSB2-3672-AH	209

Also available with Locking Storage Drawer: add **-DR**



Model
WSB2-2448-36

Fixed Height Workbench

- 36" overall height.
- Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron
- Legs have footpads with 5/8" hole for mounting to the floor

Size D x W	Cap.	Model No.	Wt.
24 x 48	5000	WSB2-2448-36	113
24 x 60	4500	WSB2-2460-36	141
30 x 48	5000	WSB2-3048-36	128
30 x 60	4500	WSB2-3060-36	158
30 x 72	4000	WSB2-3072-36	192
36 x 60	4500	WSB2-3660-36	179
36 x 72	4000	WSB2-3672-36	207

Also available with Locking Storage Drawer: add **-DR**



Model
WST3-2448-36

Welded Workbench with Double Lower Shelf Storage

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- Also available with 16 gauge pegboard or louvered panel
- Overall height: 36"
- Shelf clearance: 12-1/2"

Size D x W	Cap.	Workbench		with Pegboard Panel	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WST3-2448-36	131	WST3-2448-36-PB	162
24 x 60	4500	WST3-2460-36	163	WST3-2460-36-PB	200
30 x 48	5000	WST3-3048-36	150	WST3-3048-36-PB	179
30 x 60	4500	WST3-3060-36	185	WST3-3060-36-PB	194
30 x 72	4000	WST3-3072-36	230	WST3-3072-36-PB	225
36 x 60	4500	WST3-3660-36	212	WST3-3660-36-PB	241
36 x 72	4000	WST3-3672-36	245	WST3-3672-36-PB	280
36 x 84	3000	WST3-3684-36	271	—	—

Also available Louvered Panel: replace **-PB** with **-LP**



Welded Steel Workbench with Back and End Stops

Up to 5000 lbs. Capacity

- Double reinforced, 12 gauge steel top
- Corner gussets for additional reinforcement
- 1-1/2" raised edge on back and sides
- Also available with 16 gauge pegboard or louvered panel
- All-welded construction
- Optional factory-installed storage drawer

Fixed Height Mobile

- Top height: 36"
- 1-1/2" x 1-1/2" x 3/16" angle legs and brace
- Footpads with 5/8" anchor hole

Size D x W	Cap.	WITHOUT DRAWER		WITH DRAWER	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-36	114	WSL2-2448-36-DR	130
24 x 60	4500	WSL2-2460-36	146	WSL2-2460-36-DR	162
30 x 48	5000	WSL2-3048-36	134	WSL2-3048-36-DR	150
30 x 60	4500	WSL2-3060-36	164	WSL2-3060-36-DR	180
30 x 72	4000	WSL2-3072-36	198	WSL2-3072-36-DR	214
36 x 60	4500	WSL2-3660-36	187	WSL2-3660-36-DR	203
36 x 72	4000	WSL2-3672-36	215	WSL2-3672-36-DR	231
36 x 84	3000	WSL2-3684-36	239	WSL2-3684-36-DR	255

With Added Pegboard or Louvered Panel

Size D x W	Cap.	PEGBOARD PANEL		LOUVERED PANEL	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-36-PB	139	WSL2-2448-36-LP	139
24 x 60	4500	WSL2-2460-36-PB	176	WSL2-2460-36-LP	176
30 x 48	5000	WSL2-3048-36-PB	159	WSL2-3048-36-LP	159
30 x 60	4500	WSL2-3060-36-PB	194	WSL2-3060-36-LP	194
30 x 72	4000	WSL2-3072-36-PB	234	WSL2-3072-36-LP	234
36 x 60	4500	WSL2-3660-36-PB	217	WSL2-3660-36-LP	217
36 x 72	4000	WSL2-3672-36-PB	251	WSL2-3672-36-LP	251

Adjustable Height Models

- Height adjusts from 27" to 41" high in 2" increments

Size D x W	Cap.	WITHOUT DRAWER		WITH DRAWER	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-AH	116	WSL2-2448-AH-DR	132
24 x 60	4500	WSL2-2460-AH	148	WSL2-2460-AH-DR	164
30 x 48	5000	WSL2-3048-AH	136	WSL2-3048-AH-DR	152
30 x 60	4500	WSL2-3060-AH	166	WSL2-3060-AH-DR	182
30 x 72	4000	WSL2-3072-AH	200	WSL2-3072-AH-DR	216
36 x 60	4500	WSL2-3660-AH	189	WSL2-3660-AH-DR	205
36 x 72	4000	WSL2-3672-AH	217	WSL2-3672-AH-DR	233
36 x 84	3000	WSL2-3684-AH	240	WSL2-3684-AH-DR	256

With Added Pegboard or Louvered Panel

Size D x W	Cap.	PEGBOARD PANEL		LOUVERED PANEL	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-AH-PB	139	WSL2-2448-AH-LP	23
24 x 60	4500	WSL2-2460-AH-PB	176	WSL2-2460-AH-LP	167
30 x 48	5000	WSL2-3048-AH-PB	159	WSL2-3048-AH-LP	199
30 x 60	4500	WSL2-3060-AH-PB	194	WSL2-3060-AH-LP	187
30 x 72	4000	WSL2-3072-AH-PB	234	WSL2-3072-AH-LP	228
36 x 60	4500	WSL2-3660-AH-PB	217	WSL2-3660-AH-LP	262
36 x 72	4000	WSL2-3672-AH-PB	251	WSL2-3672-AH-LP	251



Model
WSL2-2448-36



Model
WSL2-2448-36-PB



Model
WSL2-2448-AH-DR



Model
WSL2-2448-AH-PB



Model
WSJ2-3060-36-DR



Model
WSJ2-2448-36-PB



Model
WSJ2-3060-AH



Model
WSJ2-3060-AH-LP

Welded Steel Workbench with Butcher Block Tops

3000 lbs. Capacity

- 1-3/4" butcher block top
- Replaceable top is bolted to all-welded frame
- 12 gauge steel half depth lower shelf
- Lower shelf features 3" high lip at rear
- Available in fixed or adjustable heights
- Optional factory-installed storage drawer

Fixed Height Models

- Overall height: 37-3/4"
- 1-1/2" x 1-1/2" x 3/16" angle legs and brace
- Footpads with 5/8" anchor hole
- Shelf clearance: 20-3/4"

Size D x W	WITHOUT DRAWER		WITH DRAWER	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-36	125	WSJ2-2448-36-DR	148
30 x 48	WSJ2-3048-36	141	WSJ2-3048-36-DR	164
30 x 60	WSJ2-3060-36	169	WSJ2-3060-36-DR	194
30 x 72	WSJ2-3072-36	202	WSJ2-3072-36-DR	228
36 x 72	WSJ2-3672-36	223	WSJ2-3672-36-DR	250

With Added Pegboard or Louvered Panel

Size D x W	PEGBOARD PANEL		LOUVERED PANEL	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-36-PB	150	WSJ2-2448-36-LP	150
30 x 48	WSJ2-3048-36-PB	166	WSJ2-3048-36-LP	166
30 x 60	WSJ2-3060-36-PB	199	WSJ2-3060-36-LP	199
30 x 72	WSJ2-3072-36-PB	239	WSJ2-3072-36-LP	239
36 x 72	WSJ2-3672-36-PB	260	WSJ2-3672-36-LP	260

Adjustable Height Models

- Height adjusts from 28-3/4" to 42-3/4" High in 2" Increments

Size D x W	WITHOUT DRAWER		WITH DRAWER	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-AH	127	WSJ2-2448-AH-DR	143
30 x 48	WSJ2-3048-AH	143	WSJ2-3048-AH-DR	159
30 x 60	WSJ2-3060-AH	171	WSJ2-3060-AH-DR	187
30 x 72	WSJ2-3072-AH	204	WSJ2-3072-AH-DR	220
36 x 72	WSJ2-3672-AH	225	WSJ2-3672-AH-DR	241

With Added Pegboard or Louvered Panel

Size D x W	PEGBOARD PANEL		LOUVERED PANEL	
	Model No.	Wt.	Model No.	Wt.
24 x 48	WSJ2-2448-AH-PB	152	WSJ2-2448-AH-LP	152
30 x 48	WSJ2-3048-AH-PB	168	WSJ2-3048-AH-LP	168
30 x 60	WSJ2-3060-AH-PB	201	WSJ2-3060-AH-LP	201
30 x 72	WSJ2-3072-AH-PB	241	WSJ2-3072-AH-LP	241
36 x 72	WSJ2-3672-AH-PB	262	WSJ2-3672-AH-LP	262



Welded Steel Workbench with Hardboard Top

Up to 5000 lbs. Capacity

- 1/4" hardboard over double reinforced 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction
- Available with half depth lower shelf or open base

Size D x W	Cap.	with Lower Shelf		with Open Base	
		Model No.	Wt.	Model No.	Wt
Fixed Height Models - 36" Overall Height					
24 x 48	5000	WSH2-2448-36	116	WSH1-2448-36	94
30 x 48	5000	WSH2-3048-36	132	WSH1-3048-36	106
30 x 60	4500	WSH2-3060-36	169	WSH1-3060-36	137
36 x 60	4500	WSH2-3660-36	176	WSH1-3660-36	137
36 x 72	4000	WSH2-3672-36	216	WSH1-3672-36	172
36 x 84	3000	WSH2-3684-36	244	WSH1-3684-36	197
Adjustable Height Models - 27" - 41" High in 2" Increments					
24 x 48	5000	WSH2-2448-AH	118	WSH1-2448-AH	96
30 x 48	5000	WSH2-3048-AH	134	WSH1-3048-AH	108
30 x 60	4500	WSH2-3060-AH	171	WSH1-3060-AH	139
36 x 60	4500	WSH2-3660-AH	188	WSH1-3660-AH	139
36 x 72	4000	WSH2-3672-AH	218	WSH1-3672-AH	174
36 x 84	3000	WSH2-3684-AH	246	WSH1-3684-AH	199



**Model
WSH2-2448-AH**



**Model
WSH1-2448-36**

Stainless Steel Top Welded Workbench

Up to 5000 lbs. Capacity

- 16 gauge, type 304 stainless steel with a #4 finish over 12 gauge steel top
- Corner gussets for additional reinforcement
- All-welded construction

Size D x W	Cap.	Model No.	Wt.
Fixed Height Models - 36" Overall Height			
30 x 48	5000	WSS2-3048-36	153
30 x 60	4500	WSS2-3060-36	188
30 x 72	4000	WSS2-3072-36	229
Adjustable Height Models - 27" - 41" High in 2" Increments			
30 x 48	5000	WSS2-3048-AH	155
30 x 60	4500	WSS2-3060-AH	190
30 x 72	4000	WSS2-3072-AH	231



**Model
WSS2-3048-36**



Heavy-Duty Machine Table

10,000 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- 2-1/2" footpads with 5/8" lag holes
- Available with lower shelf or open base
- All-welded construction
- Powder coated gray finish



**Model
MTH1-2830-30**



**Model
MTH2-2830-30**

Top D x W	Height	OPEN BASE		LOWER SHELF	
		Model No.	Wt.	Model No.	Wt.
16 x 30	24	MTH1-1630-24	96	MTH2-1630-24	113
	30	MTH1-1630-30	103	MTH2-1630-30	120
	36	MTH1-1630-36	109	MTH2-1630-36	127
22 x 30	24	MTH1-2230-24	102	MTH2-2230-24	127
	30	MTH1-2230-30	108	MTH2-2230-30	134
	36	MTH1-2230-36	114	MTH2-2230-36	141
28 x 30	24	MTH1-2830-24	116	MTH2-2830-24	149
	30	MTH1-2830-30	122	MTH2-2830-30	156
	36	MTH1-2830-36	128	MTH2-2830-36	163
30 x 36	24	MTH1-3036-24	134	MTH2-3036-24	178
	30	MTH1-3036-30	140	MTH2-3036-30	185
	36	MTH1-3036-36	147	MTH2-3036-36	192
30 x 48	24	MTH1-3048-24	164	MTH2-3048-24	225
	30	MTH1-3048-30	170	MTH2-3048-30	232
	36	MTH1-3048-36	179	MTH2-3048-36	239
30 x 60	24	MTH1-3060-24	191	MTH2-3060-24	268
	30	MTH1-3060-30	197	MTH2-3060-30	275
	36	MTH1-3060-36	203	MTH2-3060-36	282

7 gauge Mobile Machine Table

3600 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- Four swivel casters
- 6" x 2" phenolic wheels with brakes
- All-welded construction
- Powder coated gray finish



**Model
MTH2830-6PHBK30**

Top D x W	Height	Model No.	Wt.
22 x 30	30	MTH2230-6PHBK30	133
	36	MTH2230-6PHBK36	139
28 x 30	30	MTH2830-6PHBK30	150
	36	MTH2830-6PHBK36	156
30 x 36	30	MTH3036-6PHBK30	168
	36	MTH3036-6PHBK36	174
30 x 48	30	MTH3048-6PHBK30	197
	36	MTH3048-6PHBK36	203



Adjustable Height Steel Top Machine Table

2000 lbs. Capacity

- 12 gauge steel top and shelf
- 1-1/2" retaining lip on lower shelf
- 2-1/2" footpads with 5/8" lag hole
- Adjustable in 2" increments.
- Shelf clearance: 22"
- Height adjusts from 26" to 40"

Top D x W	Model No.	Wt.
18 x 24	MT1824-2-AH	61
18 x 32	MT1832-2-AH	71
24 x 36	MT2436-2-AH	90
24 x 48	MT2448-2-AH	110
24 x 60	MT2460-2-AH	130
30 x 48	MT3048-2-AH	129



**Model
MT2436-2-AH**

Adjustable Height Heavy-Duty Machine Table

10,000 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- Overall height: adjustable to 30" to 37" high in 1" increments

Top D x W	Model No.	Wt.
16 x 30	MTH1-1630-AH	115
22 x 30	MTH1-2230-AH	124
28 x 30	MTH1-2830-AH	141
30 x 36	MTH1-3036-AH	159
30 x 48	MTH1-3048-AH	188
30 x 60	MTH1-3060-AH	212



**Model
MTH1-2830-AH**

Adjustable Height Mobile Heavy-Duty Machine Table

3600 lbs. Capacity

- 3/16" thick (7 gauge) steel top
- 2" x 2" x 3/16" angle iron legs
- Overall height: adjustable to 30" - 37" high in 1" increments

Top D x W	Model No.	Wt.
22 x 30	MTH22306PHBK-AH	165
28 x 30	MTH28306PHBK-AH	182
30 x 36	MTH30366PHBK-AH	200
30 x 48	MTH30486PHBK-AH	229



**Model
MTH28306PHBK-AH**



Model
MT1-2436-30



Model
MT1-2436-30ED-3R

Steel-Top Machine Table

2000 lbs. Capacity

- 12 gauge steel top
- 1-1/2" x 1-1/2" x 1/8" angle iron legs and braces
- All-welded construction
- Powder coated gray finish

Top D x W	Height	Machine Table		Machine Table with Drawer	
		Model No.	Wt.	Model No.	Wt.
18 x 24	18	MT1-1824-18	31	—	—
	24	MT1-1824-24	33	—	—
	30	MT1-1824-30	35	—	—
	36	MT1-1824-36	37	—	—
	42	MT1-1824-42	44	—	—
24 x 36	18	MT1-2436-18	48	MT1-2436-18-ED	73
	24	MT1-2436-24	50	MT1-2436-24-ED	75
	30	MT1-2436-30	52	MT1-2436-30-ED	77
	36	MT1-2436-36	55	MT1-2436-36-ED	80
	42	MT1-2436-42	58	MT1-2436-42-ED	83
24 x 48	18	MT1-2448-18	75	MT1-2448-18-ED	101
	24	MT1-2448-24	78	MT1-2448-24-ED	104
	30	MT1-2448-30	82	MT1-2448-30-ED	108
	36	MT1-2448-36	86	MT1-2448-36-ED	112
	42	MT1-2448-42	89	MT1-2448-42-ED	115

MOBILE VERSION AVAILABLE



Swivel casters with wheel brakes,
3" rubber wheels (9 lbs.), add: **-3R** to Model No.
1000 lbs. Capacity

Note: Models with casters are same overall height as those without casters on Single Shelf Models.



Model
MT2436-2



Model
MT2436-3-LL

Multi-Shelf Machine Table

2000 lbs. Capacity

- 12 gauge steel top & shelves
- 1-1/2" retaining lips on lower shelves
- 1-1/2" x 1-1/2" x 1/8" angle iron legs and braces
- 2-1/2" footpads with 5/8" lag holes
- Overall height: 32-1/2"
- All-welded construction

Size D x W x H	2 Shelves 22" clearance		3 Shelves 10-1/4" clearance	
	Model No.	Wt.	Model No.	Wt.
18 x 24 x 32-1/2	MT1824-2	53	MT1824-3	70
18 x 32 x 32-1/2	MT1832-2	60	MT1832-3	81
24 x 36 x 32-1/2	MT2436-2	80	MT2436-3	111
24 x 48 x 32-1/2	MT2448-2	100	MT2448-3	140
24 x 60 x 32-1/2	MT2460-2	131	MT2460-3	183
30 x 48 x 32-1/2	MT3048-2	130	MT3048-3	180

Accessory Drawer - 13"W x 17"D x 4-1/2"H, add **-ED** to Model No.
(not available on 18" deep models)



ADJUSTABLE HEIGHT OPTIONS AVAILABLE

Adjustable Height Leg Levelers - Adjusts standard table height from +1" to +4", add **-LL** to Model No.
2000 lbs. Capacity

(Only available on Multi-Shelf Models)



Welder's Table

2000 lbs. Capacity

- Dual-sided bar grating
- 4-1/4" deep catch pan
- Available with HD drawer measuring 26"W x 20"D x 6"H
- Ships fully assembled, ready for immediate use
- Powder coated gray finish
- All-welded construction

Overall Dimensions	With Heavy-Duty Drawer		No Drawer	
D x W x H	Model No.	Wt.	Model No.	Wt.
24 x 51 x 34	WG-2451-HD	178	WG-2451	126
48 x 51 x 34	WG-4851-HD	243	WG-4851	191



**Model
WG-2451-HD**



Adjustable Height Welder's Table

2000 lbs. Capacity

- Dual-sided bar grating
- 4-1/4" deep catch pan
- Available with HD drawer measuring 26"W x 20"D x 6"H
- Work surface height adjusts from 31.25" to 45.25"
- All-welded construction

Overall Dimensions	With Heavy-Duty Drawer		No Drawer	
W x D	Model No.	Wt.	Model No.	Wt.
24 x 51	WG-2451-AH-HD	180	WG-2451-AH	128
48 x 51	WG-4851-AH-HD	245	WG-4851-AH	193



**Model
WG-4851-AH**



Parts Washing Table


2000 lbs. Capacity

- Dual-sided bar grating
- 4-1/4" deep catch pan
- 3" deep retaining lips on back and sides
- Drain plug for easy cleanup
- Work surface height: 34"
- Powder coated gray finish
- All-welded construction

Overall Dimensions	Model No.	Wt.
W x D x H		
24" x 51" x 37"	WGE-2451-DP	141



**Model
WGE-2451-DP**



Wheel Selection Guide

How to choose a wheel

- Load capacity
- Push start force
- Rolling/Floor conditions
- Durability/Duty requirements

Typical Factory Floor



Polyurethane
Phenolic
Mold-On Rubber


Rough/Uneven/Outdoor



Pneumatic
Solid Rubber
Flat-Free

Phenolic	Polyurethane	Mold-On Rubber	Solid Rubber	Flat-Free	Pneumatic
Most	<Load Capacity>	Least	Least	<Maintenance>	Most
					
Least	<Cushion>	Most	Least	<Cushion>	Most
Load Capacity Range per Caster Set (4): 3600-5000 lbs.	Load Capacity Range per Caster Set (4): 1200-4000 lbs.	Load Capacity Range per Caster Set (4): 2000-2400 lbs.	Load Capacity Range per Caster Set (4): 1200-1600 lbs.	Load Capacity Range per Caster Set (4): 1600 lbs.	Load Capacity Range per Caster Set (4): 1200-4000 lbs.
Chemical Resistant High Temperature Non-marking	Non-marking Tread Chemical Resistant Quiet Operation	Cushion Tread Absorbs shock/vibration Floor Protection Quiet Operation	Cushioned rubber tire that is more stable and easier to roll under heavy loads than pneumatic.	Wide Rubber tread disperses the load better over irregular or softer surfaces. Less tread compression than pneumatic or solid rubber tires. Only available with off-set hub.	Air Filled rubber tire on a metal hub is able to easily roll over uneven surfaces and bumps.
Applications: Least rolling resistance, but does not absorb vibrations	Applications: Industrial, Warehouse, Institutional	Applications: Industrial & Warehouse	Rugged and maintenance free.		Requires air pressure.

Swivel vs. Rigid Caster



Wheel Brake Options



Total Lock Brakes

Locks both the rotation of the wheel, as well as the swivel of the caster.

Only available on the 5" polyurethane caster.



Swivel Position Lock

Converts swivel caster to rigid by locking the swivel movement.

Only available on the 8" Heavy-Duty phenolic caster.



Wheel Brakes

Locks the rotation of the wheel. Does not lock the swivel movement of the caster.

Wheel brakes are required on each swivel caster to effectively lock the cart in position.



Floor Lock

Positioned between swivel casters to lift casters slightly off ground, preventing any unwanted movement.

Floor Locks are available on most units with 6" or 8" casters.



Wheel Selection Guide

Polyurethane Wheels

Load Capacity Range:
300 – 1,000 lbs.

Characteristics: Easier rolling for higher capacities, long-lasting, chemical resistant, non-marking and quiet operation.

A polyurethane tread is superior for industrial, warehouse, and institutional applications with a great combination of easy rolling and maneuverability under heavy load capacity while able to quietly roll over rough floor surfaces.



Mold-On Rubber Wheels

Load Capacity Range:
500 – 600 lbs.

Characteristics: Better load capacity, long-lasting, cushion tread, absorbs shock and vibration, floor protection and quiet operation.

Rubber tread vulcanized to metal core. A good combination of load capacity and cushion tread that quietly rolls over rough floors. A great wheel choice for heavy industrial and warehouse applications.



Pneumatic Wheels

Load Capacity Range:
300 – 400 lbs.

Characteristics: Great cushion ride over rough floor surfaces, best option for traveling over small obstructions or outdoor applications. Best shock and vibration absorption.

An air filled rubber tire on a metal hub is able to easily roll over uneven surfaces and bumps but does require air pressure management. Under heavy loads, the pneumatic tire profile will compress, creating greater rolling resistance. Ideal for handling fragile loads over rough surfaces.



Phenolic Wheels

Load Capacity Range:
900 – 1,250 lbs.

Characteristics: Best rolling for heavy load capacities, long-lasting, chemical resistant, high temperature, non-marking for smooth floor surface.

A solid one piece wheel that is high pressure molded with reinforced fiber-filled phenolic resin. Offers the least rolling resistance on smooth floors, but does not absorb vibration over rough surfaces.



Solid Rubber Wheels

Load Capacity Range:
300 – 400 lbs.

Characteristics: Good load capacity, great for rough floor surfaces, puncture-proof, floor protection and quiet operation.

Cushioned rubber tire that is more stable and easier to roll under heavy loads than pneumatic wheels. These wheels are a rugged, maintenance-free (no air pressure to maintain) alternative to pneumatic wheels.



Flat Free Hand Truck Wheels

Load Capacity Range:
400 lbs.

Characteristics: Wide rubber tread disperses the load better over irregular or softer surfaces. Less tread compression than pneumatic or solid rubber tires and precision ball bearings improve rollability of heavier loads.



Wheel Specifications

Wheel Diameter	Tread Width	Wheel Type	Bearing I.D.	Centered Hub Model No.	Offset Hub Model No.
5	1-1/4	Polyurethane	3/8" Ball	WHMP-05114	–
6	2	Mold-On Rubber	3/4" Roller	WHMS-0620	–
		Polyurethane	1/2" Ball	WHMP-0620	–
		Phenolic	3/4" Roller	WHPL-0620	–
8	2	Mold-On Rubber	3/4" Roller	WHMS-0820	–
		Polyurethane	1/2" Ball	WHMP-0820	–
		Phenolic	3/4" Roller	WHPL-0820	–
8	2-1/2	Solid Rubber	5/8" Ball	–	WHSP-0825-0
9	3	Pneumatic 2.80/2.50-4	5/8" Ball	WHPN-0830	–
10	2-3/4	Solid Rubber	5/8" Ball	WHSP-1027P-C	WHSP-1027-P
10	3-1/2	Pneumatic 4.10/3.50-4	5/8" Ball	WHPN-1035-C	WHPN-1035
10	3-1/2	Flat Free	5/8" Ball	–	WHFF-1035
12	2-1/2	Mold-On Rubber	1" Roller	WHMS-12250	–
12	3-1/2	Pneumatic 4.10/3.50-6	5/8" Ball	WHPN-1235	–
		Pneumatic 4.10/3.50-6	1" Roller	WHPN-1235-RB	–
16	4	Pneumatic 4.80/4.00-8	1" Roller	WHPN-1640	–

All sales by Brennan Equipment & Manufacturing, Inc. ("Brennan") are made subject to the following terms and conditions. Brennan expressly rejects any different or additional terms or conditions contained in any documents submitted by the Buyer. Brennan's provision of credit, acceptance of any purchase order and/or sale of any goods are expressly made conditional on Buyer's assent to these terms and conditions. All orders by Buyer may be accepted only upon issuance of Brennan's sales order acknowledgement.

Except as otherwise agreed in writing signed by Buyer and Brennan, the applicable Brennan sales order acknowledgement – together with these terms and conditions – constitute the entire agreement between Brennan and Buyer relating to the sale of such goods by Brennan. Terms or conditions contained in any document issued by Buyer that in any manner purport to alter, modify, change, suspend, or add to any term or condition contained herein shall be deemed excluded from such Buyer document and waived by Buyer. Brennan and Buyer expressly agree that Brennan may modify these terms and conditions from time to time, and such modifications shall be binding upon Buyer.

PURCHASE PRICE: The purchase price of goods shall be as stated on the face of the Brennan sales order acknowledgement provided. However, if Brennan announces a general price increase, the purchase price shall be revised to include such price increase. Brennan may in its sole discretion increase its selling price predicated upon increases in the cost of raw materials, energy or freight costs.

TERMS: Net 30 Days from date of invoice. All orders are subject to credit approval. Please submit credit application, 3 trade references, completed W-9, and resale certificate for open account consideration. Credit Card payments are subject to a 3% surcharge. All monies to be rendered in US dollars.

PAST DUE ACCOUNTS: In the event Buyer fails to make payment within terms to Brennan of any amounts due, including any applicable taxes or freight charge, Brennan shall have the right to terminate any Buyer order or any unfulfilled portion thereof, and Brennan may terminate any other agreement between Brennan and Buyer. A Finance Charge of 1.5% per month (18% ANNUAL RATE) may be charged to all past due amounts. Brennan shall have the right to employ a collections agency to collect the balance due, and Buyer agrees to pay all collection costs incurred by Brennan, including its reasonable attorneys' fees.

TAXES: All taxes or other charges levied by any federal, state, municipal or other governmental authority that is required to be collected or paid with respect to the production, sale, or shipment of goods sold to Buyer shall be the responsibility of Buyer. Buyer agrees to pay all such taxes or other charges and further agrees to reimburse Brennan for any such payments made by Brennan.

RETURNS: All returns must be authorized in advance by Brennan. Please call Customer Service for a Returned Goods Authorization ("RGA") number. Custom products cannot be accepted for return. Standard products and colors without options in quantities of 6 or less, within 30 days of shipment date may be returned. Returns must be shipped freight prepaid and have a valid RGA number. All returns are subject to a damage inspection and a 35% refurbishing charge (\$100 minimum).

ORDER CANCELLATIONS & CHANGES: For standard items in quantities of 6 units or less, cancellation charges may apply. If cancellation is received before production is scheduled, a flat rate of a \$40.00 cancellation charge may be applied. Once production has begun, we are unable to cancel or change any order. Quantity orders of more than 6 units and custom items are accepted on a noncancelable and nonreturnable basis.

SHIPPING & FREIGHT: FOB Origin University Park, IL 60484 - Freight Collect or 3rd Party Billing - Risk of loss or damage shall be borne by the Buyer and all claims must be filed directly with carrier.

PREPAY & ADD FREIGHT PROGRAM: Order can be shipped prepaid and our discounted freight charges added to your invoice. Freight rate is guaranteed at time of order. We file any damage claims provided shipment is refused or damage noted upon receipt.

DROP SHIPMENTS: No additional charge.

SPECIFICATIONS: If any dimension or specification is critical, it should be verified at time of order placement.

CAPACITIES: All capacities are based on Uniformly Distributed Loads (UDL). Do not exceed load capacities.

WARRANTY: Any product that has been subjected to normal use for which it is intended and is shown to be defective within one (1) year from date of purchase will be repaired or replaced at Brennan's option, provided such defect is reported promptly to the manufacturer. Authorization is required prior to returning.

SUBSTITUTIONS: Brennan reserves the right to substitute the latest superseding design and manufactured equivalent equipment, where interchange ability does not materially affect form, fit or function.

PACKAGING: ALL PRICES QUOTED include standard domestic packaging. An extra charge will apply whenever special packaging requirements are specified; either for domestic, export, or U.S. Government sealed packing, based on the extra cost incurred to fulfill these requirements.

CALIFORNIA PROPOSITION 65:  **WARNING:** This product can expose you to chemicals, including nickel, which are known to the State of California to cause cancer and reproductive harm. For more information – www.P65Warnings.ca.gov.

Model Number Index

1LG/1LGL.....5	CAW/CAWD.....41	LF.....35	-S-
1LK/1LKL.....7	CBL.....73	LG/LGL.....4-5,18	S1/S2/S3.....40,44
2,3 G/GL.....12	CBR.....73	LKG/LGLK.....7	SB(S).....51
2LDWP.....22	CC.....35	LGLP.....22	SBR.....73
2PD.....84-85	CD.....26	LK/LKL.....6	SC.....49-52
2RP2X/3S/3X/4S/4X.....45-46	CH/CHP.....24-25	LW/ LDW/ LWP.....23-24	SGS.....69
3DS.....14	CS/CSW.....26-27	-M-	SL(C).....52-56
3ENDS.....15	-D-	MB/MH/MJ/MM.....117-121	SPS.....83
3ENLG/ENLGL.....8	DC.....82	MC.....121	SR.....78-79
3GH.....13	DET.....38-39	MNC.....117	SRR.....96
3IP.....106	DR/DRB.....36	MS.....99-100	SS-RD.....66
3LG/LGL.....18	DS.....14,16-17	MST.....71	SSB.....67,69
3, 4, 5M/ML.....19,21	DSX.....17	MT/MTH.....134-136	SSF.....66
3, 4, 5MLP.....22	DT.....75	MW.....104-105	SSL(P).....53,57-60
3MW.....105	-E-	-N-	SSP.....66
SW/3SDW.....111-112	EA.....5	NB6W.....28	SST.....67-69
4, 5, 6SH(P)(C).....63-64	ENDS.....15	NBB.....28-30	ST.....51
4, 5 MC.....21	ENLG/ENLGL.....8	NBBC.....76	SW/SDW.....111-112
5ENM/ENML.....20	ENG/ENGLF.....3	NBBH/NBBM.....30	-T-
5SE.....62	ERBST.....72	NBH.....28	T(F) Hand Trucks.....88-91
6BC.....101	ERG/ERGL.....9	NBP.....75	T1/T2/T3.....42-44
-A-	ESH.....62	NBX3.....31	T500/T700.....31-32
ABR.....70	-G-	NCB.....29	T810/820.....32
ABS.....98	G/GL.....10-11,18	-O-	TB.....76
AF.....80-82	GCK/GLK.....9	OE.....76	TW.....91-92
AFCP.....103	GF/GLF.....3	OT/OTL.....40	-V-
AFPB/AFLP.....103	GH.....13	-P-	VSR.....79
AFS.....98	GS.....92-93	PD.....84-87	-W-
AM.....21	-H-	PPT.....44	WG/WGE.....137
APT.....77	HC.....61	PSR/PSX.....116	WSB2.....130
ASR.....79	HE.....37	PT/PTC.....82	WSH1/2.....133
-B-	HT.....48	-Q-	WSJ2.....109,132
BB.....30	HF.....71	QC.....105	WSL2.....110,131
BC.....101	-I-	-R-	WSS2.....133
BCPB.....104	IBCS.....68	RC/RCM/RCS.....95	WST1/2/3.....125-130
BOP.....81	IF.....102	RD.....65	WSTC.....122
BQ.....107	IP.....106-107	RL.....95	WT/WTC/WTS.....113-115
BR.....74	IPG.....108	RNB/RNH/RNL/RNJ.....33-35	WW.....124
BRT.....70	IPH.....108	RP3S/3X/4S/4X.....45	WWC/WWCJ.....122-123
BTS/X.....47	IPJ.....109	RPDS/DX.....46	WX.....124
-C-	IPB/ILP.....104	RR.....94	
CA.....41	-L-	RS.....115	
CARD.....41	LC.....78	RT.....96-97	

For more information on Little Giant products visit LittleGiant-USA.com

SPECIFICATIONS: If any particular dimension or specification is critical, it should be verified at time of order placement.

CAPACITIES: All capacities are based on Uniformly Distributed Loads (UDL). Do not exceed load capacities.

WARRANTY: Any product that has been subjected to normal use for which it is intended and is shown to be defective within one (1) year from date of purchase will be repaired or replaced at Brennan's option, provided such defect is reported promptly to the manufacturer. Authorization is required prior to returning.



Manufactured by
Brennan Equipment & Mfg., Inc.
 730 Central Ave.
 University Park, IL 60484
 Phone (708) 534-5500
www.LittleGiant-USA.com





Little Giant Products

Manufactured by

Brennan Equipment & Mfg., Inc.

730 Central Ave., University Park, IL 60484

Phone (708) 534-5500

www.LittleGiant-USA.com • sales@littlegiant-usa.com

SOLD ONLY THROUGH DEALERS

Contact your local Industrial Distributor,
or visit our website to locate a
Distributor in your area.

